

ENDURANCE GOLD

Reliance Gold Project

**A New Discovery in the Historic Bralorne Camp
Gold Bridge, B.C.**


Selected Diamond Drill Core

PDAC Core Shack March 2024


EDG: TSX.V
ENDGF: OTC Pink
Frankfurt: 3EG



Reliance Gold Project Bralorne Camp, Gold Bridge, B.C.



4 hour
Drive from
Vancouver



New Surface Discovery
10 km from historic Bralorne Camp
(+4 million ounces of historic production)

 **Imperial and
Eagle Zones**

Reliance Gold Project Bralorne Camp, Gold Bridge, B.C.



Reliance Gold Project, B.C.

Royal Shear Geology & Cross Section Locations

REPORTED GOLD INTERCEPTS

5.00 gpt Gold / 9.8 m

2023 Diamond Drill Intercept

DRILLING BY ENDURANCE GOLD

- Diamond Drill Hole
 - Reverse Circulation (RC) Drill Hole
- Select drill traces shown Au = Gold

MINERALIZATION

- Surface Exposed Mineralization
- Mineralization Trend Projected from depth


GEOLOGY

ALTERATION


- Ankerite Alteration +/- Quartz

ROCK TYPE

- Mafic Volcanic / Gabbro
- Argillite and Chert



Imperial Zone



Eagle Zone


Reliance Gold Project, B.C. 2021 to 2023 DDH Statistics

- Completed **82 Diamond** Drill Holes between 2021 to 2023
- Majority of Drill holes at the **Eagle Area – SIGNIFICANT DISCOVERY**
 - **15.7 gpt Gold / 24.8 m** including **26.96 gpt Gold / 4.1 m**
 - **8.62 gpt Gold / 24.4 m** including **17.02 gpt Gold / 4.3 m**
 - **8.41 gpt Gold / 12.0 m, 8.05 gpt Gold / 13.0 m.**
 - **3.05 gpt Gold / 139.9 m, 4.16 gpt Gold / 30.0 m, 5.8 gpt Gold / 23 m**
- 11 Diamond Drill holes at the **Imperial Zone** – majority mineralized
 - **8.47 gpt Gold / 24.9 m** including **16.27 gpt Gold / 10.5 m**
 - **8.98 gpt Gold / 9.3 m** including **12.44 gpt Gold / 6.0 m**
 - **17.28 gpt Gold / 4.2 m** including **35.20 gpt Gold / 1.3 m**
- **59 of 82** total drill holes have significant intersections
(>10 gram X m and >3 m width)
- **15 of 82** total drill holes have excellent drill intersections
(63 to 426 gram X metre)

Reliance Gold Project, B.C.



15 Best Diamond Drill Holes 2021 to 2023

<u>Zone & DDH</u>	<u>From</u>	<u>g/t X m</u>	<u>Au g/t / Metre</u>
Eagle - 22-058	32.1	426	3.05 gpt / 139.9m
Eagle - 21-020	33.3	389	15.70 gpt / 24.8m
Imperial - 21-009	161.0	210	8.47 gpt / 24.9m
Eagle - 21-006	25.6	210	8.62 gpt / 24.4m
Eagle - 23-076	9.3	133	5.80 gpt / 23.0m
Eagle - 22-027	109.2	124	4.16 gpt / 30.0m
Eagle - 22-026	80.4	108	8.06 gpt / 13.5m
Eagle - 22-024	27.0	100	8.41 gpt / 12.0m
Eagle - 22-036	35.4	97	7.65 gpt / 12.7m
Eagle - 22-031	124.9	90	7.58 gpt / 11.9m
Eagle - 22-045	35.1	84	7.31 gpt / 11.6m
Eagle - 21-004	1.0	84	4.44 gpt / 19.0m
Imperial - 23-065	212.8	83	8.98 gpt / 9.3m
Eagle - 22-028	97.0	82	2.59 gpt / 31.6m
Imperial - 23-066	306.5	72	17.28 gpt / 4.2m



Reliance Gold Project, B.C.

Royal Shear Longitudinal Section – Open to Depth & Strike



Imperial Zone




IMPERIAL ZONE

DDH23-065

**8.98 gpt
Gold over
9.3 m
Including
12.44 gpt
Gold over
6.0 m**

**From
212.8 m**

= gpt gold



Imperial Zone

DDH23-065

Consistently Mineralized

From	To	Length	Sample Number	Au_USE g/	Ag_USE ppm	As_USE ppm	Sb_USE ppm
207.2	208.7	1.5	L640096	0.026	0.13	120	10.2
208.7	209.75	1.05	L640097	0.055	0.34	258	19.65
209.75	210.75	1	L640098	0.306	0.53	988	107.5
210.75	211.75	1	L640099	0.195	0.54	293	39
211.75	212.75	1	L640100	0.293	0.51	427	69.2
212.75	213.75	1	L640101	23.2	4.74	7200	10000
213.75	214.75	1	L640102	11.5	2.55	4440	1975
214.75	215.75	1	L640103	9.67	1.64	4750	642
215.75	216.75	1	L640104	6.04	1.36	4460	579
216.75	217.75	1	L640105	15.2	1.24	4980	302
217.75	218.75	1	L640106	9.03	3.34	4260	8920
218.75	219.75	1	L640107	3.77	1.53	2030	7100
219.75	220.75	1	L640108	0.043	0.07	67.7	68.7
220.75	222	1.25	L640109	3.72	0.63	3720	2070
222	222.5	0.5	L640111	0.005	0.04	64	59.9
222.5	223.5	1	L640112	0.011	0.03	29.6	14.4

PDAC Display Boxes

8.98 gpt gold over 9.3 m including 12.44 gpt gold over 6.0 m

Imperial Zone DDH21-009

Royal
Shear
HW
Fault


From
151.0 m

gpt Au

16.27 gpt Gold over 10.5 m

8.47 gpt Gold over 24.9 m

Weak Alt
Mafic Volc.



Imperial Zone

DDH21-009

Consistently Mineralized

From	To	Width	Sample Number	Au_USE g/t	Ag ppm ME-MS61	As ppm ME-MS61	Sb_USE %
155.3	157.3	2	C964915	0.039	0.2	54.4	0.00058
157.3	159.3	2	C964916	0.064	0.18	42.3	0.000192
159.3	161	1.7	C964917	0.25	0.21	404	0.00443
161	162.2	1.2	C964918	3.46	1.81	2070	0.0117
162.2	164	1.8	C964919	0.155	0.44	81	0.001025
164	166	2	C964921	13.5	4.35	7310	0.0784
166	167.4	1.4	C964922	1.48	1.64	1345	0.306
167.4	169.4	2	C964923	54.5	13.5	10000	2.73
169.4	171.4	2	C964924	4.18	2.48	3190	0.333
171.4	173	1.6	C964925	9.83	3.5	5150	0.223
173	174.5	1.5	C964926	5.76	3.56	3230	0.0591
174.5	176.6	2.1	C964927	0.55	0.25	822	0.0127
176.6	178.6	2	C964928	7.17	3.06	4460	0.331
178.6	180.6	2	C964929	3.67	1.91	2790	0.101
180.6	182.6	2	C964931	1.08	0.42	1010	0.0157
182.6	184.4	1.8	C964932	3.32	1.34	1895	0.0579
184.4	185.9	1.5	C964933	3.06	1.34	1940	0.0741
185.9	187.9	2	C964934	0.015	0.06	18.7	0.00113
187.9	189.9	2	C964935	0.037	0.04	45.3	0.001365

8.47 gpt gold over 24.9 m including 16.27 gpt gold over 10.5 m



Imperial Zone DDH21-009 Detail



@164.3m See detail



@164.3m

13.5 gpt Gold

2.0 m

**NQ Core
Diameter**



Reliance Property, B.C.
ENDURANCE GOLD
CORPORATION

Imperial Zone DDH21-009 Detail



@169m See detail

@170.7m See detail



@169m

54.5 gpt Gold

2.0 m



@170.7m

4.18 gpt Gold

2.0 m

**NQ Core
Diameter**





Reliance Property, B.C.
ENDURANCE GOLD
CORPORATION

Eagle Zone




Reliance Gold Project, B.C.

Royal Shear Longitudinal Section – Open to Depth & Strike



Reliance Gold Project, B.C.

Eagle Zone Cross Section DDH23-070, -072, -073



**Eagle X-Section
800 m South of
Imperial X-Section**

**Wider Zone has
Shallow Plunge**

2023 Drilling – Eagle/Crown Zone Example of Visible Gold

DDH23-078




9.67 gpt gold over 1.2 m

*NQ Core
Diameter*



Reliance Property, B.C.
ENDURANCE GOLD
CORPORATION

Eagle Zone DDH22-026



From
82.4 m

8.06 gpt Gold
13.5 m

*NQ Core
Diameter*

= gpt gold



Eagle Zone

DDH22-026

Consistently Mineralized

From	To	Length	Sample Number	Au_USE g/	Ag_USE ppm	As_USE ppm	Sb_USE ppm
76.4	77.4	1	H610701	0.068	0.12	72.4	10.85
77.4	79.4	2	H610702	0.004	0.16	9.1	3.96
79.4	80.4	1	H610703	0.166	0.43	122	39.3
80.4	82.4	2	H610704	3.09	1.15	2860	1200
82.4	83.5	1.1	H610706	9.76	2.4	5900	1740
83.5	85.4	1.9	H610707	10.75	3.45	7840	1490
85.4	86.5	1.1	H610708	7.33	1.79	2950	465
86.5	88.4	1.9	H610709	3.27	1.54	1745	3580
88.4	89.4	1	H610710	12.5	2.08	5650	1655
89.4	90.75	1.35	H610711	9.06	2.31	4450	197.5
90.75	91.4	0.65	H610712	11.35	3.22	6000	668
91.4	92.6	1.2	H610713	7.36	1.61	3240	157
92.6	93.9	1.3	H610714	12.55	2.16	5390	416
93.9	95.55	1.65	H610716	0.373	0.3	354	38.2
95.55	96.15	0.6	H610717	0.005	0.06	12.4	4.91

PDAC Display Boxes

8.06 gpt gold over 13.5 m including 10.41 gpt gold over 5.5 m

Eagle Zone DDH 21-020

15.7 gpt gold / 24.8m Incl 26.96 gpt / 4.1m

58.1m

**NQ Core
Diameter**

From
33.3 m



Eagle Zone DDH21-020 Consistently Mineralized

From	To	Width	Sample Number	Au_USE g/t	Ag ppm ME-	As ppm ME-	Sb_USE %
25.4	27.4	2	C965316	0.015	0.1	11.9	0.000514
27.4	29.4	2	C965317	0.026	0.25	54.3	0.00454
29.4	31.4	2	C965318	0.07	0.2	73.7	0.00717
31.4	33.3	1.9	C965319	0.033	0.14	23.6	0.00761
33.3	35.3	2	C965321	7.04	1.36	3660	0.106
35.3	37.3	2	C965322	4.99	1.8	2730	0.269
37.3	39.3	2	C965323	18.85	3.61	9250	1.21
39.3	41.3	2	C965324	19.35	3.67	8870	1.38
41.3	43.3	2	C965325	17.55	3.65	8630	0.338
43.3	45	1.7	C965326	11.1	3.12	8270	0.0807
45	45.9	0.9	C965327	14.45	4.23	7630	0.0609
45.9	47.9	2	C965328	26.4	2.34	7190	0.122
47.9	50	2.1	C965329	27.5	3.2	6930	0.98
50	51.4	1.4	C965331	6.24	0.75	1650	0.134
51.4	53.4	2	C965332	13.25	3.47	4830	0.1085
53.4	55.4	2	C965333	16.15	7.63	5920	0.439
55.4	57.4	2	C965334	16.45	2.71	8400	0.0931
57.4	58.1	0.7	C965335	15.55	2.73	6850	0.794
58.1	60	1.9	C965336	0.684	0.34	1125	0.01205
60	62	2	C965337	0.029	0.08	18.6	0.00361
62	64	2	C965338	0.038	0.1	21	0.00455

PDAC Display
16.45 gpt Au/2.0m



15.7 gpt gold over 24.8 m including 26.96 gpt gold over 4.1 m

Eagle Zone DDH21-020 Detail



= gpt gold

19.35

17.55

11.1

14.45

26.4

47

27.5

6.24

13.25

From
45.9 m



26.96 gpt Gold
4.1m

NQ Core
Diameter

Eagle Zone DDH21-020 Detail

**NQ Core
Diameter**

@49 m See detail

@54 m See detail

@58 m See detail

Melange – No sulphides

Eagle Zone DDH21-020 - Mineralized Breccia & Coxcomb Quartz



@37 m

4.99 gpt Gold

2.0 m



@49 m

27.5 gpt Gold

2.1 m



@54 m

16.15 gpt Gold

2.0 m



@58 m

15.55 gpt Gold

0.7 m

**NQ Core
Diameter**



Reliance Property, B.C.
ENDURANCE GOLD
CORPORATION

ENDURANCE GOLD

www.endurancegold.com

Robert T. Boyd, P.Geo. is a qualified person as defined in National Instrument 43-101 and supervised the compilation of the information forming the basis for this summary. Any historic data summarized in this presentation should not be relied upon.

Suite 1212 – 666 Burrard Street
Vancouver, BC V6C 2X8 Canada
Phone: 604-682-2707

EDG: TSX.V | ENGF: OTC Pink | Frankfurt: 3EG

