



## ASSESSMENT REPORT TITLE PAGE AND SUMMARY

**TITLE OF REPORT:** 2022 RC DRILLING ASSESSMENT REPORT ON THE RELIANCE GOLD PROJECT

**TOTAL COST:** \$510,683

**AUTHOR(S):** Darren O'Brien, P.Geo / Katie Dodd, GIT

**SIGNATURE(S):**

**NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):** MX-4-748 / October 22, 2020

**STATEMENT OF WORK EVENT NUMBER(S)/DATE(S):** 5960609 / December 8, 2022

**YEAR OF WORK:** 2022

**PROPERTY NAME:** Reliance Gold

**CLAIM NAME(S) (on which work was done):**

**1063230, 1064613**

**COMMODITIES SOUGHT:** Gold

**MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:** 092JNE191 / 092JNE033 / 092JNE136

**MINING DIVISION:** Lillooet

**NTS / BCGS:** 092J15W / 092J087

**LATITUDE:** 50° 52' 33"

**LONGITUDE:** 122° 47' 7" (at centre of work)

**UTM Zone:** 515,500 **EASTING:** 5,635,650 **NORTHING:**

**OWNER(S):**

137790 SIMPSON, ANA RUTH (50%)  
116838 MARK, DAVID GEORGE (50%)

**MAILING ADDRESS:**

Suite 1900 – 1055 West Hastings Street  
Vancouver, BC V6E 2E9

**OPERATOR(S) [who paid for the work]:** Endurance Gold Corporation (147334)

**MAILING ADDRESS:**

Suite 1900 – 1055 West Hastings Street  
Vancouver, BC V6E 2E9

**REPORT KEYWORDS** (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

Bridge River Group; Intermontane Belt; Basalt; Argillite; Chert; Stibnite; Arsenopyrite; Sulphide; Pyrite; Calcite; Ankerite; Quartz; Gold; Shear; Vein; Orogenic

**REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:**

1933-271; 1935-F56; 1936-F8; 1945-A88; 3276, 3548, 9744, 12276, 12812, 14019, 27561, 28362, 29460, 30524, 38797, 39426

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)			
GEOLOGICAL (scale, area)						
Ground, mapping						
Photo interpretation						
GEOPHYSICAL (line-kilometres)						
Ground						
Magnetic						
Electromagnetic						
Induced Polarization						
Radiometric						
Seismic						
Other						
Airborne						
GEOCHEMICAL (number of samples analysed for ...)						
Soil						
Silt						
Rock						
Other						
DRILLING (total metres, number of holes, size, storage location)						
Core	33 RC holes	4" RC	2447.5 m	1063230	1064613	\$510,683
Non-core						
RELATED TECHNICAL						
Sampling / Assaying						
Petrographic						
Mineralographic						
Metallurgic						
PROSPECTING (scale/area)						
PREPATORY / PHYSICAL						
Line/grid (km)						
Topo/Photogrammetric (scale, area)						
Legal Surveys (scale, area)						
Road, local access (km)/trail						
Trench (number/metres)						
Underground development (metres)						
Other						
		<b>TOTAL COST</b>	\$510,683			


[Print and Close](#)
[Cancel](#)

## Mineral Titles Online

### Mineral Claim Exploration and Development Work/Expiry Date Change

#### Confirmation

**Recorder:** ENDURANCE GOLD CORPORATION (147334)

**Submitter:** ENDURANCE GOLD CORPORATION (147334)

**Recorded:** 2022/DEC/08

**Effective:** 2022/DEC/08

**D/E Date:** 2022/DEC/08

#### Confirmation

If you have not yet submitted your report for this work program, your technical work report is due in 90 days. The Exploration and Development Work/Expiry Date Change event number is required with your report submission. **Please attach a copy of this confirmation page to your report.** Contact Mineral Titles Branch for more information.

**Event Number:** **5960609**

**Work Type:** Technical Work  
**Technical Items:** Drilling

**Work Start Date:** 2022/APR/19

**Work Stop Date:** 2022/MAY/31

**Total Value of Work:** \$ 510659.00

**Mine Permit No:** MX-4-748

#### Summary of the work value:

Title Number	Claim Name	Issue Date	Good To Date	New Good To Date	# of Days For-ward	Area in Ha	Applied Work Value	Sub-mission Fee
509832		2005/MAR/30	2024/DEC/31	2032/DEC/01	2892	224.32	\$ 35523.15	\$ 0.00
510228	LEVON 3	2005/APR/05	2024/DEC/31	2032/DEC/01	2892	101.95	\$ 16144.24	\$ 0.00
510229	LEVON 4	2005/APR/05	2024/DEC/31	2032/DEC/01	2892	61.20	\$ 9690.88	\$ 0.00
510647	LEVON 5	2005/APR/12	2024/DEC/31	2032/DEC/01	2892	40.80	\$ 6460.96	\$ 0.00
510884		2005/APR/18	2024/DEC/31	2032/DEC/01	2892	387.41	\$ 61351.14	\$ 0.00
510885		2005/APR/18	2024/DEC/31	2032/DEC/01	2892	81.56	\$ 12915.42	\$ 0.00
510886		2005/APR/18	2024/DEC/31	2032/DEC/01	2892	346.54	\$ 54878.14	\$ 0.00
1063230	RELIANCE	2018/SEP/21	2025/MAY/02	2032/DEC/01	2770	183.54	\$ 27481.28	\$ 0.00
1064613	RELIANCE 2	2018/NOV/21	2023/MAR/09	2032/DEC/01	3555	489.58	\$ 86944.47	\$ 0.00
1071257	TRUAX	2019/SEP/23	2028/FEB/01	2032/DEC/01	1765	204.07	\$ 19717.94	\$ 0.00
1075797	TRUAX 2	2020/APR/19	2028/FEB/01	2032/DEC/01	1765	224.38	\$ 21685.23	\$ 0.00
1070811	RUFUS	2019/SEP/03	2023/DEC/26	2032/DEC/01	3263	81.56	\$ 13192.72	\$ 0.00
1070812	SANCHEZ'S GOLD	2019/SEP/03	2023/DEC/26	2032/DEC/01	3263	20.39	\$ 3298.42	\$ 0.00
1071647	RUSTY SANCHEZ	2019/OCT/04	2023/DEC/26	2032/DEC/01	3263	81.57	\$ 13124.75	\$ 0.00
1071668	EL DIEGO	2019/OCT/06	2023/DEC/26	2032/DEC/01	3263	20.39	\$ 3279.63	\$ 0.00
1072545	SANCHEZ MINER	2019/NOV/06	2023/DEC/26	2032/DEC/01	3263	101.95	\$ 16311.76	\$ 0.00
1075485	SANCHEZ MINER EXTENSION	2020/MAR/27	2023/DEC/26	2032/DEC/01	3263	61.18	\$ 9553.73	\$ 0.00
1086605	SANCHEZ SILVER	2021/DEC/23	2022/DEC/23	2032/DEC/01	3631	101.97	\$ 14152.69	\$ 0.00
1086606	SANCHEZ EXPANSION PACK	2021/DEC/23	2022/DEC/23	2032/DEC/01	3631	285.51	\$ 39628.59	\$ 0.00
1086617	NORTH SANCHEZIA	2021/DEC/23	2022/DEC/23	2032/DEC/01	3631	81.55	\$ 11319.48	\$ 0.00
1090794	EL DIEGO ANNEX	2022/JAN/24	2023/JAN/24	2032/DEC/01	3599	20.39	\$ 2794.01	\$ 0.00
1061787		2018/JUL/14	2023/JUL/14	2032/DEC/01	3428	20.39	\$ 3622.86	\$ 0.00

**Financial Summary:****Total applied work value:**\$ 483071.49

**PAC name:** Endurance Gold Corporation  
**Debited PAC amount:** \$ 0.0  
**Credited PAC amount:** \$ 27,587.51

**Total Submission Fees:** \$ 0.0

---

**Total Paid:** **\$ 0.0**

*Please print this page for your records.*

The event was successfully saved.

Click [here](#) to return to the Main Menu.



2022 RC DRILLING ASSESSMENT REPORT  
on the  
**RELIANCE GOLD PROJECT**

Event Number: 5960609  
Claims Worked On: 1063230, 1064613

Located in the Bridge River Mining Camp  
Lillooet Mining Division  
British Columbia, Canada

NTS Map Sheet: 092J/15  
BCGS Map Sheet: 092J/087  
50° 52' 33" North Latitude  
122° 47' 7" West Longitude

Prepared for:

Endurance Gold Corporation  
Suite 1900 – 1055 West Hastings Street  
Vancouver, BC  
V6E 2E9

Prepared by

**Darren O'Brien P.Geo**  
**Katie Dodd GIT**

**Tripoint Geological Services Ltd.**  
148-2770 Leigh Road  
Victoria, BC, V9B 4G1

February 24, 2023

## TABLE OF CONTENTS

<b>1</b>	<b>INTRODUCTION .....</b>	<b>3</b>
<b>2</b>	<b>LOCATION, ACCESS, PHYSIOGRAPHY &amp; CLIMATE.....</b>	<b>5</b>
<b>3</b>	<b>LAND TENURE AND CLAIM STATUS.....</b>	<b>7</b>
<b>4</b>	<b>EXPLORATION HISTORY.....</b>	<b>11</b>
4.1	RELIANCE CLAIMS .....	11
4.2	TRUAX CLAIMS .....	19
4.3	OLYMPIC CLAIMS .....	20
4.4	SANCHEZ CLAIMS.....	22
<b>5</b>	<b>GEOLOGY.....</b>	<b>26</b>
5.1	REGIONAL GEOLOGY & MINERALIZATION.....	26
5.2	PROPERTY GEOLOGY AND MINERALIZATION .....	29
<b>6</b>	<b>2022 RC DRILLING .....</b>	<b>31</b>
<b>7</b>	<b>SAMPLE PREPARATION, ANALYSIS AND SECURITY.....</b>	<b>34</b>
7.1	RC SAMPLING PROCEDURE.....	34
7.2	RC ANALYSIS AND SECURITY .....	34
<b>8</b>	<b>PROGRAM RESULTS .....</b>	<b>36</b>
8.1	BONA ZONE.....	39
8.2	VISTA ZONE .....	39
8.3	EAGLE ZONE .....	41
8.4	EAGLE SOUTH ZONE (EAGLE 020 TARGET) .....	43
<b>9</b>	<b>DISCUSSION AND CONCLUSIONS .....</b>	<b>45</b>
<b>10</b>	<b>REFERENCES .....</b>	<b>46</b>

## FIGURES

Figure 1. Reliance Gold Project - General Location Map.....	4
Figure 2. Reliance Gold Project - Claim Map.....	8
Figure 3. Reliance Gold Project – Map of Claims and Option Groupings.....	11
Figure 4. Regional Geological Setting of the Bridge River Mining District in Southern British Columbia; Modified after Hart and Goldfarb (2017). .....	27
Figure 5. Regional Geological Setting of the Bridge River Mining District Showing Distribution of Mineral Deposits; Modified after Hart and Goldfarb (2017).....	28
Figure 6. Reliance Gold Property Geology Map .....	30
Figure 7. 2022 RC Collar Location Map .....	33
Figure 8 Eagle Surface Plan with Highlight Assay Results .....	42
Figure 9 Eagle Zone Long Section showing Highlight Results and Footwall of Mineralized Zone .....	43

## TABLES

Table 1 . Reliance Gold Project – List of Mineral Claims. ....	9
Table 2. Reliance Gold Project – List of Crown Grants.....	10
Table 3. Menika Historic Drill Hole Collars (1985 – 2008) .....	13
Table 4 Endurance Gold Drill Collars (2020 – 2021) .....	16
Table 5. 2021 Diamond Drilling Significant Intercepts .....	18
Table 6. Reliance Gold Project – Historic Work Summary .....	23
Table 7. 2022 RC Collars .....	31
Table 8. 2022 RC Drilling Significant Intercepts .....	36
Table 9. Bona Zone - Anomalous RC Assays .....	39
Table 10. Vista Zone - Significant Channel Sample Results .....	40
Table 11. Vista Zone - Anomalous RC Assays.....	40

## APPENDICES

APPENDIX A	Statement of Expenditures
APPENDIX B	Statement of Qualifications
APPENDIX C	Samples Detail Tables
APPENDIX D	Assay Certificates
APPENDIX E	Analytical Procedure Method Descriptions
APPENDIX F	Drillhole Plans and Cross Sections
APPENDIX G	pXRF Analysis Results
APPENDIX H	RC Chip Photos

## 1 INTRODUCTION


The Reliance Gold Project is a road accessible property located 4 km east of the village of Gold Bridge, BC in the Bridge River Valley and is centred on the south side of the Carpenter Lake Reservoir. In 2022 Endurance Gold expanded the property from the original four claims, which were split between two non-contiguous blocks, by acquiring the option to earn a 100% ownership of the Olympic and Sanchez options. An additional claim, comprising 203.85 ha, was added late in the season and is not eligible for assessment credit. The Reliance Gold Project is now a contiguous 3445.4 ha land package.

In 2022, 33 reverse circulation (RC) drill holes totalling 2447.5 m were drilled on the original Reliance claims. The program was designed to expand on mineralization in the Eagle Zone with step out drilling, as well as to follow up on surface anomalies along the Treasure Shear structural trend in the Bona and Vista Zones. All 1550 RC samples were analyzed using an Olympus Vanta pXRF Analyzer. Based on elevated pXRF arsenic results, a subset of 655 samples were selected for further analysis at ALS Geochemistry in North Vancouver B.C. with the goal of determining quantifiable gold assays.

The 2022 RC drilling successfully expanded and refined the Eagle Zone by infilling between the 2021 diamond drill holes, as well as extending mineralization to the southeast where recent trail construction exposed mineralized bedrock. The RC drill was also used to successfully identify the orientation of the high grade O20 Target structure located within the Eagle South Zone. The Bona and Vista Zones were successfully tested and proved that the Treasure Shear is a gold-bearing structure but RC drilling did not reproduce the high-grade surface channel samples.

Based on the 2022 RC results, Endurance Gold Corporation is in the process of delineating a new, near-surface gold discovery that is interpreted to be an epizonal orogenic gold system. At the completion of the 2022 RC program, mineralization in the Eagle area has been delineated along a 400 metre trend by 71 relatively shallow RC and diamond drill intersections with an average mineralized drill length of 9.6 m and a weighted average grade of 5.17 g/t gold. Further diamond drilling is needed to improve understanding of mineralization characteristics, better define the orientation of gold-bearing structures, and to delineate and further expand the Eagle Zone. Diamond drilling was in progress at the time of completion of the 2022 RC program.

Figure 1. Reliance Gold Project - General Location Map



## 2 LOCATION, ACCESS, PHYSIOGRAPHY & CLIMATE

The Reliance Gold Project is located 4 km east of the village of Gold Bridge, B.C. in the Bridge River Valley and is centred on the south side of BC Hydro's Carpenter Lake Reservoir (Figure 1). The Project consists of 23 claims and eight (8) Crown Grants (Figure 2), and includes the original Reliance option which covers the northern slope of NW3 Peak of the Truax Mountain Range as well as two additional claim groups added east of the Reliance Gold Project in 2022; the Olympic option and the Sanchez option (Figure 3). Finally, two more claims were staked during the 2022 season. With the addition of these claims, the contiguous land package covers 3445.4 ha and extends north across Carpenter Lake Reservoir to include the historic Minto Mine. The Project is now geographically centred at 50° 52" north latitude and 122° 44" west longitude, the 1:50 k NTS map index is 092J/15 and the 1:20 k BCGS index is 092J/087. The camp laydown area remains at the outlet of McDonald Creek and is located at 514,615m E /5,636,465m N (NAD83 Zone 10N).

Road access to the majority of the Reliance claims and site of the 2022 RC drill program is via the Grey Rock Forest Service Road located just east of Gold Bridge. The road begins at Sucker Creek and travels along the south side of BC Hydro's Carpenter Lake Reservoir. Access to the Reliance Project is at the 4 km marker, where a series of logging roads and bush roads provide four-wheel drive or ATV access to the Reliance claims. Continuing east along Grey Rock road to the 8.5 km mark, there is a turn off to the logging roads that access the Olympic option. In 2022, during the RC drilling program, recent tree logging and replanting had just been completed and several roads were in the process of being deactivated. The portion of the Olympic option located on the northern side of Carpenter Lake Reservoir is accessible via Lillooet Pioneer Road 40, which is the main year-round access road between Gold Bridge and Lillooet. The Tyaughton Lake Road turn-off, 12 km east of Gold Bridge, provides access to the Mowson Pond Recreation Site and the trail network to the historic Minto Mine workings. Access to the Sanchez option is located at 13 km along Grey Rock road. The active Truax Creek Forest Service Road provides access to the southern boundary of the claim group, but there is limited road access to the eastern and western extents, especially on the southern portion of the property.

Gold Bridge is a 100 km drive on all season roads (Lillooet Pioneer Road 40) from Lillooet, B.C. where there is access to the provincial highway system as well as the CN rail line. Lillooet to Vancouver is a 250 km drive via Highway 99 (Duffy Lake Road), or a 320 km drive via Highway 1 and the Fraser River canyon. Alternate all-season access to the south through Pemberton is via the Seton Portage Road which crosses BC Hydro's Terzaghi Dam, 55 km east of Gold Bridge at the downstream terminus of the Carpenter Lake Reservoir and then along the Highline Road from Seton Portage to Pemberton for 75 km. At this point Pemberton to Vancouver is a 150 km drive via Highway 99. Late spring to early fall seasonal road access is also possible via the Hurley Forest Service Road from Pemberton to Gold Bridge for 80 km. All roads in the region cross through very steep country which is subject to avalanches, landslides, and washouts, particularly in the spring, resulting in road closures.

There are limited facilities in the nearby communities of Gold Bridge and Bralorne; both villages have populations of less than 100 residents. Facilities include small hotels, two restaurants, a self-serve gas bar, a small grocery store, a post office, an elementary school and a BC Hydro power generating facility. There is no cell phone service, but internet service is available. The nearest power line and water sources are 4 km from the property at Gold Bridge. The BC Hydro power generating station is located 5 km from the property at the La Joie Dam. Lillooet and Pemberton are both larger towns and can provide the necessary services to operate an exploration project.

The climate is moderately dry, as the property is located in a rain shadow area of the Coast Mountain range. Summer daily maximum temperatures can be around 25°C. Precipitation increases in the winter and daily average highs are typically around 0°C. Snow cover accumulates from early November and typically lasts until early May. Snow accumulation varies greatly depending on elevation. Advanced exploration activities such as diamond drilling can be operated on a year-round basis at the lower elevations.

Topography varies from 650 m at the Carpenter Lake Reservoir to 2590 m at the south end of the property, lying along the slope of Truax Mountain. The highest of the peak on Truax Mountain is 2880 m and is located south of the property. Main drainages on the claims include McDonald, Steep and Camp Creeks on the Reliance option; Girl Creek and Marquis Creek on the Olympic option; and Truax Creek, which drains the southeastern corner of the Sanchez option. All drainages flow into the Bridge River Valley and the Carpenter Lake Reservoir.

Vegetation below 1500 m elevation consists of black spruce, Douglas fir, lodgepole pine, aspen, vine maple, willow and birch trees with soapberries, wild raspberries, thimbleberry, Oregon grape, rose and various grasses. South facing slopes on and around the Minto Mine are sparsely forested. Cottonwood and devils club are evident along Steep Creek on the south side of the reservoir. Historic and recent logging has occurred at lower elevations where private woodlots are registered. Open alpine is above 1500 m elevation.

### 3 LAND TENURE AND CLAIM STATUS

The Reliance Gold Project consists of 23 Mineral Titles Online (“MTO cell”) mineral claims and eight (8) Crown Grants with subsurface mineral rights. Endurance Gold is the operator of the Project and has the rights to acquire 100% ownership of all claims via three separate option agreements. The total property encompasses 3445.5 hectares.

The “MTO cell” claims are located online by Universal Transverse Mercator map projection coordinates (UTM NAD83 Zone 10) for the northeast corner of each cell unit. The MTO cell claims require annual exploration and development work which must be registered within one year of the work being completed. The required work value is dependent upon the age of the mineral claims and increases as per the schedule below:

First and second anniversary years	\$5.00 per hectare per year
Third and fourth anniversary years	\$10.00 per hectare per year
Fifth and sixth anniversary year	\$15.00 per hectare per year
Subsequent anniversary years	\$20.00 per hectare per year

Mineral claims allow the holder certain rights to exploitation of subsurface minerals only, and no rights to surface commodities are implied by the Province of British Columbia.

In September 2019 the Company entered into an option agreement to acquire 100% interest in four (4) mineral claims in two non-contiguous blocks. The claim ownership is 50% by client 116838 David George Mark, and 50% by client 137790 Ana Ruth Simpson. The option is subject to a 2.5% net smelter return royalty (“NSR”), of which 1.5% NSR can be purchased by the Company at any time for \$1,000,000.

In May of 2022, Endurance Gold Corporation expanded the Reliance Gold Project by acquiring an option to earn a 100% ownership in the former Minto Gold Mine and the Olympic and Kelvin gold prospects contained within a parcel of crown grants and mineral claims (the “Olympic Option”). The Olympic claims are contiguous with Endurance’s previously optioned claims. The Olympic claims are owned by Avino Silver & Gold Mines Ltd. (“Avino”) and are located on the north and south shores of BC Hydro’s Carpenter Lake Reservoir. Under the terms of the option agreement, the Olympic claims will be subject to a 2% NSR royalty to Avino, of which 1% NSR can be purchased by the Company for \$750,000 and the remaining balance of the NSR can be purchased for \$1,000,000.

In October of 2022, the Reliance Gold Project was further expanded by an option to earn a 100% ownership in the Sanchez Group of ten mineral claims totaling 856 hectares. These claims adjoin the eastern boundary of the Olympic claims.


In addition, in 2022 Endurance Gold directly acquired two additional mineral claims that are not subject to any underlying option agreements or royalties.

Claim status for any legacy and cell claims were searched on the BC Mineral Titles Online (MTO) website and is provided in Table 1. One claim is indicated to be in good standing until October 21, 2023. The remaining claims are in good standing until December 1, 2032

The Project includes eight (8) crown grants for 111.58 hectares where Avino owns the subsurface mineral rights. There are no surface rights. These crown grants are included in the Olympic Option agreement. No annual work expenditures are required for crown grants. The crown grants are listed in Table 2.

Claim shapefiles used to create Figure 2 and Figure 3 were downloaded from the DataBC website (<https://data.gov.bc.ca/>).

**Figure 2. Reliance Gold Project - Claim Map**



**Table 1 . Reliance Gold Project – List of Mineral Claims.**

Title Number	Claim Name	Owner	Title Type	Map Number	Issue Date	Good To Date	Area (ha)	Agreement
1063230	RELIANCE	116838 (50%) 137790 (50%)	Mineral	092J	2018/SEP/21	2032/DEC/01	183.5438	Reliance Option
1064613	RELIANCE 2	116838 (50%) 137790 (50%)	Mineral	092J	2018/NOV/21	2032/DEC/01	489.5824	Reliance Option
1071257	TRUAX	116838 (50%) 137790 (50%)	Mineral	092J	2019/SEP/23	2032/DEC/01	204.0722	Reliance Option
1075797	TRUAX 2	116838 (50%) 137790 (50%)	Mineral	092J	2020/APR/19	2032/DEC/01	224.3783	Reliance Option
1070811	RUFUS	147334 (100%)	Mineral	092J	2019/SEP/03	2032/DEC/01	81.5564	Sanchez Option
1070812	SANCHEZ'S GOLD	147334 (100%)	Mineral	092J	2019/SEP/03	2032/DEC/01	20.3906	Sanchez Option
1071647	RUSTY SANCHEZ	147334 (100%)	Mineral	092J	2019/OCT/04	2032/DEC/01	81.5656	Sanchez Option
1071668	EL DIEGO	147334 (100%)	Mineral	092J	2019/OCT/06	2032/DEC/01	20.3887	Sanchez Option
1072545	SANCHEZ MINER	147334 (100%)	Mineral	092J	2019/NOV/06	2032/DEC/01	101.9461	Sanchez Option
1075485	SANCHEZ MINER EXTENSION	147334 (100%)	Mineral	092J	2020/MAR/27	2032/DEC/01	61.1801	Sanchez Option
1086605	SANCHEZ SILVER	147334 (100%)	Mineral	092J	2021/DEC/23	2032/DEC/01	101.9662	Sanchez Option
1086606	SANCHEZ EXPANSION PACK	147334 (100%)	Mineral	092J	2021/DEC/23	2032/DEC/01	285.5131	Sanchez Option
1086617	NORTH SANCHEZIA	147334 (100%)	Mineral	092J	2021/DEC/23	2032/DEC/01	81.5537	Sanchez Option
1090794	EL DIEGO ANNEX	147334 (100%)	Mineral	092J	2022/JAN/24	2032/DEC/01	20.3869	Sanchez Option
509832		101147 (100%)	Mineral	092J	2005/MAR/30	2032/DEC/01	224.318	Olympic Option


Title Number	Claim Name	Owner	Title Type	Map Number	Issue Date	Good To Date	Area (ha)	Agreement
510228	LEVON 3	101147 (100%)	Mineral	092J	2005/APR/05	2032/DEC/01	101.946	Olympic Option
510229	LEVON 4	101147 (100%)	Mineral	092J	2005/APR/05	2032/DEC/01	61.195	Olympic Option
510647	LEVON 5	101147 (100%)	Mineral	092J	2005/APR/12	2032/DEC/01	40.799	Olympic Option
510884		101147 (100%)	Mineral	092J	2005/APR/18	2032/DEC/01	387.414	Olympic Option
510885		101147 (100%)	Mineral	092J	2005/APR/18	2032/DEC/01	81.557	Olympic Option
510886		101147 (100%)	Mineral	092J	2005/APR/18	2032/DEC/01	346.539	Olympic Option
1098824	BILL MINER #2	147334 (100%)	Mineral	092J	2022/OCT/21	2023/OCT/21	203.8567	Endurance Gold
1061787		147334 (100%)	Mineral	092J	2018/JUL/14	2032/DEC/01	20.3908	Endurance Gold

**Table 2. Reliance Gold Project – List of Crown Grants**

Dist. Lot No.	Tenure Type	Claim Name	Map No.	Folio No.	Units	Area (ha)
3660	Crown Grant MC	GOLDEN GIRL	092J	30945	1	20.90
5600	Crown Grant MC	OMEGA	092J	32204	1	12.97
5601	Crown Grant MC	OMEGA NO 1	092J	32204	1	12.78
5602	Crown Grant MC	OMEGA NO 2	092J	32204	1	15.61
5603	Crown Grant MC	OMEGA NO 3	092J	32204	1	17.29
5604	Crown Grant MC	OMEGA NO 4	092J	32204	1	19.62
5719	Crown Grant MC	ALPH FRACTION	092J	32204	1	11.71
7078	Crown Grant MC	JACK FRACTION	092J	32204	1	0.70
				<b>Total</b>	<b>8</b>	<b>111.58</b>

## 4 EXPLORATION HISTORY

**Figure 3. Reliance Gold Project – Map of Claims and Option Groupings**



### 4.1 Reliance Claims

#### Early History

The historic property consisted of 19 now-reverted Crown-granted mineral claims and fractions, including the Nemo, Omen and EROS claim groups. The history of these claims was noted by Cairnes (1943): "The Reliance is one of the older properties and has been known from the beginning as an antimony prospect. The original group of four claims was staked in 1910 by Mr. F.A. Brewer, who relocated the property in 1915. By September 1915, it is reported four tons of ore had been bagged for shipment, and the richest carried up to 1/2 ounce in gold a ton (17 g/t gold)." (GSDM 1915, p 84). In 1917 there was a shipment of hand-cobbled gold-bearing stibnite but no further records are available for this period.

The property was reorganized by Reliance Gold Mines Limited in 1933 and development work continued until 1936 (MMBC 1937 F 8, F 63). This included underground work on several short adits and the installation of a compressor plant. The mine workings comprised the old Reliance adit (elevation 1100 m) on the Nemo 7 Crown-granted claim, the Fergusson adit (elevation 1023 m) also on Nemo 7, the Turner adit (elevation 830 m) on Omen 1, the River adit (elevation 663 m) on Omen 2 and the Senator adit (elevation about 790 m) on Nemo 1. Short intervals of stibnite mineralization in narrow quartz veins were encountered in these adits.

In 1971, Tri-Con Exploration Surveys Limited, on behalf of T.V.I. Mining Limited, conducted a program of geological mapping, soil sampling and electromagnetic surveying in an attempt to determine the limits of the known antimony mineralization. Some 197 soil samples, 19 chip and channel samples, and 34 rock grab samples were collected. All samples were analyzed for antimony and arsenic, while some of the chip, channel and rock samples were also analyzed for gold, copper and zinc. There is no record of gold analysis being completed on the soil samples. Several electromagnetic conductors were identified and a southeast trending, coincident arsenic-antimony soil geochemical anomaly was identified near the Senator workings on the west part of the property (Allen, 1972) and continuing along strike for several hundred metres. There are no records of any follow up investigation at that time (Stevenson, 1971).

In February of 1981, Texacana Resources Ltd. entered into an option agreement with Tarbo Resources, owners of the 9 reverted Crown Grants, for the EROS and the Ilsa claims which overlap what is now part of the Reliance and Olympic options on the west side of Girl Creek. A three-day reconnaissance program was conducted on behalf of Texacana Resources and included two samples on the Golden King Crown Grant located on the north side of Carpenter Lake Reservoir.

### **Menika Mining (1984 – 2008)**

In 1984, Menika Mining Ltd. (“Menika”) acquired the Reliance Gold Property by option agreement from Karl Otting of Lillooet. In 1985, five diamond drill holes were reported by L. Sookochoff in “Diamond Drill Report for Menika Mining”, dated February 10, 1986. A “discovery” hole, drilled in 1986, was drilled to a depth of 119 m at the Imperial prospect. During 1987, a drilling program comprising 8140 m of drilling in 53 diamond drill holes was completed. The 1988 program consisted of 3294 m of drilling in 23 diamond drill holes. There was a lapse in exploration activity until 1996, when another program consisting of 13 drill holes totally 1733 m was completed, but none of the 1985 to 1996 drilling was filed for assessment. Therefore, other than Menika company files, there is no public record of this work.

During this time, exploration work was reported on claims that overlap the current Reliance Project claims. In 1986, Lode Resources Corporation conducted limited sampling on the EROS and reverted Crown Grants, and the Ilsa claim which bordered Menika Mining’s Reliance Property. No significant results were reported (Scroggins, 1986).

In 1994, work continued on the EROS and the Ilsa claims, on behalf of LRX Capital Corp. They conducted a 9-day reconnaissance program of rock and soil sampling, mostly along Steep Creek and the road accessible

portion of the Golden King Crown Grant that partially overlaps the western edge of the Olympic claims (Brewer, 1995).

In 2001, Menika contracted J.C. Stephen to compile a complete database of existing property data. In 2003, Menika conducted a limited MMI survey over a grid to the immediate south of the area of previous drilling and exploration. This resulted in gold/silver/copper MMI anomalies that appeared to identify the southeastern extension of the Royal Shear Zone (Mark, 2005). In 2004 Menika followed up with three diamond drill holes for 580 m with encouraging results, such as 33.5 m grading 7.54 g/t gold drilled at the original Imperial Zone area (Richards 2004).

In 2005 and 2006, Menika contracted Geotronics Consulting Inc. to conduct additional MMI soil sampling over the strike length of the Royal Shear. A total of 1013 samples were collected.

In 2008, Menika conducted diamond drilling at the Carter Zone (an MMI soil anomaly) and at the Imperial Zone. Three holes for 1356 m were completed at Carter, and 8 holes for 1694 m on the Imperial Zone (Lindinger, 2009).

Between the years 1985 and 2008, based on information compiled by the authors, a total of 109 diamond drill holes, totaling over 17 000 m, was completed by Menika. A compilation prepared by the authors of the historic drill holes is listed in Table 3. The table represents the drill hole collar coordinates believed to be true at the writing of this report, but only a small percentage of the historic collar locations have been identified in the field. Collar coordinates have been sourced from various drill logs, sketch maps, internal memos and assessment reports. Coordinates have been adjusted when identified in the field with handheld GPS, and elevations have been adjusted to fit a 50 cm pixel LiDAR topographic map flown by Endurance Gold in 2021. There is no record of controlled collar surveying of the historic drill hole locations by Menika (O'Brien, 2021).

No work was recorded on the claims from 2008-2018, but a technical report by J.E. Lindinger was completed in April of 2009 that thoroughly reviewed the work on the claims through to 2008.

**Table 3. Menika Historic Drill Hole Collars (1985 – 2008)**

Hole Number	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)	Length (m)	Azimuth	Dip	Year	Collar Validated
DDH_85-1	515080.8	5636152.3	888.7	105.00	130	-50	1985	N
DDH_85-2	515081.4	5636155.4	888.6	212.00	150	-60	1985	N
DDH_85-3	515082.8	5636167.3	889.0	99.50	360	-90	1985	N
DDH_85-4	515077.3	5636090.9	878.3	151.50	115	-70	1985	N
DDH_85-5	515015.6	5636151.8	843.2	151.00	130	-60	1985	N
DDH_86-1	514996.0	5636055.0	851.2	119.00	70	-60	1986	N
DDH_87-01	515029.9	5636116.9	845.0	333.45	185	-75	1987	N
DDH_87-02	515029.9	5636116.9	845.0	226.70	185	-50	1987	N
DDH_87-03	515029.9	5636116.9	845.0	120.70	160	-50	1987	N
DDH_87-04	515029.6	5636120.5	844.8	427.94	205	-60	1987	N
DDH_87-05	515029.9	5636125.1	845.0	261.00	73	-60	1987	N
DDH_87-06	514951.9	5636196.8	810.7	166.40	168	-55	1987	N

Hole Number	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)	Length (m)	Azimuth	Dip	Year	Collar Validated
DDH_87-07	514951.9	5636196.8	810.7	196.90	145	-50	1987	N
DDH_87-08	514951.9	5636196.8	810.7	160.63	145	-65	1987	N
DDH_87-09	514951.9	5636196.8	810.7	169.47	120	-55	1987	N
DDH_87-10	514996.0	5636055.0	851.2	160.32	92	-60	1987	N
DDH_87-11	514996.0	5636055.0	851.2	142.51	92	-75	1987	N
DDH_87-12	514996.0	5636055.0	851.2	309.98	360	-90	1987	N
DDH_87-13	515000.3	5636080.2	847.6	138.99	60	-60	1987	N
DDH_87-14	515000.3	5636080.2	847.6	124.05	60	-75	1987	N
DDH_87-15	514893.2	5636117.2	808.1	185.00	30	-60	1987	N
DDH_87-16	514893.2	5636117.2	808.1	178.60	30	-75	1987	N
DDH_87-17	514893.2	5636117.2	808.1	191.10	360	-90	1987	N
DDH_87-18	514893.2	5636117.2	808.1	269.10	210	-45	1987	N
DDH_87-19	515174.3	5635911.1	955.3	185.01	90	-60	1987	N
DDH_87-20	514959.1	5636077.7	827.5	117.35	50	-60	1987	N
DDH_87-21	514959.1	5636077.7	827.5	133.20	50	-75	1987	N
DDH_87-22	514959.1	5636077.7	827.5	188.00	360	-90	1987	N
DDH_87-23	515064.6	5636056.2	877.5	44.81	50	-60	1987	N
DDH_87-24	515064.6	5636056.2	877.5	63.10	50	-75	1987	N
DDH_87-25	515064.6	5636056.2	877.5	87.48	360	-90	1987	N
DDH_87-26	515338.8	5635770.0	1076.6	79.30	355	-60	1987	N
DDH_87-27	515338.8	5635770.0	1076.6	224.33	23	-50	1987	N
DDH_87-28	515378.5	5636088.3	1043.4	309.70	16	-50	1987	N
DDH_87-29	515378.5	5636088.3	1043.4	249.02	187	-60	1987	N
DDH_87-30	515378.5	5636088.3	1043.4	252.10	187	-75	1987	N
DDH_87-31	515035.6	5636019.7	878.9	145.39	360	-90	1987	N
DDH_87-32	515035.8	5636021.8	878.9	130.15	90	-70	1987	N
DDH_87-33	515027.5	5636041.4	877.5	136.25	360	-90	1987	N
DDH_87-34	515027.5	5636041.4	877.5	57.03	270	-80	1987	N
DDH_87-35	515027.5	5636041.4	877.5	191.10	270	-80	1987	N
DDH_87-36	515048.4	5636053.9	878.4	200.25	360	-90	1987	N
DDH_87-37	515032.0	5636041.2	878.3	130.75	90	-80	1987	N
DDH_87-38	515032.0	5636041.2	878.3	92.96	90	-70	1987	N
DDH_87-39	515032.0	5636041.2	878.3	73.76	90	-60	1987	N
DDH_87-40	515032.0	5636041.2	878.3	68.58	90	-45	1987	N
DDH_87-41	515035.7	5636026.6	879.4	117.34	90	-80	1987	N
DDH_87-42	515035.7	5636026.6	879.4	84.42	90	-60	1987	N
DDH_87-43	515035.7	5636026.6	879.4	154.22	90	-45	1987	N
DDH_87-44	515002.7	5636084.1	847.6	139.29	90	-89	1987	N
DDH_87-45	515002.7	5636084.1	847.6	105.76	90	-70	1987	N
DDH_87-46	515002.7	5636084.1	847.6	68.88	90	-45	1987	N
DDH_87-47	515028.3	5636095.1	846.8	96.62	360	-90	1987	N
DDH_87-48	515029.1	5636095.0	847.0	76.20	90	-45	1987	N
DDH_87-49	514984.3	5636039.9	850.5	143.56	360	-90	1987	N
DDH_87-50	514956.0	5636044.5	849.5	200.25	360	-90	1987	N
DDH_87-51	514998.9	5636068.9	848.7	99.36	90	-45	1987	N
DDH_87-52	514998.9	5636068.9	848.7	121.00	90	-80	1987	N
DDH_87-53	514998.9	5636068.9	848.7	139.29	360	-90	1987	N
DDH_88-06	515308.8	5635700.7	1073.7	151.48	57	-51	1988	N
DDH_88-07	515374.7	5635654.5	1117.7	110.03	60	-51	1988	N
DDH_88-09	515311.3	5635715.2	1071.8	60.04	60	-65	1988	N

Hole Number	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)	Length (m)	Azimuth	Dip	Year	Collar Validated
<b>DDH_88-10</b>	515311.3	5635715.2	1071.8	81.38	60	-85	1988	N
<b>DDH_88-11</b>	515201.1	5635804.9	991.6	172.21	60	-50	1988	N
<b>DDH_88-12</b>	515201.1	5635804.9	991.6	146.91	60	-75	1988	N
<b>DDH_88-13</b>	515201.1	5635804.9	991.6	169.77	360	-90	1988	N
<b>DDH_88-14</b>	515224.4	5635772.3	1008.7	133.19	60	-52	1988	N
<b>DDH_88-15</b>	515224.4	5635772.3	1008.7	107.28	60	-75	1988	N
<b>DDH_88-16</b>	515224.4	5635772.3	1008.7	88.39	360	-90	1988	N
<b>DDH_88-17</b>	514916.8	5636004.0	887.1	294.74	55	-80	1988	N
<b>DDH_88-18</b>	514907.8	5635981.8	891.2	314.55	55	-86	1988	N
<b>DDH_88-19</b>	515014.8	5635995.1	875.6	260.60	360	-90	1988	N
<b>DDH_88-20</b>	515017.1	5636021.0	868.6	141.42	360	-90	1988	N
<b>DDH_88-21</b>	514986.8	5636021.3	860.8	172.80	360	-90	1988	N
<b>DDH_88-22</b>	515242.1	5635749.6	1024.1	138.68	360	-90	1988	N
<b>DDH_88-23</b>	515242.1	5635749.6	1024.1	154.53	60	-75	1988	N
<b>DDH_96-1</b>	515530.7	5636384.9	1000.2	298.00	50	-45	1996	N
<b>DDH_96-11</b>	514925.5	5635980.3	896.0	322.17	360	-90	1996	N
<b>DDH_96-12</b>	514939.0	5635952.5	901.1	370.94	360	-90	1996	N
<b>DDH_96-2</b>	515041.5	5636371.4	820.9	255.20	25	-65	1996	N
<b>DDH_96-3</b>	515064.1	5636441.5	801.6	64.00	205	-45	1996	N
<b>DDH_2004-01</b>	515029.8	5636125.0	846.4	146.30	185	-49	2004	Y
<b>DDH_2004-02</b>	515184.9	5635842.3	967.9	163.68	91	-48	2004	Y
<b>DDH_2004-03</b>	515239.4	5635627.1	1115.6	270.36	96	-60	2004	Y
<b>DDH_I08-0001</b>	514908.8	5635976.5	892.8	422.76	55	-84	2008	Y
<b>DDH_I08-0002</b>	514908.8	5635976.5	892.8	420.94	55	-89	2008	Y
<b>DDH_I08-0003</b>	514991.8	5636052.5	849.1	87.98	90	-47	2008	Y
<b>DDH_I08-0004</b>	514991.5	5636052.5	849.1	99.97	90	-60	2008	Y
<b>DDH_I08-0005</b>	514991.2	5636052.5	848.9	102.72	90	-70	2008	Y
<b>DDH_I08-0006</b>	514978.5	5636028.0	865.4	233.78	215	-85	2008	Y
<b>DDH_I08-0007</b>	514987.0	5636024.5	862.1	185.02	360	-90	2008	Y
<b>DDH_I08-0008</b>	514988.0	5636021.1	860.8	141.20	90	-83	2008	Y
<b>DDH_UR08-0001</b>	515698.6	5635118.4	1331.6	619.24	360	-90	2008	Y
<b>DDH_UR08-0002</b>	515698.6	5635118.4	1331.6	401.43	300	-70	2008	Y
<b>DDH_UR08-0003</b>	515759.2	5635152.0	1381.5	337.42	360	-90	2008	Y

#### Endurance Gold Corporation (2019 – 2022)

The current owners (Mark and Simpson) acquired the property through digital staking when Menika's crown-granted mineral claims lapsed in 2018 and by staking the areas external to the original reverted crown grants in 2019. Endurance Gold is the operator of the project and in 2019 acquired an option to earn 100% ownership in all claims.

A two-man crew in the fall of 2018, and a three-man crew in the fall of 2019 carried out work on the Reliance claims that consisted of GPS locating of the showings, drill collars, drill storage areas, historic MMI soil sampling grid as well as the roads. In addition, 21 rock samples were collected and sent for gold analysis (Mark, 2020).

In 2020 Endurance Gold became operator of the project and more systematic exploration of the Reliance Property commenced. From May to July, 236 soil samples were collected and assayed. This was followed by 374 channel samples, including field duplicates, collected along the Reliance roads in areas coincident with the strongest arsenic in soil anomalies. In June 2020, a helicopter-borne aeromagnetic survey totaling 248.5-line km was flown (O'Brien, 2021). Oliver Geoscience completed 1:2000-scale geologic mapping over the Imperial and Eagle showings. In September and October 1207 biogeochemical samples were collected along contour over a 1x2.5 km area which identified elevated arsenic anomalies on a wider scale. The same area was geologically mapped at 1:2500-scale by Marcus van Wermeskerken in 2020. Finally, in November to December of 2020, 976.84 m of RC drilling in 17 holes was conducted to test favourable channel sample results and to test for the up-dip extension of the Imperial Zone.

The success of the 2020 RC drilling prompted an additional 35 RC holes totalling 2621.2 m to be drilled in April and May of 2021. A limited soil sample grid was completed over the Vista Zone and 55 channel samples were collected in this area. Additional soil sampling extended along the roads in the area of the 2020 RC drilling, and upslope along contours to test the biogeochemical arsenic anomaly for an overall total of 193 soil samples. All of the soils were analyzed with an XRF, and 94 samples were selected for conventional fire assay analysis. A total of 36 rock grab samples were also collected and sent for analysis.

LiDAR was flown over the property on May 15th, 2021, while approximately 1300-line km of 3D IP was surveyed over the lower half of the biogeochemical grid from May 13-25th. Ground mag was collected along some of the roads in July 2021. In the fall of 2021 an additional 1074 m of road was constructed with three new switchbacks upslope of the Eagle showings.

The 2021 diamond drilling program was conducted from August to November with a total of 22 NQ holes totalling 4332.4 m. Table 4 lists all drill hole completed by Endurance Gold during the 2020 and 2021 field seasons.

**Table 4 Endurance Gold Drill Collars (2020 – 2021)**

Hole Number	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)	Length (m)	Azimuth	Dip	Year
RC20-001	515087.9	5636132.2	890.9	70.10	19	-45	2020
RC20-002	515087.9	5636132.2	890.9	70.10	58	-44	2020
RC20-003	515068.2	5636066.7	877.5	70.10	15	-45	2020
RC20-004	515044.8	5636057.8	876.7	39.62	80	-75	2020
RC20-005	515044.8	5636057.8	876.7	76.20	79	-75	2020
RC20-006	515046.4	5636058.9	876.6	60.96	79	-55	2020
RC20-007	515374.6	5635650.0	1117.5	70.10	33	-45	2020
RC20-008	515374.7	5635649.5	1117.4	70.10	95	-45	2020
RC20-009	515415.0	5635764.1	1128.4	70.10	80	-45	2020
RC20-010	515394.5	5635796.7	1107.9	28.96	84	-45	2020
RC20-011	515394.5	5635796.7	1107.9	50.29	84	-65	2020
RC20-012	515394.9	5635819.6	1105.2	70.10	83	-45	2020
RC20-013	515390.0	5635769.1	1109.5	70.10	81	-45	2020
RC20-014	515356.4	5635811.5	1079.8	41.15	80	-45	2020

Hole Number	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)	Length (m)	Azimuth	Dip	Year
RC20-015	515356.4	5635811.5	1079.8	39.62	80	-65	2020
RC20-016	515347.2	5635785.6	1078.1	47.24	80	-45	2020
RC20-017	515319.3	5635789.2	1058.1	32.00	80	-45	2020
RC21-018	514655.3	5636412.9	671.5	25.91	79	-45	2021
RC21-019	514636.5	5636421.2	668.6	36.58	83	-43	2021
RC21-020	514847.3	5636505.8	698.9	70.10	80	-45	2021
RC21-021	514947.7	5636510.1	731.1	70.10	80	-45	2021
RC21-022	514896.5	5636233.9	792.8	76.20	80	-45	2021
RC21-023	514891.3	5636233.9	791.6	70.10	260	-75	2021
RC21-024	514926.7	5636203.3	799.2	91.44	44	-45	2021
RC21-025	514936.0	5636192.8	800.7	91.44	80	-60	2021
RC21-026	514949.7	5636157.5	801.6	89.92	80	-45	2021
RC21-027	514953.5	5636197.5	811.9	91.44	80	-45	2021
RC21-028	514934.5	5636241.2	820.7	91.44	83	-45	2021
RC21-029	514949.7	5636280.1	828.2	91.44	82	-45	2021
RC21-030	514945.3	5636504.1	732.7	91.44	80	-65	2021
RC21-031	514988.1	5636535.8	725.7	70.10	236	-45	2021
RC21-032	515322.5	5635809.0	1056.9	70.10	80	-45	2021
RC21-033	515321.8	5635762.0	1063.9	53.34	80	-50	2021
RC21-034	515340.5	5635760.8	1077.4	70.10	80	-44	2021
RC21-035	515361.6	5635835.9	1082.5	70.10	76	-45	2021
RC21-036	515368.8	5635864.4	1087.1	85.34	80	-45	2021
RC21-037	515387.7	5635771.6	1109.2	70.10	260	-70	2021
RC21-038	515389.9	5635746.2	1113.7	91.44	260	-70	2021
RC21-039	515393.0	5635745.1	1115.1	70.10	83	-53	2021
RC21-040	515405.5	5635741.0	1125.1	70.10	80	-45	2021
RC21-041	515396.3	5635702.0	1121.0	70.10	80	-45	2021
RC21-042	515348.0	5635638.0	1114.8	106.68	63	-50	2021
RC21-043	515318.1	5635722.6	1071.4	65.53	73	-45	2021
RC21-044	515317.4	5635772.6	1061.0	67.06	260	-75	2021
RC21-045	515304.1	5635900.2	1042.2	70.10	264	-70	2021
RC21-046	515248.7	5635901.5	1001.5	70.10	98	-44	2021
RC21-047	515017.2	5636027.9	867.9	76.20	90	-45	2021
RC21-048	515006.7	5636087.3	847.5	70.10	80	-45	2021
RC21-049	515011.0	5636168.7	843.7	70.10	79	-45	2021
RC21-050	514979.9	5636227.2	840.9	70.10	82	-45	2021
RC21-051	514943.2	5636220.5	815.9	76.20	81	-45	2021
RC21-052	514883.9	5636257.6	788.3	100.58	80	-45	2021
DDH21-001	515319.0	5635759.0	1064.0	213.00	80	-45	2021
DDH21-002	515313.7	5635717.9	1072.0	188.00	80	-45	2021
DDH21-003	515357.0	5635815.7	1084.8	215.50	80	-45	2021
DDH21-004	515357.0	5635815.7	1084.8	84.00	80	-70	2021
DDH21-005	515389.0	5635771.0	1109.0	151.00	80	-45	2021
DDH21-006	515394.0	5635721.0	1118.0	265.00	80	-45	2021

Hole Number	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)	Length (m)	Azimuth	Dip	Year
DDH21-007	515394.0	5635721.0	1118.0	152.00	80	-70	2021
DDH21-008	514929.0	5635973.0	896.0	257.00	56	-45	2021
DDH21-009	514929.0	5635973.0	896.0	216.50	45	-45	2021
DDH21-010	514929.0	5635973.0	896.0	252.60	80	-45	2021
DDH21-011	514936.2	5635979.8	896.0	317.00	55.45	-82	2021
DDH21-012	515094.0	5636012.0	908.0	120.00	0	-90	2021
DDH21-013	515125.6	5636141.7	917.0	113.00	0	-90	2021
DDH21-014	515461.2	5635578.3	1189.0	296.00	90.5	-45	2021
DDH21-015	515461.2	5635578.3	1189.0	233.00	90	-70	2021
DDH21-016	515476.2	5635646.8	1185.0	209.00	79.77	-44	2021
DDH21-017	515476.2	5635646.8	1185.0	140.00	80	-70	2021
DDH21-018	515469.9	5635740.6	1172.0	113.00	80.23	-45	2021
DDH21-019	515469.9	5635740.6	1172.0	101.00	80.23	-70	2021
DDH21-020	515465.8	5635606.3	1189.0	200.00	89	-45	2021
DDH21-021	515465.8	5635606.3	1189.0	245.80	89	-70	2021

The goal of the 2021 DDH program was to provide drill core intersections for the Eagle Zone and Diplomat Zone discoveries, expand their footprints, and to define structural controls for gold mineralization. Selective sampling was used to target the structurally controlled mineralized zones. Of the 22 holes, 16 holes returned significant gold intersections with greater than 10 gram\*metre intersections. Four (4) of these holes contained intersections greater than 100 gram\*metres. The 2021 program defined a near-surface, shallow dipping zone 250 m by 150 m with a weighted average grade of 5.13 g/t gold and average estimated true width of 11.2 m in the Eagle Zone. Table 5 shows the significant intercepts from the 2021 diamond drill program (<https://endurancegold.com>, 2022).

**Table 5. 2021 Diamond Drilling Significant Intercepts**

Hole ID	Target Zone	Azimuth /Dip	From (m)	To (m)	Width (m)	Au (g/t)
DDH21-001	Eagle	080/-45	32.3	33.3	1	2.02
DDH21-002	Eagle	080/-45	30.3	32.3	2	1.72
DDH21-003	Eagle	080/-45	0.8	11.7	10.9	6.08
Includes			0.8	6.2	5.4	10.94
And			16.6	17.8	1.2	13.6
And			29	30.6	1.6	3.89
DDH21-004	Eagle	080/-70	1	20	19	4.44
Includes			1	10	9	7.49
DDH21-005	Eagle	080/-45	14.3	29.1	14.8	2.39
DDH21-006	Eagle	080/-45	25.6	50	24.4	8.62
Includes			26.7	31	4.3	17.02
DDH21-007	Eagle	080/-70	30	32.5	2.5	2.67

And			44.9	61.8	16.9	2.08
Includes			53.1	55.1	2	6.28
Includes			58.5	61.8	3.3	5.28
DDH21-014	Eagle	090/-45	5	9	4	2.31
And			94	97.8	3.8	5.71
Hole ID	Target Zone	Azimuth /Dip	From (m)	To (m)	Width (m)	Au (g/t)
Includes			96.8	97.8	1	15.65
And			108.2	110	1.8	3.39
DDH21-015	Eagle	090/-70	133	134.1	1.1	4.01
DDH21-016	Eagle	080/-44	47.9	53	5.1	2.48
Includes			52.2	53	0.8	5.57
DDH21-017	Eagle	080/-70	54.4	64	9.6	2.17
Includes			59	64	5	3.36
DDH21-018	Eagle	080/-45	12.7	15.1	2.4	14.46
DDH21-019	Eagle	080/-70	14.4	20	5.6	5.11
Includes			17	20	3	8.53
DDH21-020	Eagle	089/-45	33.3	58.1	24.8	15.7
Includes			45.9	50	4.1	26.96
DDH21-021	Eagle	089/-70	9	24	15	1.9
Includes			9	14	5.5	3.2
And			115.4	121	5.6	5.71
Includes			115.4	117.9	2.5	11.54
DDH21-022	Eagle	268/-80	53	115.1	62.1	1.7
Includes			54.6	57.5	2.9	8.68
Includes			83.2	97.5	14.3	3.76
Includes			84.9	87.2	2.3	13
Includes			109.5	115.1	5.6	2.78
DDH21-008	Imperial	056/-45	153.6	163.9	10.3	2.08
Includes			153.6	154.9	1.3	9.34
DDH21-009	Imperial	045/-45	161	185.9	24.9	8.47
Includes			164	174.5	10.5	16.27
And			191.9	194	2.1	2.04
DDH21-010	Imperial	080/-45	156.8	160	3.2	1.37
DDH21-011	Imperial	056/-82	208.1	233	24.9	2.1
Includes			208.1	221	12.9	2.91

#### 4.2 Truax Claims

The earliest recorded work completed in the area of the Truax claims is described in the British Columbia Minister of Mines Annual Reports for 1945 (p 85) and 1946 (p 115-121). The ground was originally staked in 1944 as the Ranger claims by a prospector who located mineralized talus material.

In 1981, Rabbit Oil and Gas Ltd. flew 20-line km of airborne magnetometer and VLF-EM survey in the area at the head of Steep Creek and northwest towards Girl Creek. This covers part of what are now the Truax claims (Pezzot, 1981).

The current Truax claims overlap with the historic Ranger claims held and worked by Newmont Exploration of Canada Limited in the mid 1980's. Only some of the sampling from this time period, particularly those samples taken on the historic Ranger 2 claim, overlap with the current Truax claim block.

In 1987, 210.9-line km of airborne magnetic and VLF-EM surveys were flown over the Ranger and Apples claims for Levon Resources Ltd., a portion of which overlaps the current Truax claims. A number of strong VLF-EM conductors were detected and interpreted to be structural zones. The majority of the conductors correspond to the major northwest-southeast trending regional faults, but there were also smaller northeast-southwest trending anomalies located on the Truax claims at the head of Girl Creek (Brewer, 1988).

#### 4.3 Olympic Claims

The following is a property summary largely sourced from C. Sampson (2006) detailing the exploration history of the area covered by the current Olympic claims:

The Bridge River camp has been the most significant lode gold producing district in B.C. Initial discoveries of placer gold were made in 1863 and by the end of the nineteenth century many of the veins which were to become producers in the twenties and thirties had been discovered.

Prior to 1930, the Minto claims on the north side of Carpenter Lake Reservoir were held as a prospect for many years, and some surface work had been carried out on a weathered shear zone up to eight feet wide exposed largely on the Omega 1 claim on the north shore of Carpenter Lake. Cominco then optioned the property in 1930 and drove an adit 350 ft (107 m) north into the hillside at the river (lake) level (also referred to as the 400-foot level).

Following the termination of Cominco's option in 1933, Minto Gold Mines Ltd. opened a small mining operation, eventually processing up to 125 tpd from five levels (MMBC 1937). Between 1934 and 1940 when work ceased, 88 900 tons of ore were mined to produce 17 558 ounces Au (0.20 oz/t recovered), 50 584 ounces Ag (0.57 oz/t recovered), and 21 327 lbs of copper and 124 421 lbs of lead. The concentrate was shipped to Tacoma for smelting. The workings extended a maximum of 400 m north (1300 ft) along the mineralized structure on 200 the level, of which about 160 m (530 feet) constituted ore grade. The workings extended to the 700 level.

Pioneer Gold Mines Ltd. optioned the Minto group briefly in 1941. In 1944 and 1945, the B.C. Minister of Mines reported that 14 diamond drill holes (3954 ft) had been completed on surface and underground searching for strike and dip extensions of the Minto ore body. Results were reported to be not encouraging. Ace Mining Co. Ltd. acquired the ground in 1959 but performed little work. In 1975, Empire Metals Ltd. optioned the claims and are thought to have carried out geochemical and geophysical surveys, although results are not available.

Avino Mines and Resources Ltd., (predecessor to Avino Silver & Gold Mines Ltd.) purchased a 100% interest in the Minto property early in 1985. During 1985, geological, geochemical, and geophysical (VLF-

EM) surveys were conducted, and trenches were excavated in anomalous areas. In-fill soil geochemistry and further trenching were undertaken in 1987 (Christoffersen, 1988).

The Olympic property on the south side of Carpenter Lake Reservoir originally comprised the Olympic and Kelvin Claim groups, operated by Olympic Gold Mines Ltd. and Kelvin Gold Mines Ltd, respectively.

The Bridge adit was driven on the Patnor claim by the Mintonia Mining Syndicate in 1933-1934. Kelvin Gold Mines Ltd was incorporated in late 1934 to continue development (O'Grady, Special Report 1936 p 65).

The Leckie and Magee adits were driven on the Alta #1 Claim some 90 m each (300 ft) by Olympic Gold Mines Ltd. between 1934 and 1937 on a steep gold-bearing shear zone striking SE (MMBC-1937 Annual Report). Both adits are now caved. Gold grades were reported in the range 0.01-0.12 oz/t with 0.6-6.5 oz/t Ag, 1.7-2.5% Zn., 0.3% Cu and 1% Pb over widths of 1.5-4 m (5-13 ft). During the same period the company drove an adit 46 m (150 ft) SE on the Billyo massive magnetite-pyrrhotite-pyrite zone and encountered low-grade gold, silver and copper over widths up to 9 m (30 ft). On the Antimony (No.1) Zone a 41 m (135 ft) adit was opened on a quartz-stibnite vein striking SE-NW and dipping 45 degrees NE.

Further work was undertaken on the Leckie structure in 1945-46 when a 26 m (85 ft) winze was sunk, and nine surface and underground diamond drill holes were completed; assay results are not known (BCDM-1945 p88). During the late 1940's, it is reported that the two short adits, referred to as the Manner's adits, were driven.

Kelvin Gold Mines Ltd. operated the Alma, Bridge and Kelvin adits between 1933 and 1936 when the company ran out of money. The Alma workings follow a quartz-carbonate zone with some pyrrhotite and chalcopyrite, but there is very little information available. The Kelvin showing is a narrow vein within a shear zone striking SE-NW and dipping 60-85 degrees SW. Surface samples carry some high-grade gold over narrow widths (0.5 m). In the 700 ft Kelvin adit, assays ranged from 0.01-0.088 oz/t Au and tr-0.1 oz/t Ag (MMBC-1936). The Bridge adit is located below the Kelvin adit and was driven on the same vein/shear. The portal lies north of the current Olympic property boundary, but the adit extends south-easterly underneath the claims in part. Encouraging gold grades were reported commencing from the portal as follows:

- 0-105 ft – 0.40 oz/t Au over one foot width
- 105-160 ft – 0.23 oz/t Au over five feet width
- 160-275 ft – 0.29 oz/t Au over five feet width

The Olympic and Kelvin claim groups lay largely dormant after the 1940's until they were staked by D. Ingram of Lillooet in 1977. Noranda optioned the ground in 1980 and focused its attention on the Billyo Zone, where geochemistry indicated a molybdenum anomaly possibly associated with a buried intrusive body. Noranda drilled two short core holes which encountered greenstones, sediments and felsic breccias, the latter possibly being tectonized Fergusson Group cherts. Locally the core carries pyrite, but gold assayed less than 0.005 oz/t Au.

Lacana Mining Corp optioned the property in 1983-84 and carried out limited soil geochemistry and diamond drilling. Five holes in total were drilled in the Magee Zone and one hole down slope from Billyo Zone. Assays returned low gold grades.

In 1985, the E.D.B. Group, comprising Big 1 Developments and Redwood Resources, optioned the property. The group carried out soil geochemistry over part of the claims though no gold analyses were done at the geochemical level. E.D.B. also re-sampled some of the old workings at surface, confirming earlier assay results, and analyzed some of Lacana's core.

Avino Mines and Resources Ltd. (predecessor to Avino Silver & Gold Mines Ltd.) purchased 100% interest in the Olympic/Kelvin claims in June 1987. During August 1987, a soil geochemical survey covering virtually the entire property was completed (Christoffersen, January 1988).

During early 1988, Avino Mines and Resources did further geochemical soil sampling on the western half of the Minto property which located significant antimony and arsenic anomalies with associated gold and silver values (in soils). A follow-up trenching program in this area (the Jumper) discovered stibnite and arsenopyrite bearing shear zones with gold and silver values, which were exposed by nine (9) trenches and seven road cuts. A series of 1 m chip samples taken across the mineralized shears returned assay values as high as 0.349 oz/ton gold (Sampson, 1988).

In late June – early July, Avino drilled 9 NQ diamond holes totaling 800 m, of which, holes 88-1 to 88-7 explored the Minto North, and 88-8 and 88-9 explored the Winter Zones (Sampson, 2006).

In 2004, four NQ diamond drill holes totaling 287.7 m were drilled on the Olympic/Kelvin claims. Three holes were drilled in the Margarita Zone, and one in the Enigma Zone identified by trenching in 1988. The Margarita Zone drilling was plagued with difficulties due to ground conditions and all three holes were lost. The Enigma drill hole returned grades considerably lower than those encountered in surface trenching (Dunn, 2004).

In 2005, trenching and drilling was conducted on the Minto and Olympic Claims. Two NQ diameter core holes were drilled on the Jumper or Golden Zone on Minto property totaling 254.3 m, three NQ diameter core holes were drilled on the Minto North Zone on Minto property totaling 304.5 m, and five NQ diameter holes were drilled on the Kelvin Zone (Olympic property) totaling 314.99 m (Sampson 2006). No work has been filed on the claim block since 2006.

#### **4.4 Sanchez Claims**

Very little work has been filed on the area covered by the current Sanchez claims. In 1987, La Ronge Resources filed a report on behalf of the owner, Golden Dragon Resources, on the Bill Miner's claim group, which covers what is today the northern part of the Sanchez claims and overlaps on the western side with what is today the Olympic claims. It states that although there is no record of previous work, two short adits and several trenches were found (Dispirito, 1987).

The 1987 program consisted of 65 soil samples along four lines and 13 rock samples. Rock samples around adit one were anomalous for gold, while the soil samples around adit two were more anomalous. A systematic exploration of the property was recommended.

**Table 6. Reliance Gold Project – Historic Work Summary**

Operator	Historic Claim Group	Geochemistry	Geophysics	Trenching and Drilling	Mapping	Author/ARIS No.
<b>Reliance Claims</b>						
T.V.I. Mining Ltd (1971)	Reliance Property	197 soils, 19 chips and channels, 34 rocks	Magnetometer Survey – 7.5 line miles		Reconnaissance mapping	Stevenson 3276, Allen 3548
Texacana Resources (1981)	EROS Claims	5 chips			Reconnaissance mapping	Hawkins, 9744
Charles Boitard – Operator (1984)	Reliance Property	81 soils	1.29 km VLF-EM Survey			La Rue, 12812
Menika Mining (1985)	Reliance Property	53 rock chips				Sookochoff, PF674383
Lode Resource Corporation (1985)	EROS Claims	13 rocks, 1 silt				Scroggins, 15343
Menika Mining (1985)	Reliance Property			5 BQ DDH 719 m		Sookochoff, PF841329
LRX Capital Corp (1995)	EROS Claims	31 rocks, 27 soils, 4 pan concentrates			Mapping	Brewer, 23731
Menika Mining Ltd. (2001)	Reliance Property	Report on data organization				Stephen, PF673501
Menika Mining Ltd. (2003)	Reliance Property			Logged select 1996 DDH core		Stephen, PF673495
Menika Mining Ltd. (2004)	Reliance Property			3 NQ DDH 580.34 m		Richards, 27561
Menika Mining Ltd. (2006)	Reliance Property	689 MMI soils				Mark, 29460

Menika Mining Ltd. (2009)	Reliance Property			11 NQ DDH3052.63 m		Lindinger, 3052A
Endurance Gold (2019)	Reliance Property	21 rocks				Mark, 38797
Operator	Historic Claim Group	Geochemistry	Geophysics	Trenching and Drilling	Mapping	Author/ARIS No.

**Truax Claims**

Rabbit Oil and Gas Ltd. (1981)	Foxy Bee Claims		20 km airborne magnetometer and VLF-EM survey			Pezzot, 9982
Newmont Exploration of Canada Limited (1983)	Ranger Claims	109 rock chips	Geological mapping – on and adjoining the current Truax claims			McLaren, 12416
Newmont Exploration of Canada Limited (1984)	Ranger Claims	280 soils, 171 silts, 139 rocks			Mapping, 1:5000 and 1:10,000	Turner 14225
Levon Resources Ltd. (1987)	Ranger Claims		210.9 Line km airborne magnetic and VLF-EM Survey			Brewer, 18432
Levon Resources Ltd. (1987)	Ranger-Truax Claims		210.9 Line km airborne magnetic and VLF-EM Survey			Brewer, 18432

**Olympic Claims\***

Noranda Exploration Company Ltd. (1980)	Olympic Claims	167 soils	8.8 line km VLF and Mag survey over soil grid			Lewis, 8293
Noranda Exploration Company Ltd. (1980)	Olympic Claims			2 BQ DDH, 265.78 m		Lewis, 8954
Mr. and Mrs. D.B. Ingram (1983)	Olympic Claims	42 rocks, and soils				Price, 11139
Lacana Mining Corporation (1984)	Olympic Claims	217 soils				Johnson, 12124
Mr. D.B. Ingram and	Olympic Claims	17 rocks	1320m VLF-EM survey and geological mapping			Price, 12276

Mr. B.J. Price (1984)						
Lacana Mining Corp (1984)	Olympic Claims	17 rock chips		5 NQ DDH, 306.7m	Mapping	Dunn, 12607
Operator	Historic Claim Group	Geochemistry	Geophysics	Trenching and Drilling	Mapping	Author/ARIS No.
Avino Mines and Resources (1988)	Olympic Claims	Minto – 249 soils, 145 trench rocks Olympic, 1093 soils				Friesen, 16964
Avino Mines Ltd. (1988)	Olympic Claims		144.1 line km of airborne magnetic and VLF-EM surveys			Brewer, 18433
Avino Mines and Resources Ltd. (1988)	Olympic Claims	272 soils		9 NQ DDH, 800 m		Sampson, 17790
International Wayside Gold Mines Ltd (1996)	Olympic Claims			7 BQ DDH 467.6 m		Lord, 24631
Avino Silver and Gold Mines Ltd. (2004)	Olympic Claims			4 NQ DDH, 33.87 m		Dunn, 27443
Avino Silver and Gold Mines Ltd. (2006)	Olympic Claims			5 NQ DDH-Minto 558.8 m, 5 NQ DDH Olympic 314.99 m 283 trench samples		Sampson, 28340
<b>Sanchez Claims</b>						
La Ronge Resources Ltd (1987)	Bill Miners Claims	13 rocks, 65 soils				DiSpirito, 16282

\*List is incomplete with regards to Minto and Olympic claims as adit sampling is not included

## 5 GEOLOGY

Geological setting and mineralization are modified after C. Hart and R. Goldfarb (2017), and J. Oliver (2020) and O'Brien (2021):

### 5.1 Regional Geology & Mineralization

The Reliance Gold Project is located within the Bridge River mining district in southwestern British Columbia. The district is the largest historical gold producer in the Canadian Cordillera with more than 128 tonnes (4.1 million ounces) of gold production between 1897 and 1971 (Church, 1996). Most production came from the Bralorne-Pioneer vein system that yielded approximately 7 million tonnes averaging 19.1 g/t (0.58 oz/t) Au (Leitch, 1990).

The Bridge River district is a northwest-trending, structurally complex region along the western margins of the Intermontane Terranes, adjacent to variable intrusive contacts of the plutonic rocks from the southeastern Coast Plutonic Complex to the west. In this region, the Intermontane Terranes consist of structurally interleaved Mississippian to Middle Jurassic Bridge River Terrane accretionary complex, structurally juxtaposed against Late Triassic to Early Jurassic Cadwallader Terrane volcanic rocks and arc-marginal clastic strata. The region was subsequently intruded and overlain by a wide range of Cretaceous and Tertiary magmas and lavas that form the plutonic and volcanic rocks related to the Coast Plutonic Complex.

The Bridge River Terrane is primarily Mississippian to Middle Jurassic pillow and massive oceanic basalts, with lesser ribbon chert, shale, argillite and limestone. Locally there are slivers of serpentinite.

The Cadwallader Terrane includes mafic-arc tholeiitic volcanic rocks (Pioneer Formation) that are overlain by a thick sequence of Lower and Middle Jurassic Hurley Formation siltstone, sandstone and conglomerate.

The Coast Plutonic Complex is a region underlain by a mostly contiguous and diverse array of granitoid bodies, comprising mid-Cretaceous and older, mid-crustal plutons and batholiths, with contact-metamorphosed country rock pendants indicating intrusion into older, mostly Cadwallader Terrane basement. Notable among the definable plutonic bodies is the Late Cretaceous to Eocene Dickson-McClure batholith, the Bendor batholiths and the Eldorado pluton.


The geology of the district is characterized by significant deformation, and the most significant event was the amalgamation of the Bridge River accretionary complex. These rocks yield ca. 230 Ma Ar-Ar ages on white mica and indicate that subduction related deformation occurred during the late Middle Triassic and may have continued into the Middle Jurassic (Schiarizza et al., 1997).

Subsequently, the region was widely affected by mid-Cretaceous contractional deformation that emplaced the westerly-verging Shulaps ultramafic complex above Cadwallader and Bridge River terranes. The timing of this deformation and related low-grade metamorphism is ca. 130 to 92 Ma (Garver et al., 1989; Schiarizza et al., 1997). Much of the Bralorne-Pioneer vein system occurs along or within these


structures, and early, Late Cretaceous sinistral movements on the Eldorado fault and the Castle Pass fault system are considered to be coeval with final regional contraction (Schiarizza et al., 1997).

Younger, northwest-trending dextral strike-slip displacements reactivated many of the older faults, particularly the Marshall Creek and Yalakom faults east of the Bralorne district. Dextral deformation is best estimated as having been initiated at or slightly before 67 Ma and is considered a primary control on much of the mineralization proximal to the faults in these areas (Schiarizza et al., 1997).

**Figure 4. Regional Geological Setting of the Bridge River Mining District in Southern British Columbia; Modified after Hart and Goldfarb (2017).**



**Figure 5. Regional Geological Setting of the Bridge River Mining District Showing Distribution of Mineral Deposits; Modified after Hart and Goldfarb (2017).**



## 5.2 Property Geology and Mineralization

The following is from O'Brien 2021 and pertains to the original Reliance claims where the 2022 RC drilling took place.

Much of the Reliance Gold property is overlain by either unconsolidated glacial tills or by post glacial, white volcanic ash. Tills are non-stratified, coarse boulder to cobble sized with a sandy matrix. Till thickness appears to be increasing in the western portion of the property where road cuts indicate that greater than 5 m of coarse boulder-cobble tills are common.

Most till exposures are overlain by post glacial white ash deposits of the Bridge River Ash formation. These deposits are variable in thickness ranging from a few 10's of cm to greater than a metre. They are bone white in color, felsic in composition and locally may contain black vitric pumice fragments. The ashes have been derived from Plinth Peak, located 53 km to the west northwest of Gold Bridge, and are Pliocene (2350 years) age (Schiarizza et al., 1997).

Bedrock lithologic units present on the Reliance Gold property are interpreted to belong to the Mississippian to Middle Jurassic Bridge River Terrane and include (1) mafic flows and pillow massive flows (upper and lower sequences), (2) interbedded fine grained argillites and ribbon banded cherts, (3) hematitic siliceous siltstones-cherts, (4) polylithic volcanic breccias, (5) limestone-marbles and (6) quartzite.

Intrusive units on the Reliance Gold property include (7) hornblende and plagioclase phryic diorites, (8) feldspar porphyritic dykes and (9) gabbro-diorites. No age dating has been completed on the Reliance Gold intrusives and the current assumption is that they may be related to the nearby Late Cretaceous Bendor Plutonic Suite (Oliver 2020).

Alteration outcrop mapping has identified six principle alteration domains including post alteration tufa deposits, weak sericite-chlorite-hematite, weak ankerite, moderate ankerite, moderate to strong ankerite-quartz and early sericite-quartz (Oliver, 2020).


Two styles of gold mineralization have been identified on the property including (1) gold associated with quartz-ankerite breccia zones and quartz-ankerite shear and extensional vein arrays; and (2) gold associated with clay-sericite-hematite fault zones with weaker secondary silica (Oliver, 2020).

At the completion of the 2022 RC program gold mineralization in the Eagle area has been delineated along a 400-meter trend by 71-metre relatively shallow RC and diamond drill intersections with an average mineralized drill length of 9.6 m and a weighted average grade of 5.17 g/t gold. The Eagle Zone is a shallow minus 35 degree southwest dipping mineralized structure that is contiguous with and transitions into the steeply southwest dipping, interpreted feeder structure referred to as the 020 Target Zone located within the Eagle South soil anomaly trend (Endurance Gold Corporation, June 28, 2022).

Gold intersections in the Reliance Property drill core observed to date are associated with intense iron-carbonate, and sericite alteration within structurally deformed sequences related to the Royal Shear. Gold mineralization is directly related to varying amounts of pyrite, stibnite, arsenopyrite and pyrrhotite as

sulphide replacement and multigenerational breccias often with associated pervasive silicification, quartz stockwork and/or quartz breccia infill. This is interpreted to represent a shallow-level (epizonal) orogenic gold system (Endurance Gold Corporation, January 25, 2022).

**Figure 6. Reliance Gold Property Geology Map**



## 6 2022 RC DRILLING

RC drilling on the Reliance claims was conducted by Northspan Explorations Ltd. of Kelowna, B.C. from April 22, 2022, to May 29, 2022 and consisted of 33 holes totalling 2447.5 m. All holes were completed using a track-mounted RC drill (the “Cricket”) equipped with one 550 cfm/500psi compressor capable of drilling 4” casing with a 3.5” center sample hammer bit. The program was designed to expand the Eagle Zone, as well as follow up on surface anomalies along the Treasure Shear structural trend in the Bona and Vista Zones. Eight (8) holes were drilled along the Treasure Shear, seven (7) holes targeted the Eagle South 020 Trend first discovered in DDH21-020, and 18 holes were designed to further delineate the Eagle Zone. The 2022 program sought to expand the Eagle Zone via systematic drilling along roads constructed at the end of the 2021 program through a trend of anomalous gold and arsenic in soils. Figure 7 gives an overview of the 2022 RC collars with more detailed figures located in Appendix F.

Drill holes were drilled at a dip angle of -45 to -90 degrees. Dip angles were measured at the drill using an inclinometer as no down-hole orientations were collected due to the shallow nature of the drilling. GPS collar coordinates were collected after the drill rig was moved off the platform using a Trimble R1 GNSS receiver capable of one-metre accuracy with SBAS correction. Collar elevations were adjusted to match topography calculated from a 2021 LiDAR survey flown by Endurance Gold.


A total of 1,550 RC samples were collected and analyzed using an Olympus Vanta pXRF Analyzer. Based on elevated pXRF arsenic results, a subset of 655 samples were selected for further analysis at ALS Geochemistry in North Vancouver B.C with the goal of determining quantifiable gold assays. Representative RC chips were collected from each 1.52 m (5 foot) interval and stored in chip trays but were not logged. Chip photos are located in Appendix H.

**Table 7. 2022 RC Collars**

Hole ID	Azimuth	Dip	Length (m)	Date Drilled	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)
RC22-053	32	-45	73.15	04/22/2022	515046.4	5636376.3	821
RC22-054	73	-45	70.10	04/22/2022	515050.3	5636374.6	823
RC22-055	31	-45	71.63	04/23/2022	515031.5	5636363.8	819
RC22-056	77	-45	74.68	04/24/2022	515054.1	5636327.1	838
RC22-057	80	-45	92.96	04/26/2022	515319.8	5636183.2	993
RC22-058	14	-50	94.49	04/28/2022	515316.0	5636179.6	993
RC22-059	79	-45	54.86	05/29/2022	515420.6	5636160.7	1034
RC22-060	55	-45	100.58	04/29/2022	515363.8	5636145.1	1022

Hole ID	Azimuth	Dip	Length (m)	Date Drilled	Easting (NAD83 UTM Z10N)	Northing (NAD83 UTM Z10N)	Elevation (m)
<b>RC22-061</b>	260	-75	82.3	04/30/2022	515467.3	5635739.2	1171
<b>RC22-062</b>	50	-45	106.68	05/01/2022	515462.1	5635587.3	1189
<b>RC22-063</b>	72	-45	108.20	05/04/2022	515463.4	5635587.3	1189
<b>RC22-064</b>	30	-45	106.68	05/05/2022	515463.4	5635587.3	1189
<b>RC22-065</b>	200	-45	65.53	05/06/2022	515475.4	5635644.3	1185
<b>RC22-066</b>	200	-65	97.54	05/06/2022	515475.4	5635644.3	1185
<b>RC22-067</b>	260	-80	94.49	05/08/2022	515473.8	5635679.8	1177
<b>RC22-068</b>	260	-80	103.63	05/09/2022	515468.1	5635710.1	1172
<b>RC22-069</b>	80	-45	70.10	05/11/2022	515473.5	5635711.8	1176
<b>RC22-070</b>	80	-45	65.53	05/11/2022	515476.3	5635686.0	1179
<b>RC22-071</b>	190	-50	70.10	05/15/2022	515508.3	5635627.2	1209
<b>RC22-072</b>	350	-45	15.24	05/16/2022	515450.8	5635547.9	1196
<b>RC22-072A</b>	50	-45	19.81	05/16/2022	515450.8	5635547.9	1196
<b>RC22-073</b>	80	-45	57.91	05/17/2022	515523.6	5635655.7	1212
<b>RC22-074</b>	80	-45	64.01	05/19/2022	515529.2	5635694.3	1216
<b>RC22-075</b>	80	-45	71.63	05/20/2022	515543.8	5635745.2	1226
<b>RC22-076</b>	80	-45	100.58	05/20/2022	515582.4	5635709.1	1259
<b>RC22-077</b>	80	-45	77.72	05/23/2022	515575.7	5635563.3	1273
<b>RC22-078</b>	80	-45	70.10	05/24/2022	515578.8	5635524.5	1285
<b>RC22-079</b>	80	-45	47.24	05/25/2022	515596.3	5635558.8	1286
<b>RC22-080</b>	135	-45	70.10	05/26/2022	515596.3	5635558.8	1286
<b>RC22-081</b>	80	-45	68.58	05/26/2022	515632.4	5635580.0	1297
<b>RC22-082</b>	260	-75	53.34	05/27/2022	515628.1	5635582.9	1294
<b>RC22-083</b>	0	-90	62.48	05/28/2022	515578.8	5635524.5	1285
<b>RC22-084</b>	260	-75	65.53	05/29/2022	515572.2	5635568.0	1269

Figure 7. 2022 RC Collar Location Map



## 7 SAMPLE PREPARATION, ANALYSIS AND SECURITY

### 7.1 RC Sampling Procedure

Sample collection for an individual RC drill run was achieved by placing a 5-gallon pail beneath the RC rig cyclone beside the drill. At the completion of a 1.52 m (5-foot) run, the full bucket was removed and a second empty bucket was placed beneath the cyclone for the next run. The contents of the full sample bucket were dumped into a portable riffle splitter that separated to a 1/8<sup>th</sup> split. This sample, a true 1/8<sup>th</sup> split, was designated as the 'A' sample. The sample was collected in a poly bag pre-labelled with the sample number, 'A' sample and depth interval in feet. The sample tag was inserted into the bag and sealed with a zip tie. The remaining 7/8<sup>ths</sup> was then dumped through the riffle splitter a second time and a 'B' duplicate sample was collected in the same manner as above. This duplicate sample was retained for possible future test work, and the remaining material was discarded. The hole ID and depth interval were recorded in the sample tag book. A household sieve was used to collect a coarse chip sample from the rejected material and stored in RC chip trays. Each chip tray was labelled with the hole ID and the depth in feet. Chip trays were photographed and stored on site at the Company's house near Gun Lake. The chips were not geologically logged as previous work had shown that the sieving process preferentially collected quartz vein chips and the oxidized host rock would pass through the sieve. Finally, the 'A' and duplicate 'B' samples were placed in separate rice bags and transported to the house.

At the house, 'A' samples were laid out in sequence, and sample ID's and depths were checked for continuity. Magnetic susceptibility readings were taken through the plastic poly bag using a KT-10 meter and recorded in MX Deposit. All 'A' samples were also analyzed using an Olympus Vanta pXRF Analyzer and results were similarly recorded. Quality control (QC) checks on the pXRF unit were preformed at preprogrammed intervals using blank and Cu standard powder pucks provided with the unit.

A total of 1,550 RC samples were collected and analyzed with the pXRF. A complete list of pXRF results can be found in Appendix G.

Based on elevated arsenic results from the pXRF, a subset of 655 samples were selected for further analysis at the ALS Geochemistry lab in North Vancouver, BC with the goal of determining quantifiable gold assays. The remaining 'A' samples and all 'B' duplicate samples were stored in rice bags in a shipping container located at the camp/core logging facility.

### 7.2 RC Analysis and Security

All 655 RC samples selected for assay analysis were analyzed at ALS Geochemistry in North Vancouver B.C., an ISO/IEC 17025:2017 accredited laboratory. Samples were placed in rice bags and labelled with the shipping address, sample sequence and a company contact. Rice bags were sealed with a zip tie and a security tag. Samples were either delivered to ALS by a geologist or the expediting service provided by the Gold Bridge Hotel.

RC samples were prepared for analysis following method PREP-31, involving crushing 70% of the sample to finer than 2 mm, then riffle-splitting off up to 250 g and pulverizing the split until 85% is finer than 75 mm. Analysis for non-Au elements followed method ME-ICP61, involving a four-acid digestion via perchloric, nitric, hydrofluoric and hydrochloric acids for 48 elements, followed by 30g gold FA ICP-AES finish using method Au-ICP21. Over limit samples returning greater than 10 ppm gold were re-analyzed by Au-GRA21 methodology, and over limit antimony returning greater than 10,000 ppm Sb were re-analyzed by Sb-AA08 methodology.

A list of samples submitted for assay analysis can be found in Appendix C, and ALS assay certificates are included in Appendix D.

## 8 PROGRAM RESULTS

The 2022 RC drill program was designed to expand on existing soil, channel, and biogeochemical anomalies as well as follow up on targets and structures identified during the 2021 diamond drill program. Two zones, the Bona and Vista, were explored along the Treasure Shear with four holes completed in each zone. Eighteen (18) holes were drilled to expand the Eagle Zone, a shallowly dipping, near surface zone that at the conclusion of the 2021 season was 250 m by 150 m with a weighted average grade of 5.13 g/t Au and an average estimated true width of 11.2 m (Endurance Gold Corporation, January 25, 2022). A further seven holes targeted the steeply dipping Eagle South 020 feeder target intersected in DDH21-020. Results for each target are summarized below with the significant intercepts highlighted in Table 8 (Endurance Gold Corporation, 2022) while plan maps and cross sections are located in Appendix F.

**Table 8. 2022 RC Drilling Significant Intercepts**

Hole ID	Target Zone	Azimuth / Dip	From (m)	To (m)	Width (m)	Au (g/t)
<b>RC22-061</b>	Eagle	260/-75	38.10	41.15	3.05	9.69
<i>And</i>	Eagle		57.91	60.96	3.05	6.92
<b>RC22-062</b>	Eagle S. 020	050/-45	3.05	4.57	1.52	0.43
<i>And</i>	Eagle S. 020		25.91	27.43	1.52	0.41
<i>And</i>	Eagle S. 020		44.20	74.68	30.48	6.64
<i>And</i>	Eagle S. 020		80.77	82.3	1.53	1.42
<i>And</i>	Eagle S. 020		103.63	105.16	1.53	1.74
<b>RC22-063</b>	Eagle S. 020	072/-45	0	3.05	3.05	0.67
<i>And</i>	Eagle S. 020		97.54	100.58	3.04	2.55
<b>RC22-064</b>	Eagle S. 020	030/-45	27.43	48.77	21.34	3.86
<i>Includes</i>	Eagle S. 020		36.58	45.72	9.14	6.17
<i>And</i>	Eagle		94.49	102.11	7.62	3.58
<i>Includes</i>	Eagle		97.54	99.06	1.52	8.82
<b>RC22-065</b>	Eagle	200/-45				nil
<b>RC22-066</b>	Eagle	200/-65				nil

Hole ID	Target Zone	Azimuth / Dip	From (m)	To (m)	Width (m)	Au (g/t)
<b>RC22-067</b>	Eagle	260/-80	67.06	73.15	6.09	1.75
<i>And</i>	Eagle		77.72	94.49	16.77	4.89
<i>Includes</i>	Eagle		82.3	89.92	7.62	8.74
<b>RC22-068</b>	Eagle	260/-80	30.48	32	1.52	2.66
<i>And</i>	Eagle		51.82	54.86	3.04	3.97
<i>And</i>	Eagle		65.53	74.68	9.15	1.94
<i>Includes</i>	Eagle		73.15	74.68	1.53	5.30
<b>RC22-069</b>	Eagle	080/-45	25.91	32	6.09	3.28
<b>RC22-070</b>	Eagle	080/-45	30.48	39.62	9.14	6.50
<i>Includes</i>	Eagle		35.05	38.1	3.05	13.28
<b>RC22-071</b>	Eagle S. 020	190/-50	53.34	57.91	4.57	3.51
<b>RC22-072</b>	Eagle	350/-45				Abandoned
<b>RC22-072A</b>	Eagle	050/-45				Abandoned
<b>RC22-073</b>	Eagle	080/-45	18.29	25.91	7.62	4.84
<i>Includes</i>	Eagle		18.29	19.81	1.52	16.8
<b>RC22-074</b>	Eagle	080/-45				nil
<b>RC22-075</b>	Eagle	080/-45				nil
<b>RC22-076</b>	Eagle	080/-45				nil
<b>RC22-077</b>	Eagle	080/-45	1.52	3.05	1.53	1.24
<i>And</i>	Eagle		21.34	22.86	1.52	2.13
<i>And</i>	Eagle		30.48	33.53	3.05	11.1
<i>And</i>	Eagle		38.1	42.67	4.57	2.29
<b>RC22-078</b>	Eagle S.020	080/-45	32.00	62.48	30.48	3.89
<i>Includes</i>	Eagle S. 020		39.62	47.24	7.62	5.80

Hole ID	Target Zone	Azimuth / Dip	From (m)	To (m)	Width (m)	Au (g/t)
<b><i>Includes</i></b>	Eagle S. 020		57.91	62.48	4.57	7.68
<b>RC22-079</b>	Eagle	080/-45	28.96	39.62	10.66	8.57
<b><i>Includes</i></b>	Eagle		33.53	39.62	6.09	11.57
<b>RC22-080</b>	Eagle S. 020	135/-45	38.1	39.62	1.52	1.21
<b><i>And</i></b>	Eagle S. 020		45.72	47.24	1.52	2.10
<b>RC22-081</b>	Eagle	080/-45				nil
<b>RC22-082</b>	Eagle	260/-75				nil
<b>RC22-083</b>	Eagle	Vertical				nil
<b>RC22-084</b>	Eagle S. 020	260/-75	15.24	21.34	6.10	3.41
<b><i>And</i></b>	Eagle S. 020		39.62	57.91	18.29	6.11
<b><i>Includes</i></b>	Eagle S. 020		50.29	57.91	7.62	9.26
<b>RC22-053</b>	Bona	032/-45				nil
<b>RC22-054</b>	Bona	073/-45				nil
<b>RC22-055</b>	Bona	031/-45				nil
<b>RC22-056</b>	Bona	077/-45				nil
<b>RC22-057</b>	Vista	080/-45	42.67	47.24	4.57	1.80
<b>RC22-058</b>	Vista	014/-50	57.91	59.44	1.53	0.22
<b>RC22-059</b>	Vista	079/-45	4.57	6.10	1.53	0.78
<b>RC22-060</b>	Vista	055/-45	56.39	59.44	3.05	1.40

## 8.1 Bona Zone

Four RC holes for 289.5 metres were completed in the Bona Zone and were collared into a weak to locally moderate biogeochemical arsenic anomaly, and upslope from a channel sample adjacent to the NW-SE trending Treasure Shear that returned 4.43 g/t Au over 8.5 m. Despite the favourable surface samples, RC results were not encouraging, with only six sample returning elevated gold results, the best being 0.82 g/t Au and 1710 ppm As over 1.52 m (5 ft) in RC22-054. Anomalous assay results from the Bona Zone are reported in Table 9. Further work is required in the Bona area to determine the orientation of the mineralized structure intersected in the channel sampling.

**Table 9. Bona Zone - Anomalous RC Assays**

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
<b>RC22-053</b>	24.38	25.91	1.52	0.48
	65.53	67.06	1.52	0.40
<b>RC22-054</b>	4.57	6.10	1.52	0.26
	30.48	32.00	1.52	0.82
<b>RC22-055</b>	nil			
<b>RC22-056</b>	15.24	16.76	1.52	0.63
	33.53	35.05	1.52	0.47

## 8.2 Vista Zone

The Vista Zone is located approximately 450 metres southeast and upslope from the Bona Zone along the Treasure Shear trend. The Vista Zone was defined during the 2021 field season by anomalous arsenic-in-soils samples followed by channel sampling along three historic bulldozer trails defining a zone approximately 160 m in strike. Significant channel sample results assaying greater than 1 g/t Au are listed in Table 10.

**Table 10. Vista Zone - Significant Channel Sample Results**

Channel Name	Sample ID	Width (m)	Au (g/t)
Vista Main	L577976	0.91	2.29
	L577987	1.52	1.03
	L577981	1.07	5.42
	L577983	0.91	2.57
100 AW	L577995	0.85	1.02
	L577996	0.67	3.81
	L577997	0.76	6.05
	L577999	0.58	1.62
	L578000	1.10	7.37
Fore Too	L577877	0.37	2.65
	L577879	0.61	9.65
	L577881	0.67	22.20
	L577884	0.67	1.60

Four (4) RC holes for 342.9 m were drilled in the Vista Zone to test for shallow dipping mineralization estimated to dip 20 degrees to the southwest from the channel sampling results. All four holes intersected narrow zones of anomalous gold mineralization but did not reproduce the higher-grade results returned from the surface channel sampling. The best assay result was returned from hole RC22-057 which returned 1.80 g/t Au over 4.57 m, including 3.55 g/t Au over 1.52 m. Assay results for all four holes are listed in Table 11. Further drilling is required to test for steeply dipping mineralized structures below the channel samples.

**Table 11. Vista Zone - Anomalous RC Assays**

Hole ID	From (m)	To (m)	Width (m)	Au (g/t)
<b>RC22-057</b>	42.67	47.24	4.57	1.80
<i>Includes</i>	44.2	45.72	1.52	3.55
<b>RC22-058</b>	57.91	59.44	1.52	0.22
<b>RC22-059</b>	4.57	6.10	1.52	0.78
<b>RC22-060</b>	56.39	59.44	3.05	1.40

### 8.3 Eagle Zone

The 2022 RC drilling program was designed to expand the Eagle Zone to the southeast where four new switchback trails were constructed and exposed mineralized outcrop. The RC drilling successfully intersected gold mineralization with associated elevated arsenic which explained the bedrock source for the previously defined biogeochemical and soil geochemistry anomalies. At the completion of the 2022 RC program the Eagle Zone had been expanded to 400 m in strike by 150 m in width with an average estimated true width of 9.6 m. The Eagle Zone was intersected with 71 drill hole pierce points that returned a weighted average grade of 5.17 g/t gold. A surface drill plan of the Eagle Zone is reported in Figure 8. Figure 9 displays a longitudinal section along the strike length of the Eagle Zone. The long section graphically displays the footwall of the Eagle Zone mineralized structure. Detailed sections and surface plans can be found in Appendix F.

Systematically spaced drilling along the road constructed in 2021 were drilled both into the slope and, on the Eagle 4 switchback, downslope to test the southern extension of the deposit and provide infill drilling between diamond drill holes DDH21-016, DDH21-017 and DH21-022 to the west and DDH21-018 and DDH21-019 to the east.

Mineralized intercepts from RC22-069 and RC22-070 on the Eagle 4 switchback confirmed that the Eagle Zone continued and remained open to expansion up-slope to the south, while RC22-061, RC22-068 and RC22-067, which were drilled downslope, showed increasing mineralized intervals and grade and from east to west indicating the zone may be inclined or thickening towards the Royal Shear. All RC significant intercepts are summarized in Table 8. This pattern was also reflected in DDH21-016 and DDH21-017 which contained higher grade and longer mineralized intercepts compared to DDH21-018 and DDH21-019 and are summarized in Table 5.

Testing the southeastern upslope extension of the Eagle Zone continued on the Eagle 5 switchback with RC22-073 to RC22-075 drilled from west to east. In this area only RC22-073 contained notable mineralization despite there being a consistent arsenic in soils anomaly along this section of road. The other holes were drilled too far to the east and were collared in the footwall of the Eagle Zone mineralization.

RC22-076 on the Eagle 6 switchback and to the west, RC22-081 and RC22-082 on the Eagle 7 road also failed to intersect mineralization. It was determined that these holes were also collared into the footwall rocks below the Eagle Zone horizon.

RC22-077, RC22-079 and RC22-081 to RC22-082 were clustered around the Eagle 6 to Eagle 7 switchback. Both holes RC22-077 and RC22-079 intersected the Eagle Zone mineralization while RC22-081 and RC22-082 to the east did not.

The three other mineralized RC holes collared in this area are discussed below in the context of the Eagle South Zone and the Eagle South 020 Target.

Figure 8 Eagle Surface Plan with Highlight Assay Results





Figure 9 Eagle Zone Long Section showing Highlight Results and Footwall of Mineralized Zone



southern extent of the shallow dipping Eagle Zone and thus not oriented to intersected the newly interpreted steeply dipping O20 Target mineralization. DDH21-022 was the last hole completed in the drilling campaign and was collared 60 metres northwest of DDH21-020. It also intersected melange-hosted mineralization in three different intervals of 3.76 g/t gold over 14.3 m, 8.68 g/t over 2.9 m, and 2.78 g/t gold over 5.6 m. All three intervals are in close proximity and average 1.70 g/t gold over 62.1 m, commencing at 53 m down hole.

In 2022 the RC drill was used to define the orientation of the high-grade Eagle O20 Target within the Eagle South Zone with several holes targeting this structure.

RC22-062 was drilled perpendicular to DDH21-020 and DDH21-021 and successfully intersected the O20 Target with 6.64 g/t Au over 30.48 m (Table 8). RC22-063 failed to intersect the mineralized structure although it did confirm the narrow band of mineralization at 94 m depth which was logged as a mafic dyke in DDH21-020. RC22-064 was more successful at tapping into the mineralized structure at the top of the hole as well as intersecting the Eagle Zone at the bottom of the hole. The O20 Target in this hole was shorter at 21.34 m grading 3.86 g/t Au while the Eagle Zone mineralization was 3.58 g/t Au over 7.62 m (Table 8). RC22-065 appears to have clipped the edge of the O20 Target structure with 1.64 g/t Au over 4.58 m. Hole RC22-066 also just clipped the lower portion of the O20 Target with a 1.52 m interval grading 2.51 g/t Au.

Up-slope to the southwest around the Eagle 6 to Eagle 7 switchback three more RC holes intersected the high grade Eagle South O20 Target structure adjacent to the Eagle Zone. RC22-078 returned 3.89 g/t Au over 30.48 m while RC22-080 drilled obliquely to hole RC22-078 returned 0.48 g/t Au over 13.71 m which may be attributed to a lower grade portion of the Eagle Zone or material proximal to the Eagle South O20 Target structure. Finally, RC22-084 intersected two zones of significant mineralization: 3.41 g/t Au over 6.1 m and a deeper zone of 6.11 g/t Au over 18.29 m. This lower zone also included 7.62 m of 9.26 g/t Au which may be part of the Eagle South O20 mineralized structure.

The 2022 RC drill program was very efficient with only two holes, RC22-072 and RC22-072A being lost. Holes RC22-073 to RC22-075, RC22-077 to RC22-079 and RC22-081 were cemented and completely sealed. RC22-083, which was drilled vertically with the objective of intersecting water as a source for future diamond drilling.

## 9 DISCUSSION AND CONCLUSIONS

The 2022 RC drilling on the Reliance Project was designed to test soil and channel sample anomalies in the Bona and Vista Zones as well as expand the footprint of the Eagle Zone. The drilling was used to effectively follow up on surface targets and successful in extending the Eagle Zone to a 400 m strike length. The Eagle Zone RC holes were designed to infill areas between the 2021 diamond drill holes as well as increasing the extents of the known mineralization, providing further targets for future diamond drilling. The RC drill was also used to successfully identify the orientation of the high grade Eagle South 020 Target structure within the broader Eagle South Zone.

Drill results from both the Bona and Vista Zones did not identify any significant mineralization but did reveal that the gold/arsenic ratio used as an exploration tool may have different characteristics along the Treasure shear trend and may not be as effective. Anomalies may be related to narrow structures and further surface work is required to identify these areas.

The RC drilling successfully expanded the footprint of the Eagle Zone by infilling between 2021 diamond drill holes to further define the orientation and grade of the mineralized body and extended the mineralization to the southwest. It appears the mineralization is increasing in grade and thickness to the west towards the Royal Shear. This could be attributed to simply tilting a tabular body or the zone may be deformed by regional and local tectonics, causing the zone to steepen in proximity to the shear zone. Systematic drill spacing along the road also confirmed the mineralization continues up-slope to the south and should be tested with additional diamond drilling.

The orientation of the Eagle South 020 structure, a high-grade intercept of quartz flooding with a fine network of arsenopyrite and stibnite sooty sulphide veins brecciating the quartz, was intersected with multiple RC holes in the vicinity of the DDH21-020 collar near the Eagle 4 to Eagle 5 switchback and extended approximately 160 m up-slope to the southwest to the Eagle 6 to Eagle 7 switchback. Confirmation with further diamond drilling is needed to determine if this quartz flooding is a quartz vein structure or pervasive silicification and further define the nature of the Eagle Zone mineralization in this area.

RC drilling has proven to be a highly effective and cost-efficient way of exploring for mineralization and following up on surface targets on the Reliance Gold Project, especially if oxidation of the mineralization is likely. Using the pXRF to provide real-time results allows for flexible drill planning and the ability to quickly refine targets for follow up with diamond drilling. Based on the 2022 RC drill results, further diamond drilling is needed to understand the mineralization characteristics and better orient mineralized structures to further expand the Eagle Zone. Deeper drilling is also needed to identify the Eagle South and other feeder structures and probe for other preferentially mineralized layers.

## 10 REFERENCES

- Allen, G.B. (1972) Supplementary Geophysical Notes on Mineral Lease M65 Lillooet Mining Division, B.C. B.C. Assessment Report 3548.
- Brewer, L.C. (1988) Geophysical Report on Airborne Magnetic and VLF-EM Surveys over Ranger and Apples. B.C. Assessment Report 18432.
- Brewer, L.C. (1988) Geophysical Report on Airborne Magnetic and VLF-EM Surveys over the Mellisande, Jumper and CG Claims. B.C. Assessment Report 18433
- Brewer, L.C. (1995) Report on Geological Mapping and Geochemical Sampling on the EROS Property. B.C. Assessment Report 23731.
- Cairnes, C.E. (1943): Geology and Mineral Deposits of the Tyaughton Lake Map Area, British Columbia; Geological Survey of Canada, Paper 43-15, p 39.
- Church, B. N., & Jones, L. D. (1999): Metallogeny of the Bridge River Mining Camp (092J10,15 & 092O02).
- Dunn, D. (1984) Report on Diamond Drilling on Olympic-Kelvin Claims. B.C. Assessment Report 12607.
- Dunn, D. (2004) Report on Diamond Drilling on the Olympic/Kelvin Property Alta No. 1 and hillside No. 7 Claims. B.C. Assessment Report 27443.
- DiSpirito, F., Butler, S.P. (1987) Report on the Bill Miner's Claim Group. B.C. Assessment Report 16282.
- Endurance Gold Corporation. (2022) <https://endurancegold.com/>
- Endurance Gold Corporation. (2022, January 25). *Endurance Reports Remaining Drill Results From Reliance 2021 Program Including 5.71 gpt Gold Over 5.6 m And 3.76 gpt Gold Over 14.3 m* [Press Release]. <https://endurancegold.com/news-releases/endurance-reports-remaining-drill-results-from-reliance-2021-program-including-5.71-gpt-gold-over-5.6-m-and-3.76-gpt-gold-over/>
- Endurance Gold Corporation. (2022, June 28). *Endurance Reports 3.89 gpt Gold Over 30.48 M, 8.57 gpt Gold Over 10.66 M And 6.11 gpt Gold Over 18.29 M From The Reliance 2022 RC Program* [Press Release]. <https://endurancegold.com/news-releases/endurance-reports-3.89-gpt-gold-over-30.48-m-8.57-gpt-gold-over-10.66-m-and-6.11-gpt-gold-over-18.29-m-from-the-reliance-2022/>
- Friesen, P.S. (1988) Assessment Work Report on the Minto and Olympic Claims. B.C. Assessment Report 16964.
- Geological Survey Department of Mines (1916) Summary Report of the Geological Survey Department of Mines for the Calendar year 1915, Sessional Paper No. 26, p75-84.
- Garver J.I., Schiarizza, P. and Gaba, R.G. (1989): Stratigraphy and structure of the Eldorado Mountain area, Chilcotin ranges, southwestern British Columbia (92O/2; 92J/15); in Geological Fieldwork 1988, BC Ministry of Energy, Mines and Petroleum Resources, Paper 1989-1, pp. 131-143.

- Hart, C.J.R. and Goldfarb, R.J., (2017): Constraints on the Metallogeny and Geochronology of the Bridge River Gold District and Associated Intrusions, southwestern British Columbia; Geoscience BC Report 2017-08, pp 18 pages.
- Hawkins, G.T. (1981) Preliminary Assessment and Recommendations for the EROS A and B Claim Groups of Tarbo Resources Ltd. B.C. Assessment Report 9744.
- Johnson, D.L. (1984) Report on Geochemical Sampling Alta 1-8; Alta 1 and 2 Fr. Hillside 1-3; Hillside 5-8; Hillside Ext 3 and 4 Mellisande, Hepzibah, Jhanta Fr. Alpha 1-3 Claims. B.C. Assessment Report 12124.
- La Rue, J.P. (1984) Assessment Report on Geophysical and Geochemical Surveys Orientation Survey Reliance Property. B.C. Assessment Report 12812.
- Lindinger, J.E.L. (2009) Diamond Drilling Assessment Report on the Reliance Property. B.C. Assessment Report 30524A.
- Leitch, C.H.B. (1990): Bralorne: a mesothermal, shield-type vein gold deposit of Cretaceous age in southwestern British Columbia; Canadian Institute of Mining, Metallurgy, and Petroleum, Bulletin, v. 83, no. 941, pp. 53-80.
- Lewis, T.D. (1980) Diamond Drill Report on the Alta 1 to 8, Alta 1 to 2 (fr), Hillside 1 to 8, Hillside Ext. 3 to 4, Alpha 1 to 3 Crown Grants, and Mellisands and Hepzibah Mineral Claims (Olympic Property). BC Assessment Report 8954.
- Lord, K. (1996) Assessment Report on a Drilling Program on the Minto and Olympic Group of Claims. B.C. Assessment Report 24631.
- Mark, D.G. (2006) Geochemical Report on an MMI Soil Geochemistry Survey over the Reliance Property. B.C. Assessment Report 28362.
- Mark, D.G. (2007) Geochemical Report on an MMI Soil Geochemistry Survey During August 2006 over the Reliance Property. B.C. Assessment Report 29460.
- Mark, D.G. (2020) Exploration Report on the 2018 and 2019 Exploration Program Within the Reliance Property. B.C. Assessment Report 38797.
- Ministry of Energy and Mines (2005) Exploration and Mining in British Columbia 2004.
- Minister of Mines (1937) Annual Report of the Minister of Mines of the Province of British Columbia for the Year Ended 31<sup>st</sup> December 1936. Part F. Western Mineral Survey District (No. 6) pp308-310.
- Minister of Mines (1938) Annual Report of the Minister of Mines of the Province of British Columbia for the Year Ended 31<sup>st</sup> December 1937 Part F. Western Mineral Survey District (No. 6).
- Minister of Mines (1946) Minister of Mines Province of British Columbia Annual Report for the year ended 31<sup>st</sup> December 1945.

Minister of Mines (1947) Minister of Mines Province of British Columbia Annual Report for the year ended 31<sup>st</sup> December 1946.

O'Brien, D. (2021) Reliance Gold Project, British Columbia, Canada Assessment Report for 2020 Airborne Geophysical Survey. B.C. Assessment Report 39426.

Oliver, J.O. (2020): Characteristics of Lithology, Structure, Alteration and Mineralization at the Reliance Property, Central British Columbia. Canada. Unpublished Company Report. pp 27 pages plus attachments.

Pezzot, E.T., White, G.E. (1981) Geophysical Report on an Airborne VLF-EM and Magnetometer Survey Foxy 1-8, Bee 1-10 Claims. B.C. Assessment Report 9982.

Price, B.J. (1983) Geological Report Olympic-Kelvin Property Mellissa (2023) and Mellisande (1246) M.Cs. Hepzibah M. C. (1336) and Rev C.Gs. B.C. Assessment Report 11139

Price, B.J. (1984) Geological, Geophysical Report Mellissa Claim: Rec. No. 2023, Lillooet M.D. B.C. Assessment Report 12276.

Richards, G.G. (2004) Assessment Report on Diamond Drilling Results Reliance Gold Property. B.C. Assessment Report 27561.

Sampson, C.J. (2006) Report on 2005 and Trenching and Drilling Programs Olympic/Kelvin/Minto Properties. B.C. Assessment 28340

Schiarizza, P., Gaba, R.G., Glover, J.K., Garver, J.I. and Umhoefer, P.J. (1997): Geology and mineral occurrences of the Taseko-Bridge River area (NTS 092O/2,3; 092O/1; 092J/15,16); BC Ministry of Energy, Mines and Petroleum Resources, Bulletin 100, pp 291 pages.

Scroggins, E.A. Assessment Report on the EROS A, B and Golden King Claim Groups. B.C. Assessment Report 15343.

Sampson, C.J. (1988) Report on Geochemical Soil Sampling, Trenching and Diamond Drilling Minto Claims. B.C. Assessment Report 17790.

Sookochoff, L. (1985) Exploration Progress Report for Menika Mining Ltd. on the Reliance Property. B.C. Property File 674383.

Sookochoff, L. (1986) Diamond Drill Report for Menika Mining Ltd. on the Reliance Property. B.C. Property File 841329.

Stephen, J.C. (2001) Report on the Reliance Gold Property. B.C. Property File 673501.

Stephen, J.C. (2003) Menika Mining Ltd. Reliance Claim Group Gold Bridge Area Report on Activities July 5 to July 17, 2003. B.C. Property File 673495.

Stevenson, W.G., (1971): Geochemical and Geophysical Report T.V.I. Mining Ltd. B.C. Assessment Report 3276.

**APPENDIX A**

**STATEMENT OF EXPENDITURES**

<b>Exploration Work type</b>	<b>Comment</b>	<b>Days</b>			<b>Totals</b>
<b>Personnel (Name)* / Position</b>	<b>Field Days (list actual days)</b>	<b>Days</b>	<b>Rate</b>	<b>Subtotal*</b>	
2* Northspan drillers	April 19 to May 31	42	\$0.00	\$0.00	
Jared Put / sampler	April 19-30; May 1-22	32	\$650.00	\$20,800.00	
Carter Grondahl / sampler	May 19-31	13.8	\$750.00	\$10,350.00	
Darren O'Brien / Project Geologist	April 19-30 ; May 1-6; May 16-31	34	\$800.00	\$27,200.00	
Katie Dodd / Project Geologist	April 22-26; May 3-31	24	\$1,000.00	\$24,000.00	
Diego MacDugall / sampler	May 3-9; May 16-23	15	\$400.00	\$6,000.00	
TDC First Aid	April 25 to May 31	23	\$688.20	\$15,828.60	
				\$104,178.60	<b>\$104,178.60</b>
<b>Office Studies</b>	<b>List Personnel (note - Office only, do not include field days</b>				
Literature search			\$0.00	\$0.00	
Database compilation	O'Brien	2.0	\$800.00	\$1,600.00	
Computer modelling	Dodd / \$100/hr		\$0.00	\$778.03	
Reprocessing of data	Dodd, Dyck / \$100/hr		\$0.00	\$1,120.25	
General research	Dodd / \$100/hr		\$0.00	\$1,200.00	
Report preparation	Dodd, O'Brien	16.0	\$800.00	\$12,800.00	
Other (specify)			\$0.00	\$0.00	
				\$17,498.28	<b>\$17,498.28</b>
<b>Airborne Exploration Surveys</b>	<b>Line Kilometres / Enter total invoiced amount</b>				
Aeromagnetics			\$0.00	\$0.00	
Radiometrics			\$0.00	\$0.00	
Electromagnetics			\$0.00	\$0.00	
Gravity			\$0.00	\$0.00	
Digital terrain modelling			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	<b>\$0.00</b>
<b>Remote Sensing</b>	<b>Area in Hectares / Enter total invoiced amount or list personnel</b>				
Aerial photography			\$0.00	\$0.00	
LANDSAT			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	<b>\$0.00</b>
<b>Ground Exploration Surveys</b>	<b>Area in Hectares/List Personnel</b>				
Geological mapping					
Regional					
Reconnaissance					
Prospect					
Underground					
Trenches				\$0.00	<b>\$0.00</b>
<b>Ground geophysics</b>	<b>Line Kilometres / Enter total amount invoiced list personnel</b>				
Radiometrics					
Magnetics					
Gravity					
Digital terrain modelling					
Electromagnetics					
SP/AP/EP					
IP					
AMT/CSAMT					
Resistivity					
Complex resistivity					
Seismic reflection					
Seismic refraction					
Well logging					

Geophysical interpretation					
Petrophysics					
Other (specify)					
			\$0.00		<b>\$0.00</b>
<b>Geochemical Surveying</b>	<b>Number of Samples</b>	<b>No.</b>	<b>Rate</b>	<b>Subtotal</b>	
Drill (cuttings, core, etc.)	655 RC cuttings / ALS invoices	655.0	\$55.02	\$36,038.55	
Stream sediment			\$0.00	\$0.00	
Soil			\$0.00	\$0.00	
Rock			\$0.00	\$0.00	
Water			\$0.00	\$0.00	
Biogeochemistry			\$0.00	\$0.00	
Whole rock			\$0.00	\$0.00	
Petrology			\$0.00	\$0.00	
Other (specify)	1550 pXRF RC cuttings	1550.0	\$8.56	\$13,271.69	
				\$49,310.24	<b>\$49,310.24</b>
<b>Drilling</b>	<b>No. of Holes, Size of Core and Metres</b>	<b>No.</b>	<b>Rate</b>	<b>Subtotal</b>	
Diamond			\$0.00	\$0.00	
Reverse circulation (RC)	33 RC holes; 4" diam.; 2447.5 m	2447.5	\$106.89	\$261,602.80	
Rotary air blast (RAB)			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$261,602.80	<b>\$261,602.80</b>
<b>Other Operations</b>	<b>Clarify</b>	<b>No.</b>	<b>Rate</b>	<b>Subtotal</b>	
Trenching			\$0.00	\$0.00	
Bulk sampling			\$0.00	\$0.00	
Underground development			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	<b>\$0.00</b>
<b>Reclamation</b>	<b>Clarify</b>	<b>No.</b>	<b>Rate</b>	<b>Subtotal</b>	
After drilling			\$0.00	\$0.00	
Monitoring			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
<b>Transportation</b>		<b>No.</b>	<b>Rate</b>	<b>Subtotal</b>	
Airfare			\$0.00	\$0.00	
Taxi			\$0.00	\$0.00	
truck rental	2 project trucks; 1 first aid truck	3.00	\$0.00	\$6,418.76	
kilometers			\$0.00	\$2,110.96	
ATV	UTV rental		\$0.00	\$3,370.50	
fuel	RC rig, compressor, vehicles		\$0.00	\$20,792.33	
Helicopter (hours)			\$0.00	\$0.00	
Fuel (litres/hour)			\$0.00	\$0.00	
Other					
				\$32,692.55	<b>\$32,692.55</b>
<b>Accommodation &amp; Food</b>	<b>Rates per day</b>				
Hotel			\$0.00	\$0.00	
Camp	Rental housing		\$0.00	\$22,412.79	
Meals	Groceries actual + cook day-rate		\$0.00	\$9,523.60	
				\$31,936.39	<b>\$31,936.39</b>
<b>Miscellaneous</b>					
Telephone			\$0.00	\$0.00	
Other (Specify)	Internet; telephone; 2-way radios			\$2,169.81	
				\$2,169.81	<b>\$2,169.81</b>
<b>Equipment Rentals</b>					

Field Gear (Specify)	Sampling supplies		\$0.00	\$6,497.60	
Other (Specify)				\$6,497.60	<b>\$6,497.60</b>
<b>Freight, rock samples</b>					
	Supply freight; sample shipments		\$0.00	\$4,590.45	
	Postage		\$0.00	\$206.27	
				\$4,796.72	<b>\$4,796.72</b>
<b><i>TOTAL Expenditures</i></b>					<b>\$510,682.99</b>

**APPENDIX B**

**STATEMENT OF QUALIFICATIONS**

I, Katherine Amy Dodd, of 803-876 W 14<sup>th</sup> Ave., Vancouver British Columbia hereby certify that:

1. I am a Geologist providing services through Tripoint Geological Services
2. I graduated from Simon Fraser University of Burnaby British Columbia with a Bachelor of Science degree in 2001
3. I am a member in good standing of the Association of Professional Engineers and Geoscientists of the Province of British Columbia as a Geoscientist-in-Training (Member #147260)
4. I have practiced my profession since 2006 in Yukon Territory and British Columbia
5. I participated in or oversaw exploration activities on the Reliance property from April 22<sup>nd</sup> - October 24<sup>th</sup> 2022.

Dated and signed in Vancouver British Columbia on this 28<sup>th</sup> day of February, 2023.

*Katie Dodd*

---

Signature  
Katie Dodd, GIT

## Statement of Qualification

I, Darren O'Brien, P.Geo, do hereby certify the following:

- I am co-author of this assessment report titled “2022 RC Drilling Assessment Report on the Reliance Gold Project” dated February 24, 2023 (the “Assessment Report”).
- I am a graduate of the University of Alberta (1993) and hold a B.Sc. Degree (Specialization) in Geology.
- In 2001 I obtained an Advanced Diploma in Geographic Information Systems (GIS) from the British Columbia Institute of Technology.
- I am registered as a Professional Geologist with the Engineers & Geoscientists of British Columbia (EGBC), and a former elected director of The Association for Mineral Exploration British Columbia (AMEBC).
- I have worked in my profession as a Geologist for 30 years, both as an employee of major and junior mining companies, and as an independent consultant. I have worked at a variety of mining and exploration projects in Canada, United States, Central Asia and the Caribbean.
- I have been to the Reliance Gold Project numerous times and have been actively managing the project and participating in the exploration work described in this Assessment Report since April 2020.
- I am a consultant and currently an insider of Endurance Gold Corporation, and hold the title Vice President of Exploration.
- I operate under the business name O’Brien Geological Consulting Inc., a business independent of Endurance Gold Corporation.
- The business address of O’Brien Geological Consulting Inc. is 3649 – 153 Street, Surrey, BC, V3Z 0R2.

(signed) “Darren O’Brien”

Darren O'Brien, P.Geo  
February 24, 2023

## **APPENDIX C**

### **SAMPLE DETAIL TABLES**

Hold ID	From (m)	To (m)	Sample ID	Au g/t	Ag ppm	As ppm	Sb ppm	Al %	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tp ppm	Th ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Certificate	Completed	Lab				
RC2-053	24.58	25.91	D728264	0.484	0.31	374	3.9	8.58	140	0.95	0.01	6.2	0.38	27.5	41.4	218	41.4	62.1	7.81	19.9	0.11	3.3	0.084	1.23	11.9	26.2	1.62	1180	1.64	2.44	13.6	110	33.9	27.2	1.01	0.18	1.4	191.5	0.2	0.025	0.98	1.175	0.2	0.3	226	0.5	34	174	126.5	VA22108769	2022-05-15	ALS			
RC2-053	25.91	27.43	D728265	0.037	0.08	142.5	3.58	8.19	150	0.92	0.01	5.84	0.09	24.4	43.4	193	2.7	59.4	7.28	19.85	0.1	2.9	0.079	2.6	10.3	31.3	2.01	1.17	2.08	13.5	104	1.5	27.2	0.001	0.05	33.7	0.5	1.2	182.5	0.84	0.025	0.83	1.135	0.17	0.2	225	0.8	29.6	136	105	VA22108769	2022-05-15	ALS		
RC2-053	65.53	67.06	D728291	0.397	0.44	49.4	5.67	8.16	300	0.84	0.01	5.67	0.11	27.5	42.6	210	42.4	93.8	7.33	19.45	0.13	2.8	0.072	1.84	13.1	32.6	1.8	1245	1.25	1.32	12.7	95	850	3	51.3	0.001	0.68	34.3	1	1.2	168.5	0.76	0.025	0.87	1.09	0.23	0.2	185	4.1	28.8	144	113	VA22108769	2022-05-15	ALS
RC2-054	4.57	6.1	D728298	0.259	0.3	104.5	10.4	9.09	230	1.08	0.01	1.21	0.1	31.1	51.8	355	6.8	20.8	0.13	2.6	0.088	2.74	11.4	26.2	1.88	1020	0.83	1.98	19.6	142.5	930	3.3	6.8	0.001	0.09	38.2	0.5	1.7	148.5	1.26	0.025	1.08	1.385	0.34	0.3	192	3.9	22.8	164	85.5	VA22108769	2022-05-15	ALS		
RC2-054	28.96	30.48	D728314	0.027	0.28	171	3.96	8.39	120	0.95	0.01	5.6	0.06	24.5	43.2	189	2.67	65.7	7.36	20.4	0.1	3.1	0.08	1.13	10.1	34.1	2.09	150	0.91	2.05	1040	24.8	24.7	20.5	0.001	0.05	35.8	0.5	1.3	170	0.82	0.025	0.8	1.13	0.18	0.2	237	0.5	301	183	116	VA22108769	2022-05-15	ALS	
RC2-054	30.48	32.00	D728315	0.818	0.54	1710	6.59	8.6	100	0.81	0.01	5.27	0.18	26.8	46.4	197	2.47	88.7	7.48	20.1	0.11	2.9	0.081	0.9	11	14.1	119	1050	4.5	20.5	0.001	0.45	38	1	1.4	184	0.85	0.025	0.87	1.17	0.17	0.2	244	2.5	28.9	115	108.5	VA22108769	2022-05-15	ALS					
RC2-054	32	33.53	D728316	0.005	0.04	21.6	1.57	8.37	90	0.81	0.01	5.63	0.12	25.6	42.5	193	1.93	58.2	7.48	19.6	0.11	3.1	0.074	1.63	10.5	43.7	13.85	1000	1	15.1	0.002	0.03	35	1	1.3	186.5	0.82	0.025	0.85	1.115	0.1	0.3	236	0.5	28.2	111	107.5	VA22108769	2022-05-15	ALS					
RC2-055	1.52	3.05	D728341	0.021	0.04	45.5	4.27	8.24	230	0.9	0.03	1.49	0.13	32.4	42.1	265	3.44	56.8	7.45	18.5	0.13	3.1	0.074	1.74	13.7	34.1	2.43	105	0.91	1.62	149.5	10.1	0.01	0.025	1.43	1.11	0.21	0.4	176	0.7	25.5	105	119	VA22108769	2022-05-15	ALS									
RC2-055	3.05	4.57	D728342	0.004	0.03	30.8	3.86	8.34	170	0.89	0.01	3.12	0.1	31.9	54.8	270	6.53	64.6	7.84	19.35	0.13	3.1	0.081	2.06	12.5	31.4	2.24	1285	0.88	1.92	18.2	146	1090	1.5	51.4	0.001	0.01	33.7	1	1.5	194.5	1.15	0.025	1.05	1.28	0.24	0.2	191	0.4	24.3	120	102	VA22108769	2022-05-15	ALS
RC2-055	4.57	6.1	D728343	0.183	0.55	371	4.39	8.15	170	0.96	0.01	3.63	0.42	26.8	46.2	286	5.37	71.3	8	20	0.11	3	0.091	1.8	9.5	37.3	2.75	1365	0.77	16.7	145.5	850	52.6	30.5	0.001	0.02	34.6	1	1.5	160.5	1.03	0.025	0.79	1.265	0.24	0.2	200	0.8	22.1	152	105	VA22108769	2022-05-15	ALS	
RC2-055	6.1	7.62	D728344	0.0005	0.01	27.4	2.76	8.27	130	0.79	0.01	4.26	0.09	24.2	49.4	259	3.14	70.9	8.18	19.5	0.1	3.2	0.088	0.87	9.1	48	3.74	1445	0.61	2.21	14.6	154	1030	1.4	12.8	0.001	0.01	35.9	0.5	1.4	221	0.89	0.025	0.81	1.245	0.14	0.3	255	0.4	27	118	115	VA22108769	2022-05-15	ALS
RC2-055	7.62	9.14	D728345	0.14	0.3	314	4.34	8.23	140	0.81	0.01	4.54	0.16	22.4	45.3	203	2.66	85.9	7.93	20.5	0.1	2.5	0.078	1.02	8.9	47.3	3.14	1515	0.81	2.05	13.5	1030	2.5	2.0	0.001	0.05	34.4	1	1.3	194.5	1.26	0.025	0.65	1.15	0.17	0.2	259	2.2	23.9	117	84.9	VA22108769	2022-05-15	ALS	
RC2-055	9.14	10.67	D728346	0.007	0.02	26.8	1.26	8.79	130	0.94	0.01	6.05	0.11	28.7	45.1	185	3.55	66.4	7.95	20.3	0.11	3.3	0.08	1.08	12.8	1070	1.9	25	0.001	0.01	36.9	1	1.3	215	0.84	0.025	0.98	1.17	0.13	0.3	228	0.4	33.6	125	125	VA22108769	2022-05-15	ALS							
RC2-055	44.2	45.72	D728349	0.001	0.01	17	1.9	8.65	110	0.87	0.01	6.99	0.09	26.2	43.6	180	2.96	70.9	7.89	21	0.1	3.5	0.081	0.8	10.9	31.7	2.21	1325	1.44	2.68	14.6	105	110	1.1	2.21	0.001	0.01	36.9	0.5	1.4	229	0.89	0.025	0.97	1.95	0.15	0.3	245	0.3	316	134	128.5	VA22108769	2022-05-15	ALS
RC2-055	45.72	47.24	D728703	0.135	0.35	575	4.4	8.75	100	0.83	0.01	5.58	0.11	27.2	42.7	196	7.6	76	1.95	10.5	1.09	0.98	1.11	3.3	37.4	2.6	13.4	16.2	149.5	10.1	0.01	0.025	1.43	1.15	0.21	0.4	176	0.7	25.5	105	119	VA22108769	2022-05-15	ALS											
RC2-055	47.24	48.77	D728731	0.0005	0.01	15.8	2.04	8.17	130	0.73	0.01	6.36	0.09	22.9	47.4	247	3.08	61.2	8.14	21	0.11	3.2	0.08	1.08	14.9	1.2	11	1.5	110	1.6	1.5	110	1.1	0.001	0.01	34.6	1	1.4	215	0.84	0.025	0.97	1.95	0.15	0.3	237	0.2	30.9	141	136	VA22108769	2022-05-15	ALS		
RC2-055	13.72	13.72	D728734	0.007	0.04	23	8.6	8	100	0.93	0.01	4.94	0.09	27.6	44.5	226	3.9	70.4	7.62	19.2	0.12	3.8	0.087	1.04	11.7	10.5	1.09	1.3	24.1	0.001	0.02	36	0.5	1.4	192.5	0.88	0.025	0.85	1.29	0.16	0.2	221	0.9	29.1	131	136	VA22108769	2022-05-15	ALS						
RC2-055	13.72	15.24	D728395	0.032	0.04	25.5	10.5	7.13	70	0.78	0.01	6.8	0.09	26.7	33.8	229	3.04	58.7	6.28	15.5	0.11	2.9	0.069	0.86	11.5	1.1	61	2.67	1.2	1.2	182	0.74	0.025	0.85	1.99	0.01	0.05	31.9	1	1.2	182	0.74	0.025	0.85	1.99	0.14	0.2	185	2.7	30	106	113.5	VA22108769	2022-05-15	ALS
RC2-055	15.24	16.76	D728396	0.63	0.13	436	21.7	8.79	100	0.92	0.01	5.56	0.1	28.2	45.8	243	4.79	65.3	7.63	18.75	0.12	3.3	0.071	1.96	13.7	2.55	1295	0.82	1.93	1.2	1.2	35.2	0.5	1.5	144.5	1.05	0.025	1.03	1.15	0.21	0.2	226	3.9	30.9	130	140	VA22108769	2022-05-15	ALS						
RC2-055	16.76	18.29	D728																																																				

hole_id	from (m)	to (m)	sample_id	au_g/t	ag_ppm	as_ppm	sb_ppm	al%	ba_ppm	be_ppm	bi_ppm	ca%	cd_ppm	ce_ppm	co_ppm	cr_ppm	cs_ppm	cu_ppm	fe%	ga_ppm	ge_ppm	hf_ppm	in_ppm	k%	la_ppm	li_ppm	mg%	mn_ppm	mo_ppm	na%	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	re_ppm	s%	sc_ppm	se_ppm	sn_ppm	sr_ppm	ta_ppm	te_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	certificate	completed	lab				
RC2-061	45.72	47.24	D728684	0.025	0.11	106	37	7.41	610	0.97	0.67	2.05	0.08	21.6	13.3	54	5.74	73	4.35	15.2	0.11	1.1	0.075	1.3	9.3	6.7	2.4	5.05	1260	2.24	2.2	3.3	740	38.9	0.005	1.08	20.4	2	1.2	175.5	0.21	0.25	1.18	0.388	0.51	0.7	117	2.7	18.8	72	39.8	V2A2118142	2022-05-23	ALS				
RC2-061	47.24	48.77	D728685	0.029	0.05	250	19.85	5.42	260	0.65	1.07	3.42	0.03	14.7	41.6	823	14.1	40.8	4.69	11.2	0.1	1.3	0.112	1.11	1.6	0.07	1	7.1	41.4	5.21	1010	4.38	0.56	2.6	395	440	31	39.4	0.006	0.94	17.3	2	1.2	117.5	0.16	0.25	1.07	0.298	0.25	0.9	100	2	19.8	111	54	V2A2118142	2022-05-23	ALS
RC2-061	48.77	50.29	D728686	0.009	0.11	35.7	8.13	5.49	250	0.62	3.61	2.83	0.04	15.55	27	289	15.75	54.5	4.45	11.1	0.09	1.6	0.07	1	7.1	41.4	5.21	1010	4.38	0.56	2.6	395	440	31	39.4	0.006	0.94	17.3	2	1.2	117.5	0.16	0.25	1.07	0.298	0.25	0.9	100	2	19.8	111	54	V2A2118142	2022-05-23	ALS			
RC2-061	50.29	51.82	D728687	0.016	0.09	38.2	15.5	7.05	670	0.84	1.04	1.64	0.04	24	15.4	125	6.48	51.4	4.11	13.95	0.11	1.4	0.07	1.11	10.2	1.1	1.25	4.93	173	1.89	1.47	3.4	126	590	2.8	34.5	0.005	0.97	18.8	1	1.1	120.5	0.14	0.34	0.99	0.267	0.27	0.8	113	2.7	16.1	68	40.6	V2A2118142	2022-05-23	ALS		
RC2-061	51.82	53.34	D728688	0.006	0.08	14.4	3.22	2.67	420	0.44	0.56	1.03	0.04	19.4	7.2	49	1.46	36	1.73	6.83	0.08	0.9	0.025	0.67	8.1	24.9	0.67	290	2.93	0.04	3	28	410	1.4	17.6	0.002	0.39	7.9	1	1.1	120.5	0.14	0.26	2.21	0.153	0.17	0.9	38	4.2	7.5	21	40	V2A2118142	2022-05-23	ALS			
RC2-061	53.34	54.86	D728689	0.014	0.12	11.2	5.19	6.51	830	0.93	2.53	1.64	0.08	26.8	13.1	67	3.65	57.2	3.8	14.05	0.11	11.3	58.7	1.33	781	1.82	0.61	3.7	28.3	0.002	1.34	16.8	1	1.2	184	0.24	0.22	1.84	0.364	0.48	0.7	91	3	11.3	57	46.3	V2A2118142	2022-05-23	ALS									
RC2-061	54.86	56.39	D728690	0.038	0.13	16.0	15.9	6.81	750	0.86	0.86	2.01	0.05	22.8	11.8	44	3.44	56.7	3.89	14.3	0.1	2.4	0.037	0.95	9.7	14.6	1.61	656	3.82	0.58	3.2	36	600	2.7	26.3	0.004	1.2	19.1	1	1.1	166	0.21	0.26	1.68	0.341	0.53	1.1	92	2.6	15.3	51	76.2	V2A2118142	2022-05-23	ALS			
RC2-061	56.39	57.91	D728691	0.027	0.2	453	64.5	6.52	470	0.88	0.85	2.26	0.16	18.7	14.3	137	3.68	47.4	4.14	1.3	0.05	1.1	1.3	0.057	0.88	8.7	75.1	2.15	839	1.54	0.06	2.6	122	520	3.5	26.5	0.005	0.72	18	1	1.0	206	0.17	0.2	1.17	0.331	0.29	0.7	100	5.2	11.9	45	43.2	V2A2118142	2022-05-23	ALS		
RC2-061	57.91	59.44	D728692	6.91	1.63	4630	928	5.89	360	0.8	2.3	3.1	0.25	20.5	9	58	4.73	35.5	3.23	12.8	0.12	1.4	0.055	1.61	9.6	58.8	1.92	702	1.71	0.06	2.9	48.3	520	6.6	49.3	0.003	1.84	14.4	2	0.9	273	0.19	0.18	14.3	0.291	0.46	0.8	84	25.5	11.6	74	50	V2A2118142	2022-05-23	ALS			
RC2-061	59.44	60.96	D728693	6.93	1.61	3070	361	6.47	300	0.97	0.71	3.96	0.04	15.55	28	13	118	7.85	45.9	4.07	14.45	0.12	1.5	0.08	1.65	12.3	40.2	2.3	733	1.93	0.38	7.5	107	740	3.7	54.2	0.002	2.39	18.5	2	1.1	329	0.47	0.24	1.23	0.519	0.54	0.5	97	18.8	15.3	101	55.4	V2A2118142	2022-05-23	ALS		
RC2-061	60.96	62.48	D728694	0.111	0.04	175	216	7.13	230	1.1	0.07	5.27	0.13	41.3	26.3	96	13.25	46.2	6.67	15.7	0.13	2.8	0.075	0.92	18.6	39.5	3.35	1110	1.43	2.06	24.7	50.3	1470	1.8	32	0.001	0.18	28.2	1	1.4	256	1.5	0.025	1.37	1.3	0.16	0.4	228	2.7	22.4	80	95	V2A2118142	2022-05-23	ALS			
RC2-061	62.48	64.01	D728695	0.041	0.05	60.6	11.05	7.15	430	1.31	0.74	5.29	0.12	44.4	31	93	21	48.5	6.77	16.25	0.13	3	0.076	0.58	20	60.2	3.37	1070	1.63	2.42	26.1	49.3	1580	1.9	26.1	0.001	0.16	29.4	1	1.5	297	1.57	0.025	1.46	1.385	0.1	0.4	242	1.3	24.9	82	106.5	V2A2118142	2022-05-23	ALS			
RC2-061	64.01	65.53	D728696	0.028	0.03	39.6	45.7	6.93	280	1.45	0.04	5.95	0.12	50.8	31	83	18.4	52.8	7.14	17.5	0.12	3.4	0.087	0.45	23.5	43.6	3.16	1155	1.87	2.41	30.4	33	1760	2	19.9	0.001	0.17	33.6	1	1.7	251	1.8	0.025	1.57	1.565	0.09	0.5	273	0.7	28.4	88	129	V2A2118142	2022-05-23	ALS			
RC2-061	65.53	67.06	D728697	0.005	0.03	17.9	21.2	7.14	260	1.42	0.04	6.1	0.12	54.3	30.9	79	17.05	53.9	7.26	18.1	0.13	3.7	0.092	0.49	25.1	32.1	3.06	1205	1.85	2.52	31.3	61	1880	1.9	17.6	0.003	0.12	33.5	1	1.9	254	1.91	0.025	1.72	1.64	0.08	0.9	284	0.6	30.3	89	135	V2A2118142	2022-05-23	ALS			
RC2-061	67.06	68.58	D728698	0.015	0.04	22.7	46.7	6.98	240	1.17	0.04	6.04	0.12	49.2	30.3	88	16.7	51.9	6.86	15.5	0.05	1.3	0.088	0.79	22	44.8	3.15	1135	1.64	2.23	26.1	7.1	29	0.017	0.17	29.9	1	1.6	271	0.71	0.025	1.56	1.455	0.14	0.6	253	0.8	25.6	72	121	V2A2118142	2022-05-23	ALS					
RC2-062	3.05	4.57	D728708	0.434	0.31	485	87.7	6.75	820	0.78	5.56	1.63	0.09	12.5	13.5	101	4.01	4.57	5.13	15.5	0.08	0.9	0.034	0.15	2.2	0.07	0.01	14	11	31.5	0.98	0.001	0.79	17.2	0.001	0.27	0.22	0.25	0.025	0.14	0.5	97	18.8	15.3	71	31	V2A2118136	2022-05-23	ALS									
RC2-062	4.57	5.11	D728709	0.096	0.17	476	58.5	4.73	350	0.89	1.76	4.11	0.21	49.3	5.3	55	6.5	5.3	2.3	10.7	15.0	0.08	0.8	0.015	0.66	1.5	2.0	1.1	700	2.1	2.3	27.2	40.5	13	0.001	0.23	0.4	0.5	93	8.2	10.9	138	39.5	V2A2118136	2022-05-23	ALS												
RC2-062	5.11	6.16	D728710	0.021	0.09	31.9	31.4	6.73	820	0.89	0.64	1.78	0.02	23	11.4	59	3.8	55.3	4	16.9	0.13	1.2	0.07	1.28	10.3	1.1	1.1	220	0.25	0.025	1.14	0.211	0.22	0.5	82	6.1	11.6	113	27.7	V2A2118136	2022-05-23	ALS																
RC2-062	6.16	7.92	D728711	0.032	0.1	52.7	31.7	6.51	630	1.06	2.1	0.1	0.02	23	11.4	59	3.8	55.3	4	16.9	0.13	1.2	0.07	1.28	10.3	1.1	1.1	220	0.25																													

Hole ID	From (m)	To (m)	Sample ID	Au g/t	Ag ppm	As ppm	Sb ppm	Crl %	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Certificate	Completed	Lab				
RC22-063	68.58	70.1	D728821	0.008	0.17	30.4	2.93	7.27	550	0.76	0.87	2.31	0.25	16.85	11.9	68	2.5	67.1	3.92	17.1	0.08	1.4	0.018	0.95	7.9	562	2.58	1.86	3.1	58.9	560	3.8	24.5	0.002	1.46	11.6	1	1.4	302	0.19	0.11	1.16	0.338	0.38	0.7	100	7.1	10.7	64	52.7	V22118138	2022-05-22	ALS				
RC22-063	70.1	71.63	D728822	0.016	0.08	1055	6.14	4.62	350	0.62	1.33	0.48	0.05	10.5	55.8	922	7.92	38.2	5.1	12.4	0.08	1	0.178	0.91	5.1	44.5	4.82	3.1	58.9	1710	3.81	0.25	1.6	1075	220	1.6	33.3	0.003	0.53	14.1	2	1.36	305	0.09	0.34	0.73	0.202	0.14	0.5	86	3.2	9.9	231	30.8	V22118138	2022-05-22	ALS
RC22-063	71.63	73.15	D728823	0.012	0.08	553	6.31	5.71	320	0.56	0.83	2.97	0.09	12.2	6.26	394	6.38	17.2	4.26	12.2	0.08	1.7	0.086	0.8	5.6	25.7	4.54	1355	5.26	0.73	2.2	448	230	1.6	30.6	0.003	0.08	15.3	1	1.2	158	0.13	0.19	0.96	0.258	0.1	0.7	88	5.8	13.3	164	66	V22118138	2022-05-22	ALS		
RC22-063	73.15	74.68	D728824	0.005	0.14	235	2.75	5.84	520	0.65	0.35	2.34	0.81	15.65	7.18	241	4.36	37.3	3.74	15.5	0.08	1.4	0.106	0.77	6.9	21.7	2.93	984	16.5	1.25	2.6	246	380	2.2	27.5	0.007	0.11	16.2	0.5	1.3	206	0.14	0.1	1.13	0.289	0.12	0.6	91	4.7	14.3	145	48.5	V22118138	2022-05-22	ALS		
RC22-063	74.68	76.2	D728825	0.086	0.13	229	5.9	6.14	620	0.77	0.31	2.16	0.12	22.7	12.6	84	4.2	48.8	3.6	13.95	0.1	1.4	0.027	0.88	9	21.7	5.6	727	6.37	1.61	3.5	70.7	650	2.2	32.2	0.003	0.81	15.3	2	1.1	292	0.2	0.08	1.78	0.333	0.45	0.8	89	7.1	18.1	72	70.7	V22118138	2022-05-22	ALS		
RC22-063	85.84	86.77	D728828	0.042	0.08	578	8.77	5.35	310	0.73	0.23	1.26	0.6	20.6	18.85	14.2	128	3.39	49.9	4.24	11.95	0.09	1.4	0.319	0.67	8.2	22.1	1.76	250	2.2	32.2	0.002	0.77	13.6	1	2.1	202	0.15	0.25	1.42	0.261	0.15	0.9	80	5.2	17.4	250	46.4	V22118138	2022-05-22	ALS						
RC22-063	86.87	88.39	D728833	0.043	0.12	340	1.73	5.88	470	0.72	0.33	1.89	0.11	23.9	12.1	67	2.2	23.1	4.71	17.65	0.08	1.5	0.029	0.69	9.4	40.3	1.34	6.62	560	2.6	17.5	0.004	0.92	13.6	1	1.1	174	0.2	0.26	1.9	0.296	0.3	0.7	76	3.4	15.2	56	58.5	V22118138	2022-05-22	ALS						
RC22-063	88.39	89.92	D728834	0.005	0.08	113.5	1.74	5.67	440	0.8	0.55	4.79	0.32	17.4	19.8	250	3.73	36.2	4.11	12.5	0.08	1.2	0.165	0.63	7.6	22.2	2.73	1465	2.72	3.9	2.6	214	440	1.7	1.2	241	0.16	0.24	1.2	0.284	0.18	0.7	96	2.1	17.9	304	51.5	V22118138	2022-05-22	ALS							
RC22-063	89.92	91.44	D728835	0.009	0.09	146.5	2.78	5.96	390	0.57	0.47	5.06	0.09	16.7	23.2	263	4.48	44.3	4.24	17.5	0.076	1.1	0.99	0.84	7.7	9.5	2.64	1300	2.78	1.74	2.7	249	500	3.7	26.8	0.003	0.57	16.8	1	1	270	0.17	0.28	0.99	0.319	0.24	0.6	108	1.5	18.7	87	34.5	V22118138	2022-05-22	ALS		
RC22-063	91.44	92.96	D728836	0.005	0.08	40.2	3.96	5.52	330	0.5	0.34	7.07	0.24	15.15	16.1	185	3.25	45.7	3.63	10.5	0.05	1.2	0.092	0.66	6.9	12	2.85	1460	2.21	1.55	2.2	145.5	520	2.2	2.2	19.2	0.003	0.48	15	1	0.8	259	0.14	0.17	0.85	0.278	0.17	0.7	90	4.8	18.4	98	40.9	V22118138	2022-05-22	ALS	
RC22-063	92.96	94.49	D728837	0.004	0.07	59	3.53	5.39	280	0.44	0.67	8.35	0.78	13.85	14.6	170	2.85	33.1	3.54	9.8	0.05	1.3	0.112	0.7	7.2	9.3	3.01	1745	2.1	1.71	1.9	23	540	2.1	16.4	0.003	0.4	14	1	0.8	317	0.12	0.32	0.86	0.264	0.08	1.1	87	8.6	18.4	199	42	V22118138	2022-05-22	ALS		
RC22-063	94.49	96.01	D728838	0.004	0.05	143.5	3.94	5.81	280	0.46	0.85	7.73	0.47	14.5	17.9	215	2.5	34.3	3.77	10.65	0.025	1.1	0.149	0.63	7.1	17.8	1.58	210	1.78	1.58	2.1	173	490	2.2	14.6	0.003	0.42	14.8	1	1.1	200	0.13	0.37	0.82	0.287	0.11	0.8	98	4.1	17.7	135	40.3	V22118138	2022-05-22	ALS		
RC22-063	96.01	97.54	D728839	0.024	0.13	127	2.54	5.9	260	0.56	0.5	5.13	0.14	20.3	13.9	156	3.27	50.9	3.71	11.7	0.07	1.1	0.099	0.68	10.3	17.4	2.48	1035	3.46	1.55	2.7	134.5	640	2.6	19.8	0.004	0.99	13.9	2	1.1	314	0.18	0.25	1.31	0.298	0.35	0.9	92	2.9	17.6	75	41.9	V22118138	2022-05-22	ALS		
RC22-063	97.54	99.06	D728840	0.36	0.62	2290	2.28	4.86	390	0.63	0.13	6.9	0.09	19.4	33.6	365	6.13	38.1	5.12	10.8	0.05	1.4	0.055	0.99	9	24	4.56	1115	2.46	0.14	8	397	670	1.8	32.4	0.003	1.76	17.9	1	1.1	195	0.04	0.09	1.12	0.542	0.35	0.5	141	24.4	15.6	82	51	V22118138	2022-05-22	ALS		
RC22-063	99.06	100.58	D728841	1.73	0.36	1080	6.04	6.8	350	0.58	0.08	6.32	0.13	22	31.4	67	9.8	67.7	6.74	14.8	0.06	2.1	0.066	0.67	9.1	28.1	3.17	305	2.03	10.1	0.04	0.86	860	2.2	22.1	0.004	0.7	30.4	0.5	1	1.1	204	0.16	0.25	0.66	0.976	0.19	0.2	243	11.7	22.7	79	73.7	V22118138	2022-05-22	ALS	
RC22-063	100.58	102.11	D728842	0.014	0.15	60.3	23.3	7.16	250	0.56	0.14	6.16	0.12	21.9	4.95	75	9.5	74.5	6.85	17.7	0.07	2.3	0.023	0.52	10.1	19.1	0.001	0.2	34.9	10	1	1.1	342	0.63	0.25	6.65	1.05	0.14	0.2	267	2	2.8	84	79.5	V22118138	2022-05-22	ALS										
RC22-063	102.11	103.63	D728843	0.048	0.16	43.9	5.11	7.03	180	0.59	0.52	6.52	0.15	16.5	1.72	18	4.7	2.3	2.2	17.5	0.07	2.3	0.023	0.52	14.9	9.4	0.001	0.2	34.4	1	1	281	0.17	0.17	0.85	0.278	0.17	0.7	90	4.8	18.4	98	40.9	V22118138	2022-05-22	ALS											
RC22-063	103.63	105.16	D728844	0.016	0.11	99.6	42	5.71	770	0.95	0.62	2.17	0.03	27.4	19.9	181	3.36	45.2	3.62	13	0.08	0.9	0.027	1.06	14.3	1	1	208	490	2.2	33.9	0.001	0.89	14.3	1	0.8	223	0.22	0.26	0.77	0.249	0.3	0.5	70	5.8	8.8	45	33.1	V22118138	2022-05-22	ALS						
RC22-064	106.77	107.12	D728852	0.011	0.1	25.3	9.1	7.18	710	1.06	0.6	1.21	0.02	33.9	12.8	65	3.1	45.8	3.87	16.25	0.008	1.1	0.03	1.38	15.9	3.74	1.04	671	3.4	1.31	4.5	61.7	670	2.																							

Hold ID	From (m)	To (m)	Sample ID	Au g/t	Ag ppm	As ppm	Sb ppm	Al %	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Certificate	Completed	Lab			
RC2-065	38.1	39.62	D728937	0.07	0.12	117.5	5.57	6.67	420	0.94	1.0	2.75	0.08	22.8	14.5	126	5.52	37.7	3.82	15.55	0.09	1.6	0.042	1.17	10.8	21	2.19	836	3.58	1.47	4	115	590	2.5	49.4	0.004	20.1	1	1.3	218	0.25	0.41	1.57	0.344	0.4	0.9	99	4.6	23.6	74	59	VA22132198	2022-06-05	ALS			
RC2-065	39.62	41.15	D728938	0.022	0.1	12.4	5.21	6.38	560	0.96	1.18	2.25	0.05	23.1	14	107	4.18	45.8	3.81	15.35	0.08	1.1	0.069	1.17	11.3	30	1.56	735	3.79	1.22	4	9.2	570	2.6	41.7	0.006	1.01	2	1.4	169.5	0.25	0.54	1.68	0.324	0.54	0.9	102	6	16.5	57	39	VA22132198	2022-06-05	ALS			
RC2-065	41.15	42.67	D728939	0.473	0.25	585	33	63.7	800	0.91	0.81	1.75	0.03	24.4	10.2	57	3.22	44.2	3.13	15.35	0.09	0.9	0.031	1.27	11.7	31.4	0.98	540	4.43	0.84	3.8	50.4	530	2.5	41.6	0.003	0.89	16.1	1	1	203	0.25	0.26	1.96	0.307	0.32	0.6	86	12.3	11.2	57	34.5	VA22132198	2022-06-05	ALS		
RC2-065	42.67	44.22	D728940	0.662	0.38	445	29	5.75	950	0.92	0.83	1.44	0.06	31.1	11.7	51	3.31	62.6	3.31	14.6	0.2	1.4	0.04	1.86	14.7	2.7	52.2	1.04	0.27	0.28	3.64	289	0.43	0.12	1.1	197	0.36	0.29	1.6	2.84	0.43	0.12	102	12.7	10.2	36	55.4	VA22132198	2022-06-05	ALS							
RC2-065	44.2	45.72	D728941	0.018	0.14	39.6	6.82	5.38	940	1.14	0.53	1.1	0.04	40.3	15.1	108	2.9	68	3.26	15.1	0.19	1.7	0.039	1.49	19.2	28	0.87	440	5.11	0.18	7.8	76.2	480	2	44.4	0.007	1.04	14	2	1.1	193	0.54	0.22	5.44	0.307	0.44	1.4	113	5	11	43	63.5	VA22132198	2022-06-05	ALS		
RC2-065	45.72	47.24	D728942	0.01	0.09	56.3	22.9	6.55	690	1	0.49	2.88	0.01	23.1	16.3	230	4.42	43.5	4.11	14.75	0.17	1.3	0.043	1.18	10.6	29	2.19	7.2	900	5.2	1.19	3.6	153	620	2.3	41.2	0.003	0.67	18	2	0.8	356	0.22	0.19	1.58	0.348	0.29	0.6	99	25	13.4	60	48.7	VA22132198	2022-06-05	ALS	
RC2-065	47.24	48.77	D728943	0.005	0.13	24.3	2.79	7.61	670	0.89	1.2	3.24	0.06	17.35	13.6	61	4.16	57.3	3.51	18.5	0.16	1.3	0.032	1.02	7.7	15.4	1.67	482	1.98	2.5	3.4	51.9	670	4.6	25.8	0.002	1.08	7.2	1	0.9	485	0.23	0.11	0.98	0.35	0.19	0.6	102	5.8	7.7	41	41.2	VA22132198	2022-06-05	ALS		
RC2-065	48.77	50.69	D728952	0.006	0.13	5	1.37	4.21	620	0.77	3.11	1.41	0.23	23.5	10.6	68	4.22	66.2	3.19	10.95	0.16	1.2	0.027	1.08	21	20.1	0.98	277	3.66	0.4	3.5	49.7	420	1.4	32	0.003	1.43	12.1	2	0.9	94	0.24	0.17	2.85	0.195	0.32	0.9	73	4.5	10.3	42	41.3	VA22132198	2022-06-05	ALS		
RC2-065	50.69	52.48	D728953	0.043	0.21	12.0	6.69	7.15	610	0.99	2.63	1.93	1.03	23.7	14.5	101	3.5	72.5	4.2	15.35	0.19	1.8	0.037	1.29	11.2	25.2	1.37	396	4.1	1.74	3.2	95.4	650	2.8	39.9	0.005	1.53	18.2	2	0.9	132	0.21	0.29	1.8	1.82	0.32	0.37	0.9	107	3.2	15.5	100	61.4	VA22132198	2022-06-05	ALS	
RC2-065	52.48	54.61	D728954	0.005	0.12	20.3	0.96	6.86	590	1.05	0.92	2.49	0.11	23.2	13.5	87	3.8	74.1	4.12	15.45	0.18	1.4	0.018	1.29	10.8	21.5	1.78	389	2.83	1.64	3.1	66.5	590	1.8	43.2	0.005	1.33	18.1	2	0.9	152.5	0.2	0.38	1.62	0.317	0.43	0.8	103	3.2	15.8	48	50.9	VA22132198	2022-06-05	ALS		
RC2-066	35.05	36.58	D728977	0.016	0.23	48.8	1.23	5.51	580	1.2	0.65	1.14	0.04	52.1	18.2	76	2.8	107.5	3.9	16	0.21	2.4	0.01	1.53	27	33.9	1.11	234	15.2	0.06	8	80.3	500	2.8	42.9	0.03	1.68	14.4	5	0.6	149.5	0.58	0.17	7.6	2.84	0.62	3.1	214	5.4	16.6	33	89.1	VA22132198	2022-06-05	ALS		
RC2-066	36.58	38.18	D728978	0.634	0.45	466	12.7	5.51	700	1.05	1.38	3.07	0.27	24	27.2	134	4.73	89.7	5.18	13.95	0.16	1.3	0.058	1.02	11.8	29.5	2.87	1065	3.04	0.47	4.7	141.5	470	2.6	35.8	0.007	1.43	20.5	2	1.2	246	0.31	0.29	1.9	0.481	0.5	0.8	166	18.9	15.8	67	48.6	VA22132198	2022-06-05	ALS		
RC2-066	38.1	39.62	D728979	0.251	0.67	1285	13.7	6.4	610	0.94	1.04	2.61	0.76	21.2	18.8	182	4.4	49.4	4.04	14.4	0.13	1.7	0.061	1.23	10.2	44.8	2.95	746	1.99	0.56	3.1	178	510	2.7	41.5	0.006	1.41	17.4	2	1.2	248	0.2	0.3	96	12.2	15.6	119	61.1	VA22132198	2022-06-05	ALS						
RC2-066	39.62	41.15	D728980	0.033	0.17	17.2	3.14	7.15	620	0.83	1.59	1.91	0.07	19.55	17.2	70	3.48	71.6	4.68	15.05	0.18	2.1	0.05	0.95	9.4	40.8	1.96	60	762	2.4	33	0.007	1.55	23.1	2	1.3	186.5	0.2	0.39	1.39	0.403	0.61	1	134	3.5	22.3	68	74	VA22132198	2022-06-05	ALS						
RC2-066	51.82	53.34	D728984	0.016	0.09	11.7	3.08	6.38	950	1.06	1.17	1.41	0.07	11.7	11.2	81	3.48	51.2	3.52	14.05	0.19	1.7	0.052	1.41	10.7	20.1	0.98	60	692	2.4	31	0.015	1.51	35.7	2	1.2	240	0.2	0.37	50.7	0.211	0.02	0.95	0.207	0.26	0.9	15.5	35.7	2	1.2	235911	2022-06-05	ALS				
RC2-066	53.34	53.54	D728985	0.393	0.17	472	33.7	6.81	780	0.94	0.9	2.02	0.03	31.5	17.2	81	3.25	47.1	3.59	14.05	0.19	2.1	0.053	1.41	13.4	21.6	0.98	822	1.83	1.19	4.5	74.9	630	2.4	47.0	0.002	0.98	17.1	1	0.9	153.5	0.31	0.12	2.15	0.732	0.34	0.8	83	19.7	17.1	47	50.9	VA22132198	2022-06-05	ALS		
RC2-067	10.67	12.19	G190023	0.044	0.12	53.8	3.41	7.54	820	0.94	1.11	3.48	0.12	21.6	13.2	107	3.45	41.1	2.72	13.8	0.18	1.2	0.048	1.92	9.5	23.6	1.8	774	1.3	1.78	2	166	490	3.5	27.3	0.001	0.29	17.3	1	1	2.2	470	0.26	0.33	0.3	1.4	402	0.15	0.6	129	4.4	11.1	85	39.3	VA22135911	2022-06-05	ALS
RC2-067	64.01	65.53	G190058	0.026	0.23	30	7.35	7.11	560	1	1.77	1.57	0.33	33.1	11.1	18	2.77	96.9	4.69	15.65	0.14	1.9	0.055	1.07	14.3	21.7	0.48	550	1.29	0.48	2.2	24.4	367	0.2	0.005	1.32	18.2	0.25	0.1	56	8.2	25.5	51	66.4	VA22135911	2022-06-05	ALS										
RC2-067	65.53	67.06	G190059	0.041	0.12	12.8	11.6	6.54	380	0.86	1.79	1.22	0.02	25.3	10.7	11	3.09	54.1	3.88	14.75	0.13	0.8	0.035	1.23	10.6	57	63																														

Hole ID	From (m)	To (m)	Sample ID	Au g/t	Ag ppm	As ppm	Sb ppm	Al %	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tt ppm	Th ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Certificate	Completed	Lab		
RC2-068	79.25	80.77	G190127	0.006	0.04	13.1	6.66	7.92	580	1.5	0.07	3.57	0.09	51.5	32.4	107	12.85	42.7	6.56	19.4	0.08	3.7	0.08	1.7	21.6	15.3	2.05	857	1.29	7.9	37.6	9.9	1970	3	61.8	0.001	0.13	23.6	0.5	1.7	225	2.35	0.025	2.28	1.44	0.45	0.7	177	0.9	19.1	131	134	V2A2135911	2022-06-09	ALS	
RC2-069	15.24	16.76	G190153	0.015	0.11	67.4	72.6	7.42		730	1.08	1.18	1.41	0.17	24.1	11.3	72	3.27	40.7	4.25	16.05	0.12	0.8	0.048	1.47	11	26.2	0.95	816	1.78	2.14	3.1	49.6	760	4	43.7	0.002	0.06	23.2	0.2	0.9	187.5	1.2	0.05	1.44	0.418	0.49	0.6	130	73	30.5	V2A2135570	2022-06-09	ALS		
RC2-069	16.76	18.29	G190154	0.011	0.13	132.5	10.55	7.58	950	1.07	1.18	1.42	0.18	26.4	11.7	77	3.23	45.4	3.95	18	0.13	1.1	0.057	1.55	12.2	30.7	0.98	653	2.6	3.4	66.1	670	4.3	45.6	0.003	0.02	24.6	1	1.1	247	2.23	0.049	1.68	0.379	0.39	0.8	113	5.3	14.9	69	40.6	V2A2135910	2022-06-09	ALS		
RC2-069	18.29	19.81	G190155	0.002	0.12	43.1	42.5	7.04	830	1.04	1.09	2.74	0.17	24.2	14.5	135	3.94	60.9	4.36	17.5	0.16	1.2	0.072	1.48	9.7	33.9	1.66	930	5.8	1.46	41	150	740	2.5	33.8	0.005	0.09	19.2	1	1.7	206	0.29	0.32	1.74	0.369	0.46	0.9	109	3.8	14.9	76	40.7	V2A2135570	2022-06-09	ALS	
RC2-069	19.81	21.34	G190156	0.042	0.08	328	239	5.84	430	0.76	4.74	2.89	0.55	26.1	24.4	202	3.7	3.1	13	5.6	13.1	0.13	1.2	0.071	1.21	11.7	31	1.95	791	10.05	0.77	4.9	241	690	14.6	38.2	0.004	2.04	15.1	2	1.8	200	0.37	1.51	2.79	0.32	0.83	1.3	107	5.3	15.6	85	41.3	V2A2135570	2022-06-09	ALS
RC2-069	21.34	22.86	G190157	0.108	0.11	117	64.2	7.58	830	0.83	0.67	2.36	0.11	21.6	14.8	114	3.55	42.4	4.48	16.9	0.17	1.1	0.059	1.62	8.6	24.8	1.86	937	2.01	1.82	3.7	34	20.2	1	1.2	265	0.26	0.2	1.3	0.421	0.4	0.7	132	5.5	13.2	77	41.8	V2A2135570	2022-06-09	ALS						
RC2-069	22.86	24.38	G190158	0.304	0.23	518	103	7.41	340	0.85	1.91	4.24	0.7	19.6	1.51	96	3.72	55.6	4.36	17.5	0.17	1.3	0.098	0.97	7.8	37.6	2.09	842	1.15	0.91	4	37.7	590	2.8	18.2	0.001	0.64	16.1	2	2.3	381	0.29	0.87	1.52	0.356	0.33	0.7	130	9.8	10.8	114	40.5	V2A2135570	2022-06-09	ALS	
RC2-069	24.38	25.91	G190159	0.172	0.27	223	97.2	7.84	570	0.82	1.3	2.1	0.12	23.7	13.8	70	2.64	79.8	4.97	17.5	0.18	1.3	0.047	0.81	10.5	82.2	1.23	859	2.3	0.06	3.5	46.3	680	4.8	17.3	0.003	0.93	19.2	2	2.3	317	0.25	0.46	1.51	0.34	0.45	0.9	120	3.9	15.5	1250	43.7	V2A2135570	2022-06-09	ALS	
RC2-069	25.91	27.43	G190160	4.94	1.27	3230	1015	6.7	660	0.91	0.87	4.37	0.38	18.95	18.9	90	3.86	43.9	5.08	18.05	0.16	1.4	0.079	1.34	8	7.2	1.2	167	225	1.87	6.6	62.5	900	3	17.2	0.004	1.67	23.8	1	1.4	322	0.45	0.3	0.88	0.651	0.54	0.5	178	38.4	15.8	95	39.7	V2A2135570	2022-06-09	ALS	
RC2-069	27.43	28.96	G190161	0.89	0.22	457	142	7.93	240	0.81	1.19	6.37	0.07	20.6	30.6	127	9.33	41.9	5.83	17.05	0.18	1.8	0.088	1.29	7.7	21.7	2.74	1400	0.87	1.43	8.1	48.9	720	1.7	42.1	0.002	0.71	33.2	0.5	0.05	0.58	0.866	0.34	0.2	227	11.2	21.8	74	48.7	V2A2135570	2022-06-09	ALS				
RC2-069	28.96	30.48	G190162	5.52	3.14	3500	12300	5.78	230	0.69	0.54	5.65	2.38	15.5	20.9	92	6	62.1	4.6	12.5	0.17	1.5	0.084	1.32	6.1	51.1	2.5	1010	2.1	0.12	1.8	6.5	40.3	3.5	42.4	0.003	3.3	22.3	1	0.9	255	0.44	0.15	0.51	0.572	0.56	0.2	147	57.2	13.7	175	43.5	V2A2135570	2022-06-09	ALS	
RC2-069	30.48	32.04	G190163	1.775	0.79	1235	97.5	8.03	320	0.98	0.53	4.66	1.89	38.2	30.1	71	5.32	59.3	6.16	18.2	0.17	2.4	0.083	1.51	17.2	46.5	1.94	1220	1.22	1.03	23.6	0.55	15.70	5.1	37.4	0.002	1.84	29	1	1.6	235	1.34	0.05	1.34	1.09	0.38	0.4	173	32.4	22.9	79	80.4	V2A2135570	2022-06-09	ALS	
RC2-069	32	33.53	G190164	0.184	0.12	236	167.5	7.54	260	1	0.05	5.23	0.23	40.3	38.1	153	3.71	45.7	6.59	17.4	0.2	1.9	0.074	0.96	1095	1.62	1.39	1.20	130.5	1370	1.9	26.5	0.001	0.44	25.4	1	1.6	408	1.4	0.025	1.15	1.13	0.19	0.3	193	3.5	20.9	88	65.3	V2A2135570	2022-06-09	ALS				
RC2-069	33.53	35.05	G190165	0.191	0.1	155.5	419	7.23	200	1.02	0.04	5.73	0.19	40.1	31.5	129	3.85	41.1	6.19	16.2	0.18	2.4	0.065	0.85	1075	1.65	1.74	21	25.1	1220	1.7	22.1	0.001	0.42	22.1	1	1.5	293	1.42	0.025	1.42	1.085	0.14	0.5	192	76	78.7	V2A2135570	2022-06-09	ALS						
RC2-069	35.05	36.58	G190166	0.026	0.05	31.5	23.5	6.47	250	1.1	0.02	5.31	0.13	41.8	23.2	232	7.7	38.7	6.4	14.9	0.16	2.9	0.062	0.85	1065	1.52	1.68	20.5	19.75	1190	1.5	21.1	0.001	0.16	21.9	1	1.4	313	1.3	0.025	1.38	1.025	0.14	0.5	120	70	101	V2A2135570	2022-06-09	ALS						
RC2-069	36.58	38.11	G190167	1.315	0.38	701	75.8	6.97	320	1	0.04	5.33	0.15	37.5	47.6	5.93	16.5	1.65	1.18	1.3	0.068	1.13	15.8	36.3	2.92	1315	1.37	1.27	1.37	18.8	190	1.2	2.1	0.001	0.74	22.2	1	1.4	322	1.24	0.025	1.32	1.025	0.26	0.5	178	7.1	19	99	74.8	V2A2135570	2022-06-09	ALS			
RC2-070	38.11	39.62	G190168	0.029	0.34	52.5	35.3	7.14	700	0.91	0.13	1.9	0.28	25.6	11.3	61	2.72	37.1	4.15	16.5	0.19	1.5	0.076	1.94	10.2	29.4	1.36	1075	1.84	1.4	4.1	40.2	670	6.7	41.4	0.004	0.45	17.3	1	1.4	188	0.29	0.05	0.58	0.866	0.34	0.2	227	11.2	21.8	74	48.7	V2A2135570	2022-06-09	ALS	
RC2-070	39.62	41.15	G190169	0.07	0.12	28.3	31.4	7.12	750	0.89	1.58	0.57	0.09	28.4	12.4	66	2.86	45.6	3.63	18.5	0.21	1.1	0.042	1.44	1.3	21.6	1.4	11.9	50	40.5	0.001	0.11	15.6	1	1.5	136.5	0.34	0.05	1.36	2.46	3.37	0.7	106	2.3	12	47	37.6	V2A2135570	2022-06-09	ALS						
RC2-070	41.15	42.7	G190170	0.075	0.1	21.1	42.4	14.4	700	0.93	1.01	1.46	1.6	0.03	23.8	17.1	110	2.0	35.4	3.96	16.3	0.23	1.1	0.041	1.23	1.3	21.7	1.4	1																											

Hold ID	From (m)	To (m)	Sample ID	Au g/t	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tt ppm	Th ppm	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Certificate	Completed	Lab			
RC22-074	16.76	18.29	G190329	0.001	0.04	12.6	4.22	7.81	520	1.32	0.01	4.49	0.12	35.7	49.9	222	11.05	36.1	8.19	20.9	0.26	3.1	0.085	1.34	22.1	17.6	1730	2.2	53.7	0.001	0.01	26.1	1	1.6	193	1.27	0.025	1.13	1.55	0.24	0.3	191	0.7	28.5	201	98.1	VA22143681	2022-06-18	ALS						
RC22-074	18.29	19.81	G190330	0.002	0.07	17.8	3.65	8.24		310	1.56	0.02	3.06	0.05	43.7	60.9	213	4.94	60.5	8.51	2.8	0.079	1.82	18.8	21.8	1.47	3880	0.98	2.39	27.5	172	1820	4.5	63.2	0.001	0.03	27.4	1	1.6	157.5	1.54	0.025	1.2	1.465	0.28	0.5	193	0.9	21.2	160	95.5	VA22143681	2022-06-18	ALS	
RC22-074	19.81	21.34	G190331	0.006	0.11	18.8	5.79	7.75	470	1.42	0.01	5.07	0.06	34.3	35.4	289	2.89	53.3	7.72	20.5	0.25	2.4	0.075	1.93	14.7	30.3	1.37	1075	1.12	1.61	20.7	130	1770	1.5	68	0.003	0.03	25.1	2	1.6	167	1.21	0.025	0.85	1.445	0.21	0.3	209	1.4	22.7	132	83.5	VA22143681	2022-06-18	ALS
RC22-074	21.34	22.86	G190332	0.002	0.14	51.7	28.7	8.36	540	1.48	0.01	3.96	0.15	30.2	45.2	424	3.28	63.7	8.11	22.8	0.25	2	0.08	1.41	12	31	0.97	1125	2.24	1.84	22	187	1700	1.6	33.5	0.005	0.03	27.9	2	1.6	148	1.28	0.025	0.71	1.49	0.29	0.3	241	1.1	21.3	142	67.6	VA22143681	2022-06-18	ALS
RC22-074	22.86	24.38	G190333	0.0005	0.16	166.5	13.35	5.18	740	0.73	0.01	6.67	0.13	20.9	55.3	210	0.87	33.2	6.39	12.5	0.16	1.4	0.048	0.12	120	1.91	0.12	500	1.80	4.47	1320	1.91	0.07	1.44	11.5	100	1.00	483	27.7	1.04	0.025	0.61	0.79	0.04	0.2	140	0.5	12.8	90	49.6	VA22143681	2022-06-18	ALS		
RC22-074	24.38	25.91	G190334	0.002	0.14	19.8	17.5	5.58	260	0.86	0.01	6.71	0.12	23.2	24.4	271	3.71	7.43	13.15	0.19	1.1	0.055	1.8	9.9	53.1	4.69	1420	2.1	6.9	0.001	0.12	19.1	1	1.1	192.5	1.76	0.025	0.6	0.905	0.05	0.2	151	0.8	15.2	98	51.3	VA22143681	2022-06-18	ALS						
RC22-074	25.91	27.43	G190335	0.013	0.36	360	30.3	4.16	190	0.8	0.07	4.94	0.49	19.6	50.8	193	1.78	35.5	5.41	10.8	0.15	1.1	0.051	0.16	12.7	52.4	1.38	1610	3.02	0.04	9.7	457	910	7.3	5.9	0.002	0.05	14.2	1	0.8	88.7	0.56	0.06	0.91	608	0.08	0.8	113	1.1	15.9	125	48.3	VA22143681	2022-06-18	ALS
RC22-074	27.43	28.96	G190336	0.034	0.33	371	8.68	1.44	380	0.43	0.07	4.34	0.38	14.4	4.43	0.09	0.7	0.025	0.35	17.8	15.5	0.22	42	1.81	4.43	0.09	0.7	15.8	0.05	0.12	4.6	1	0.6	144	0.42	0.07	1.71	0.13	2.7	31	1.7	26	67	25.7	VA22143681	2022-06-18	ALS								
RC22-074	28.96	30.48	G190337	0.015	0.32	144	4.36	1.23	420	0.47	0.07	6.56	0.23	13.55	4.8	28	0.46	29.9	1.52	3.94	0.06	0.6	0.022	0.34	18	11.7	0.37	603	4.12	0.02	2.5	24	860	7.2	11.5	0.007	0.12	3.9	1	0.5	185.5	0.16	0.06	1.6	0.79	0.1	2.6	27	2.6	14.8	46	25.6	VA22143681	2022-06-18	ALS
RC22-075	30.48	32	G190380	0.023	0.61	70.7	13.15	2.48	530	0.96	0.33	0.91	3.78	27.8	24	25	67	1.66	118.5	3.66	7.77	0.12	1.2	0.063	1.13	504	54.2	0.04	504	54.2	0.04	0.052	2.05	7.4	7	1.1	102.5	0.36	0.33	3.69	163	1.47	9.3	154	3.8	21.1	278	56.2	VA22143681	2022-06-18	ALS				
RC22-075	32	33.53	G190381	0.043	1.03	130	25.1	3.62	220	1.35	0.49	1.36	6.3	62	39.2	37.3	84	2.82	163.5	5.31	10.75	0.14	1.8	0.093	1.68	602	103.5	0.03	7.9	224	1500	36	63.1	0.103	3.91	11.4	12	1.5	79.8	0.52	0.55	5.24	239	3.17	14.7	260	6.6	27.7	496	78.1	VA22165573	2022-07-24	ALS		
RC22-075	33.53	35.05	G190382	0.029	0.7	72.3	18.7	6.91	190	1.68	0.39	1.85	4.38	49	21.3	121	4	102	5.61	19.9	0.15	2.7	0.09	3.23	27.7	17	1.37	483	27.7	0.04	14.4	11.5	1000	21	11.5	0.043	4.99	19.6	11	2.3	63.2	0.08	0.35	6.72	517	2.5	5.1	263	1.3	24.3	308	112	VA22165573	2022-07-24	ALS
RC22-076	12.19	13.72	G190414	0.155	0.34	24	3.4	3.16	741	500	0.88	0.01	1.98	0.25	25.2	9.9	51	2.68	29.3	4.01	18.5	0.15	1.5	0.072	1.85	11.1	1.95	0.03	0.17	1.82	1	1.1	141.5	0.23	0.08	1.4	0.82	0.31	0.6	90	1.1	19.2	99	48	VA22143681	2022-06-18	ALS								
RC22-076	13.72	15.24	G190415	0.217	0.22	1155	4.64	7.62	560	1.16	0.15	3.55	0.64	30.1	19.9	107	2.91	37.2	5	1.5	0.081	1.78	13.6	11.1	0.03	0.14	1.95	1.81	1.5	1.5	1375	1.95	1.81	2.08	2	1.3	241	0.54	0.017	1.57	0.64	0.3	0.6	131	1	1.1	19.7	156	5.72	VA22143681	2022-06-18	ALS			
RC22-076	15.24	16.76	G190416	0.004	0.1	184	4.46	6.21	240	0.88	0.02	5.47	0.15	21.6	25.6	35.8	7.76	18	6.8	0.1	2.04	50.7	10.0	218	2	12	50.7	1.08	0.025	0.22	1.22	1.14	0.04	0.09	174	0.6	2.1	65	27.5	VA22143681	2022-06-18	ALS													
RC22-076	16.76	18.29	G190417	0.013	0.08	206	3.3	5.53	190	1.9	0.05	0.36	0.03	30.8	30.3	229	2.72	15.9	12.45	16.5	0.07	1.3	0.059	0.02	12.9	24.7	1.81	1.5	370	0.02	0.45	19.1	1	1.3	129	0.96	0.15	0.69	1.19	0.08	0.4	187	1	1.3	16.8	82	41	VA22143681	2022-06-18	ALS					
RC22-077	1.52	3.05	G190427	1.235	0.36	194.5	89	8.05	1230	0.92	0.8	0.3	0.05	23.3	7.3	24	2.74	46.5	3.3	18.5	0.16	0.7	0.029	2.49	10.9	1.94	0.32	447	2.95	1.13	5.63	0.001	0.12	21.2	1	0.8	108	1.9	0.34	1.26	392	0.4	0.5	94	7	15.2	31	26.3	VA22143681	2022-06-18	ALS				
RC22-077	3.05	4.57	G190473	0.468	0.21	230	84.2	7.7	1090	1	0.53	0.55	0.03	24.6	6.3	18	2.74	39.2	2.95	17.2	0.16	1.0	0.019	2.19	11.1	20.39	0.39	316	2.23	1.25	3.3	14	610	5.1	0.02	11.5	10.5	0.22	0.18	1.73	0.32	0.3	7	79	5.4	14.4	26	37	VA22143681	2022-06-18	ALS				
RC22-077	4.57	6.1	G190474	0.081	0.14	69.1	5.75	7.65	1020	1.02	0.52	0.71	0.04	24.2	8.8	20	3.1	55.7	3.12	17.45	0.16	0.8	0.023	2.25	10.6	1.5	0.01	0.35	19.2	1	0.5	100.5	0.18	0.2	1.48	0.337	0.36	0.7	96	3.6	15.4	27	31.7	VA22143681	2022-06-18	ALS									
RC22-077	6.1	7.62	G190475	0.025	0.13	11	2.85	7.9	1260	0.99	0.49	1.09	0.12	22.1	28.8	39	0.3	44.9	3.58	18.0	0																																		

Hold ID	From (m)	To (m)	Sample ID	Au g/t	Ag ppm	As ppm	Sb ppm	Al %	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Certificate	Completed	Lab								
RC2-079	4.57	6.1	G190569	0.021	0.13	10.2	1.32	6.18	1250	1.02	0.39	1.16	0.02	30.7	15.3	25	2.23	64.2	3.35	14.1	0.14	1.1	0.016	1.36	12.7	19.8	0.78	485	1.56	1.43	3.3	35.9	620	2.6	34.9	0.001	17.5	1	0.1	1.93	0.305	0.36	0.5	77	4.5	13.8	31	38.8	VA22143718	2022-06-17	ALS									
RC2-079	6.1	7.62	G190570	0.033	0.19	237	4.12	5.94	480	0.79	1.32	3.49	0.77	21.6	24.1	373	4.93	39	3.56	12.4	0.12	1.4	0.031	0.92	9.7	16.8	2.82	721	1.33	1.42	3.8	386	380	3.5	29.5	0.001	17.5	10.4	0.1	1.97	0.297	0.17	0.8	87	11.6	9.1	99	51.2	VA22143718	2022-06-17	ALS									
RC2-079	7.62	9.14	G190571	0.009	0.08	614	7.48	3.82	220	0.54	0.55	3.55	0.04	16.75	52.8	1120	12.65	22.6	4.37	8.53	0.09	0.8	0.027	0.69	6.8	17.8	5.11	1040	1.54	0.32	2.1	891	390	1.7	36	0.001	17.5	14.7	1	0.6	179	0.13	0.1	1.09	0.181	0.18	0.4	72	3.8	10.9	122	32.4	VA22143718	2022-06-17	ALS					
RC2-079	9.14	10.67	G190572	0.003	0.05	204	2.38	6.01	550	0.8	0.22	2.05	0.06	25.8	11.1	38	2.97	21.2	2.96	13.8	0.14	0.7	0.012	0.98	11	11.6	1.28	582	1.42	2.11	3.2	30.2	2	32	0.001	2.7	15	1	0.4	200	0.21	0.025	1.63	302	0.25	0.4	74	3.2	14.7	52	29.2	VA22143718	2022-06-17	ALS						
RC2-079	10.67	12.19	G190573	0.001	0.05	11.4	2	5.87	540	0.8	0.24	3.09	0.07	28.1	14.1	46	7.57	19.9	3.67	14.3	0.09	1.3	0.026	1.15	12.3	14.2	2.26	861	1.6	1.48	3.9	92.2	350	1.5	42.8	0.001	2.6	1	1	0.5	194	0.25	0.025	2.26	0.3	0.29	0.6	79	3.7	14.4	85	51.9	VA22143718	2022-06-17	ALS					
RC2-079	12.19	13.72	G190574	0.048	0.08	91.5	5.94	6.4	490	1	0.34	2.1	0.04	24	12.7	63	2.65	30.9	3.41	13.05	0.13	0.7	0.011	1.04	10.1	16.9	1.46	650	2.04	2.31	3.3	91.7	480	2.1	30.9	0.001	37	16	1	0.4	165	0.21	0.06	1.66	0.328	0.3	0.5	85	5.1	12.8	47	29.9	VA22143718	2022-06-17	ALS					
RC2-079	13.72	15.24	G190575	0.003	0.09	32.7	31	6.58	590	0.3	0.49	2.04	0.02	23.5	15.5	140	2.88	42.7	4.24	14	0.12	0.7	0.021	0.08	9.9	16.5	1.47	893	2.36	2.14	3.4	136.5	600	1.9	33.6	0.002	5	17.6	1	0.4	157	0.21	0.11	1.61	0.377	0.31	0.5	98	3.2	14.4	52	27.8	VA22143718	2022-06-17	ALS					
RC2-079	15.24	16.76	G190576	0.001	0.07	19.5	8.33	6.52	460	0.88	0.35	1.46	0.03	26.4	12.7	89	2.1	31.6	3.38	13.8	0.14	1	0.01	1.09	11.4	19.2	1.08	604	1.7	2.2	3.7	93.6	620	1.9	35.2	0.001	41	16.5	1	0.4	147	0.24	0.07	2.24	0.325	0.3	0.7	82	2.8	15.8	40.1	41.2	VA22143718	2022-06-17	ALS					
RC2-079	16.76	18.29	G190577	0.004	0.09	34.4	6.92	680	1	0.44	0.48	1.7	0.03	28.3	16.3	112	3.2	45.8	4.13	14.5	0.14	0.9	0.013	1.38	12.5	15	1.44	778	9.15	2.2	3.5	98.2	880	2	42.9	0.004	6	18.6	1	0.4	144	0.22	0.1	1.72	0.4	0.46	0.6	103	2.9	16.4	53	36.9	VA22143718	2022-06-17	ALS					
RC2-079	18.29	19.81	G190578	0.004	0.11	99	91.1	7.04	660	1	0.62	1.51	0.04	24.6	15.6	52	2.53	67.7	3.77	14.8	0.14	1.3	0.024	1.19	11.5	14.6	0.91	490	19.8	2.55	3.3	45	710	2.5	38.1	0.004	6.9	19.7	2	1	151	0.21	0.12	1.86	0.351	0.33	0.8	108	2.1	19.4	41	45.4	VA22143718	2022-06-17	ALS					
RC2-079	19.81	21.34	G190579	0.002	0.09	126	69.1	7.58	960	1.1	0.43	1.39	0.02	29.6	13	68	2.92	43.9	3.87	15.8	0.15	0.8	0.013	1.5	13.2	15.9	1.27	596	2.39	2.7	3.7	57.7	680	2.8	43.8	0.004	6.5	20.7	1	0.5	155	0.24	0.09	1.98	0.385	0.4	0.6	103	3.4	15.7	42	32.6	VA22143718	2022-06-17	ALS					
RC2-079	21.34	22.84	G190580	0.011	0.1	138	52.3	7.91	960	1.8	0.62	1.97	0.02	24.6	12.9	34	2.94	40.8	3.92	17.5	0.17	0.6	0.011	1.52	10.2	17	1.48	631	2.07	2.96	3.5	32.2	990	3.2	38.3	0.004	8	22.3	1	0.6	178	0.22	0.15	1.4	0.508	0.42	0.5	113	5.7	16.3	45.2	48.8	VA22143718	2022-06-17	ALS					
RC2-079	22.84	24.38	G190581	0.006	0.09	1615	46.3	6.02	710	0.91	0.36	1.32	0.03	29	21.2	56	2.94	36.8	3.39	13.5	0.14	2.1	0.017	1.23	12	22	1.36	778	21.9	1.58	3.6	31	717	610	4.3	38.4	0.004	0.48	17.3	1	0.4	130	0.23	0.1	0.31	0.227	0.31	0.8	86	3.6	18	46	90.5	VA22143718	2022-06-17	ALS				
RC2-079	24.38	25.91	G190582	0.021	0.11	762	42.5	3.32	230	0.78	1.58	4.47	0.05	13.2	54.7	1535	3.1	49.1	6.19	9.38	0.11	0.8	0.282	0.63	5.2	21.4	4.03	2710	3.21	3.49	10.7	16.7	2	2.7	104.5	0.13	0.36	0.88	0.159	0.2	0.3	77	2.2	9.5	168	27.9	VA22143718	2022-06-17	ALS											
RC2-079	25.91	27.43	G190583	0.046	0.14	169	46.1	6.66	620	0.9	0.52	1.52	0.02	29.1	14.6	14	0.2	44.3	4.03	14.5	0.12	2.2	0.013	1.14	14.6	1.4	7.8	660	3	33.5	0.003	0.78	19.1	1	0.4	140.5	0.33	0.15	2.46	4.402	0.32	0.1	113	7.7	16.2	47	87.9	VA22143718	2022-06-17	ALS										
RC2-079	27.43	28.96	G190584	0.051	0.1	169	110	4.76	560	0.7	0.45	1.99	0.04	25.6	17.8	58	1.78	42.5	2.99	10.8	0.11	1.2	0.014	0.77	11.3	11.6	0.51	64	5.4	0.5	3.9	58.9	480	2.4	24.3	0.005	0.76	13.2	1	0.4	184	0.22	0.01	0.27	0.28	1	109	9.3	11.8	44	44.2	VA22143718	2022-06-17	ALS						
RC2-079	28.96	30.48	G190585	0.686	1.9	2670	806	4.82	740	0.62	0.7	3.22	0.08	17.5	11.6	81	3	35.8	2.05	10.7	0.12	1	0.031	0.97	7.3	62.5	1.7	2.5	38.1	0.004	0.6	1.27	2	1	51	0.5	0.21	0.025	1.33	0.26	0.38	0.6	73	34.4	10.5	61	34.7	VA22143718	2022-06-17	ALS										
RC2-079	30.48	32	G190586	0.017	0.03	135	41.4	7.34	680	1.24	0.35	5.05	0.01	29.1	14.1	20	3.5	44.6	3.1	14.5	0.12	1.3	0.024	1.04	23.3	2.7	23.0	0.004	0.99	11.3	1	0.5	134	0.24	0.09	1.3	1.8	0.18	0.4	20.7	1	0.5	155	0.24	0.025	1.15	0.255	0.09	0.4	21	0.6	2.7	82	11.7	55.5	11.5	87.5	VA22143718	2022-06-17	ALS
RC2-080	32	33.53	G190587	0.267	0.05	135	7.34	680	1.2	0.01	0.56	0.01	34.7	19.5	13	2.1	40.9	1.7	16.7	0.12	1.4	0.017	0.97	11.5	13.1	0.21	20.7	3.2	20.2	0.004	1.04	14.5	1	0.5	140	0.																								

## **APPENDIX D**

### **ASSAY CERTIFICATES**



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 1  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 5-JUN-2022  
Account: ENDURA

## CERTIFICATE VA22132198

Project: Reliance Gold  
P.O. No.: Reliance-2022-007  
This report is for 26 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 19-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

  
Signature: Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – A  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 5-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22132198**

Sample Description	Method Analyte Units LOD	WEI-21 Revd Wt. kg	Au-ICP21 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
D728931		1.54	0.046	0.25	5.20	78.1	540	1.10	1.24	2.98	0.04	23.7	31.1	231	4.78	103.5
D728932		1.16	0.081	0.22	2.07	167.5	640	0.60	0.60	0.53	0.02	22.3	8.2	36	1.06	59.4
D728933		1.26	1.530	1.15	2.21	1140	480	0.58	0.40	0.92	0.04	22.0	9.4	28	1.44	67.4
D728934		1.32	3.22	1.14	5.59	1395	660	0.91	0.80	3.60	0.24	19.95	12.3	74	4.92	42.4
D728935		1.26	0.183	0.22	7.42	106.0	240	0.81	1.85	4.12	0.05	20.7	18.4	98	5.28	72.1
D728936		1.94	0.011	0.13	7.47	11.6	250	0.86	2.01	4.42	0.05	21.2	18.2	111	4.65	54.3
D728937		2.20	0.070	0.12	6.67	117.5	420	0.94	1.00	2.75	0.08	22.8	14.5	126	5.52	37.7
D728938		2.08	0.022	0.10	6.38	12.4	560	0.96	1.18	2.25	0.05	23.1	14.0	107	4.18	45.8
D728939		1.68	0.473	0.25	6.37	585	800	0.91	0.81	1.75	0.03	24.4	10.2	57	3.22	44.2
D728940		1.88	0.662	0.38	5.75	445	950	1.02	0.83	1.44	0.06	31.1	11.7	51	3.31	62.6
D728941		1.60	0.018	0.14	5.38	39.6	940	1.14	0.53	1.10	0.04	40.3	15.1	108	2.90	68.0
D728942		1.76	0.010	0.09	6.55	56.3	690	1.00	0.49	2.88	<0.02	23.1	16.3	230	4.42	43.5
D728943		2.62	0.005	0.13	7.61	24.3	670	0.89	1.20	3.24	0.06	17.35	13.6	61	4.16	57.3
D728952		3.30	0.006	0.13	4.21	5.0	620	0.77	3.11	1.41	0.23	23.5	10.6	68	2.42	66.2
D728953		1.36	0.043	0.21	7.15	1120	610	0.99	2.63	1.93	1.03	23.7	14.5	101	3.50	72.5
D728954		1.52	0.005	0.12	6.86	20.3	590	1.05	0.92	2.49	0.11	23.2	13.5	87	3.80	74.1
D728977		1.60	0.016	0.23	5.51	48.8	580	1.20	0.65	1.14	0.04	52.1	18.2	76	2.80	107.5
D728978		2.44	0.634	0.45	5.51	466	700	1.05	1.38	3.07	0.27	24.0	27.2	134	4.73	89.7
D728979		2.34	2.51	0.67	6.40	1285	610	0.94	1.04	2.61	0.76	21.2	18.8	182	4.00	49.4
D728980		2.48	0.033	0.17	7.15	17.2	620	0.83	1.59	1.91	0.07	19.55	17.2	70	3.48	71.6
D728988		2.08	0.016	0.09	6.38	11.7	950	1.06	0.78	1.36	0.02	31.5	13.8	39	3.10	49.2
D728989		2.46	0.393	0.17	6.81	472	780	0.92	0.50	2.04	0.03	31.5	17.2	81	3.25	37.9
D728990		2.10	0.020	0.10	6.87	48.3	650	0.99	0.44	1.85	0.02	25.1	12.9	60	3.91	46.8
D728996		2.54	0.026	0.18	7.39	31.0	640	0.85	1.77	3.35	0.08	14.30	13.4	15	2.77	74.1
D728997		2.10	0.007	0.08	4.50	322	210	0.53	1.02	3.37	0.04	13.70	50.4	751	9.82	42.5
D728998		2.22	0.003	0.07	4.76	58.0	340	0.74	0.62	2.46	0.07	20.3	36.4	488	10.05	30.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – B  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 5-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22132198**

Sample Description	Method Analyte Units LOD	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
D728931		5.95	15.90	0.10	0.8	0.067	0.88	12.1	24.0	2.71	1630	2.70	0.65	5.0	149.0	430
D728932		2.42	6.86	0.08	0.6	0.008	0.55	16.6	12.8	0.49	186	2.92	0.07	3.2	38.8	630
D728933		2.52	6.94	0.08	0.6	<0.005	0.66	17.5	10.8	0.54	181	4.62	0.05	3.0	44.5	300
D728934		3.12	13.80	0.07	1.1	0.050	1.03	10.1	30.2	1.93	580	2.37	0.58	3.5	35.4	590
D728935		4.47	17.05	0.08	1.3	0.055	1.09	9.7	12.9	2.30	683	1.78	1.33	3.9	35.1	530
D728936		4.18	18.10	0.09	1.3	0.065	0.99	9.9	11.8	2.14	758	1.62	1.79	4.2	42.3	530
D728937		3.82	15.55	0.09	1.6	0.042	1.17	10.8	21.0	2.19	836	3.58	1.47	4.0	115.0	590
D728938		3.81	15.35	0.08	1.1	0.069	1.15	11.3	30.0	1.56	735	3.79	1.22	4.0	92.8	570
D728939		3.13	15.35	0.09	0.9	0.031	1.27	11.7	31.4	0.98	540	4.43	0.84	3.8	50.4	530
D728940		3.31	14.60	0.20	1.4	0.040	1.86	14.7	25.2	1.04	458	2.27	0.08	5.2	38.4	470
D728941		3.26	15.10	0.19	1.7	0.039	1.49	19.2	28.0	0.87	440	5.11	0.18	7.8	76.2	480
D728942		4.11	14.75	0.17	1.3	0.043	1.18	10.6	29.2	1.79	900	5.20	1.19	3.6	153.0	620
D728943		3.51	18.15	0.16	1.3	0.032	1.02	7.7	15.4	1.67	482	1.98	2.50	3.4	51.9	670
D728952		3.19	10.95	0.16	1.2	0.027	1.08	11.0	20.1	0.98	277	3.66	0.40	3.5	49.7	420
D728953		4.20	15.35	0.19	1.8	0.037	1.29	11.2	25.2	1.37	396	4.10	1.74	3.2	95.4	650
D728954		4.12	15.45	0.18	1.4	0.018	1.29	10.8	21.5	1.78	389	2.83	1.64	3.1	66.5	590
D728977		3.90	16.00	0.21	2.4	0.010	1.53	27.0	33.9	1.11	234	15.25	0.06	8.0	80.3	500
D728978		5.18	13.95	0.16	1.3	0.058	1.02	11.8	29.5	2.87	1065	3.04	0.47	4.7	141.5	470
D728979		4.04	14.40	0.13	1.7	0.061	1.23	10.2	44.8	2.95	746	1.99	0.56	3.1	178.0	510
D728980		4.68	15.05	0.18	2.1	0.050	0.95	9.4	40.8	1.96	762	2.40	1.67	3.0	56.2	610
D728988		3.52	14.55	0.19	1.8	0.038	1.58	14.2	31.9	0.98	692	7.39	0.74	4.8	32.8	550
D728989		3.68	15.45	0.17	2.1	0.033	1.49	13.4	29.2	1.68	822	1.83	1.19	4.5	74.9	630
D728990		3.95	15.10	0.19	1.8	0.026	1.61	12.2	25.7	1.48	720	4.03	1.47	4.0	43.3	720
D728996		3.30	19.45	0.17	1.4	0.027	0.98	6.1	12.2	1.30	356	1.78	2.79	3.3	7.7	640
D728997		4.43	10.90	0.14	1.2	0.134	0.55	6.3	24.6	7.78	1285	2.72	0.75	2.3	882	290
D728998		4.22	11.00	0.13	1.3	0.118	0.76	9.2	20.0	6.10	1355	5.58	0.83	3.5	568	460



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – C  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 5-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22132198**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.01	ME-MS61 Sc ppm 0.05	ME-MS61 Se ppm 0.1	ME-MS61 Sn ppm 1	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.2	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.05	ME-MS61 Ti %	ME-MS61 Tl ppm 0.01	ME-MS61 U ppm 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
D728931		2.0	36.0	0.002	1.48	13.00	28.0	2	1.6	153.5	0.33	0.26	1.72	0.614	0.55	0.5		
D728932		1.3	18.3	<0.002	0.88	12.65	7.3	1	0.5	129.5	0.20	0.21	2.46	0.111	0.21	0.7		
D728933		1.2	23.4	0.002	1.02	141.5	7.3	2	0.5	127.5	0.21	0.10	2.74	0.112	0.20	0.6		
D728934		2.5	37.2	0.003	1.19	529	13.7	1	1.3	336	0.24	0.29	1.65	0.251	0.26	0.7		
D728935		2.8	40.7	<0.002	1.33	67.6	18.0	1	2.1	389	0.25	0.65	1.54	0.309	0.30	0.8		
D728936		2.9	30.0	<0.002	0.89	3.60	19.6	1	1.8	424	0.28	0.85	1.57	0.333	0.18	0.8		
D728937		2.5	49.4	0.004	0.57	5.57	20.1	1	1.3	218	0.25	0.41	1.57	0.344	0.40	0.9		
D728938		2.6	41.7	0.006	1.01	5.21	18.6	2	1.4	169.5	0.25	0.54	1.68	0.324	0.54	0.9		
D728939		2.5	41.6	0.003	0.89	33.0	16.1	1	1.0	203	0.25	0.26	1.96	0.307	0.32	0.6		
D728940		2.7	54.5	0.007	1.18	29.0	14.4	2	1.0	197.0	0.36	0.29	3.64	0.289	0.43	1.2		
D728941		2.0	44.4	0.007	1.04	6.82	14.0	2	1.1	193.0	0.54	0.22	5.44	0.307	0.44	1.4		
D728942		2.3	41.2	0.003	0.67	22.9	18.0	2	0.8	356	0.22	0.19	1.58	0.348	0.29	0.6		
D728943		4.6	25.8	0.002	1.08	2.79	7.2	1	0.9	485	0.23	0.11	0.98	0.350	0.19	0.6		
D728952		1.4	32.0	0.003	1.43	1.37	12.1	2	0.9	94.0	0.24	1.79	2.85	0.195	0.32	0.9		
D728953		2.8	39.9	0.005	1.53	6.69	18.2	2	0.9	132.0	0.21	1.29	1.82	0.322	0.37	0.9		
D728954		1.8	43.2	0.005	1.33	0.96	18.1	2	0.9	152.5	0.20	0.38	1.62	0.317	0.43	0.8		
D728977		2.8	42.9	0.030	1.68	1.23	14.4	5	0.6	149.5	0.58	0.17	7.64	0.283	0.62	3.1		
D728978		2.6	35.8	0.007	1.43	127.0	20.5	2	1.2	246	0.31	0.29	1.90	0.481	0.50	0.8		
D728979		2.7	41.5	0.006	1.41	137.0	17.4	2	1.0	248	0.20	0.30	1.50	0.314	0.36	0.8		
D728980		2.6	33.0	0.007	1.55	3.14	23.1	2	1.3	186.5	0.20	0.39	1.39	0.403	0.61	1.0		
D728988		2.0	42.0	0.005	1.03	3.08	15.8	2	0.9	130.0	0.32	0.27	2.99	0.311	0.42	1.0		
D728989		2.4	47.0	0.002	0.98	33.7	16.6	1	0.9	153.5	0.31	0.12	2.75	0.323	0.34	0.8		
D728990		2.2	54.0	0.005	1.05	1.73	17.5	2	0.6	132.5	0.26	0.10	2.12	0.352	0.57	1.0		
D728996		6.3	18.8	<0.002	1.42	1.39	4.9	1	1.2	507	0.23	0.18	0.82	0.346	0.16	0.5		
D728997		2.2	28.8	0.002	0.52	3.03	11.8	1	1.8	241	0.15	0.15	1.06	0.203	0.10	0.6		
D728998		1.8	37.5	0.005	0.65	1.57	13.8	1	1.6	185.5	0.24	0.24	2.29	0.246	0.20	1.5		



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – D  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 5-JUN-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22132198

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728931		201	17.8	21.4	73	21.8
D728932		45	11.0	7.3	19	24.8
D728933		34	13.2	8.9	20	23.1
D728934		89	13.8	10.0	52	39.5
D728935		122	8.9	11.8	59	41.5
D728936		132	2.8	13.2	63	42.5
D728937		99	4.6	23.6	74	59.0
D728938		102	6.0	16.5	57	39.4
D728939		86	12.3	11.2	35	34.5
D728940		102	12.7	10.2	36	55.4
D728941		113	5.0	11.0	43	63.5
D728942		99	2.5	13.4	60	48.7
D728943		102	5.8	7.7	41	41.2
D728952		73	4.5	10.3	42	41.3
D728953		107	3.2	15.5	100	61.4
D728954		103	3.2	15.8	48	50.9
D728977		214	5.4	16.6	33	89.1
D728978		166	18.9	15.8	67	48.6
D728979		96	12.2	15.6	119	61.1
D728980		134	3.5	22.3	68	74.0
D728988		91	4.3	15.1	35	65.7
D728989		83	6.0	19.7	47	70.9
D728990		112	3.1	14.9	43	61.7
D728996		100	5.8	5.3	31	46.9
D728997		78	2.5	10.1	151	38.9
D728998		89	2.2	14.5	127	44.6



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 5-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22132198**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-ICP21	CRU-31	CRU-QC	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 7-JUN-2022

Account: ENDURA

## CERTIFICATE VA22135568

Project: Reliance Gold

P.O. No.: Reliance-2022-006

This report is for 68 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 23-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN O'BRIEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
D728847		1.84	0.379	0.25	5.87	233	1020	0.78	1.06	0.71	0.07	27.7	19.4	135	2.24	70.5
D728848		0.62	0.109	0.12	3.46	511	170	1.24	0.82	3.81	0.03	11.70	80.7	1915	12.15	43.0
D728849		1.92	0.057	0.08	2.09	230	110	0.88	1.05	2.87	0.02	6.15	83.8	1465	7.61	35.9
D728850		1.74	0.018	0.08	6.35	115.0	770	0.92	0.81	1.81	0.02	24.9	37.1	589	5.48	51.1
D728851		1.98	0.016	0.11	5.71	99.6	770	0.95	0.62	2.17	0.03	27.4	19.9	181	3.36	45.2
D728852		1.74	0.011	0.10	7.18	25.3	710	1.06	0.60	1.21	0.02	33.9	12.8	65	3.10	45.8
D728853		2.22	0.009	0.08	7.64	22.9	830	1.02	0.43	1.32	0.02	32.6	11.1	60	2.79	35.0
D728854		1.74	0.006	0.12	7.48	13.4	330	1.01	0.64	3.42	0.05	19.10	15.5	28	2.65	49.3
D728855		2.04	0.006	0.08	7.77	14.2	460	0.96	0.45	2.35	0.02	28.0	14.2	81	3.61	37.3
D728856		1.94	0.015	0.09	8.32	6.3	1080	0.95	0.48	0.99	<0.02	29.2	10.6	36	2.77	37.8
D728857		2.06	0.006	0.10	7.56	4.6	700	0.82	0.67	1.81	0.02	24.6	11.3	27	3.07	55.8
D728858		1.76	0.063	0.09	6.42	68.0	910	0.86	0.47	1.75	<0.02	29.1	11.6	32	4.58	43.5
D728859		1.72	0.008	0.10	7.14	25.6	1000	0.82	0.56	2.01	0.02	23.7	13.4	93	2.99	46.6
D728860		1.86	0.007	0.08	7.70	21.2	1070	0.90	0.55	1.57	0.02	26.3	13.8	40	3.57	46.8
D728861		1.90	0.510	0.29	8.12	698	750	0.99	1.53	2.64	0.21	17.70	12.2	18	5.59	54.3
D728862		1.86	0.013	0.13	8.00	29.3	730	0.88	2.03	1.63	0.02	24.2	11.9	48	3.16	61.1
D728863		2.08	3.22	0.86	6.42	1920	510	1.02	1.26	3.69	0.02	21.7	11.3	66	5.63	43.6
D728864		1.92	0.884	0.34	6.85	662	580	0.88	1.19	3.98	0.03	19.60	17.9	150	4.71	56.7
D728865		1.58	0.072	0.16	8.01	58.5	280	0.84	1.38	4.21	0.04	20.3	18.4	94	5.03	57.1
D728866		1.92	3.49	0.67	5.41	1315	360	0.69	0.69	5.89	0.03	15.35	11.4	64	4.11	35.4
D728867		2.22	1.890	0.46	5.97	868	510	0.86	0.73	3.55	0.05	19.35	10.2	92	4.13	27.5
D728868		1.84	0.555	0.28	6.34	401	570	0.77	0.99	1.98	0.05	23.7	14.9	138	2.86	46.0
D728869		1.50	9.26	1.99	3.14	3930	610	0.60	0.40	2.81	0.10	24.8	11.2	138	2.91	47.3
D728870		1.38	3.96	2.37	1.52	2970	370	0.36	0.48	1.69	0.06	17.85	9.6	27	1.13	76.9
D728871		1.80	4.52	1.71	1.74	2650	470	0.37	0.50	1.57	0.08	20.3	9.9	28	1.27	70.3
D728872		1.64	8.75	2.53	2.46	3310	290	0.53	0.49	2.04	0.09	24.9	10.4	28	1.80	76.3
D728873		1.68	4.96	2.03	3.28	2630	110	0.72	0.78	1.54	0.07	30.6	16.4	28	2.52	111.0
D728874		1.66	5.58	3.48	2.11	2910	470	0.60	5.78	3.78	0.07	20.8	9.6	24	1.47	61.6
D728875		2.20	3.66	2.90	1.59	1695	330	0.28	1.38	1.58	0.05	17.60	9.6	25	1.00	71.0
D728876		1.68	3.17	1.11	1.33	1205	430	0.29	0.82	1.18	0.05	12.65	5.2	28	0.74	41.4
D728877		1.80	0.090	0.27	2.15	145.0	610	0.56	1.19	0.70	0.05	24.7	11.4	29	1.02	88.0
D728878		1.78	0.214	0.77	1.89	381	340	0.76	2.18	0.96	0.06	20.6	13.1	27	1.08	123.0
D728879		2.14	0.024	0.20	4.34	45.6	380	0.98	1.36	1.69	0.43	39.8	15.2	65	1.82	92.1
D728880		2.08	0.042	0.24	7.21	37.4	940	0.98	0.54	3.52	0.06	19.20	10.4	35	2.54	38.4
D728881		1.72	0.062	0.14	7.33	42.8	920	0.91	0.54	2.98	0.04	19.40	11.6	34	3.22	49.4
D728882		2.00	0.040	0.13	7.22	159.5	920	1.04	0.63	3.32	0.32	22.0	9.6	48	3.26	40.3
D728883		1.96	0.006	0.13	4.54	18.6	660	0.80	0.58	1.65	0.05	35.5	11.2	59	2.35	61.1
D728884		2.10	0.029	0.18	4.65	99.4	760	0.86	0.67	1.09	0.04	36.0	11.2	57	2.43	73.3
D728885		2.18	0.035	0.13	4.86	69.3	1000	0.95	0.49	0.87	0.02	38.7	10.2	58	1.46	50.0
D728886		2.02	0.046	0.25	4.74	115.0	710	0.96	0.79	0.83	0.03	37.2	11.3	57	1.62	72.7

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method Analyte Units LOD	ME-MS61														
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
D728847		3.17	14.00	0.06	0.8	0.021	1.24	13.0	34.2	1.00	299	4.48	0.45	3.4	200	410
D728848		5.57	9.81	0.06	0.6	0.082	0.62	5.3	18.8	8.08	1275	1.96	0.09	1.6	1045	50
D728849		5.14	5.42	0.05	0.5	0.072	0.39	2.8	19.0	10.55	1080	2.72	0.07	1.0	1305	40
D728850		4.23	14.60	0.08	1.3	0.045	0.80	11.5	52.8	3.54	855	2.66	0.43	3.4	498	390
D728851		3.62	13.00	0.08	0.9	0.027	1.06	12.0	44.9	2.02	806	1.52	0.39	3.2	208	490
D728852		3.87	16.25	0.08	1.1	0.030	1.38	15.9	37.8	1.04	671	3.40	1.31	4.5	61.7	670
D728853		3.35	17.80	0.08	1.1	0.036	1.40	15.2	42.7	0.75	534	3.02	1.33	5.5	99.3	780
D728854		3.20	19.45	0.06	1.8	0.035	0.59	8.4	44.0	1.20	502	2.44	2.30	5.1	35.4	760
D728855		3.76	17.70	0.09	1.0	0.019	1.11	12.8	46.4	1.22	548	2.85	1.43	4.5	107.5	760
D728856		3.72	18.80	0.09	0.7	0.033	1.88	13.6	51.7	0.85	470	3.04	0.83	4.1	48.8	860
D728857		3.68	16.60	0.07	0.9	0.021	1.12	11.4	63.4	1.08	509	2.85	1.11	3.8	18.8	640
D728858		3.45	14.95	0.08	0.8	0.035	1.58	13.3	33.7	1.10	634	1.36	0.76	3.6	27.6	620
D728859		3.96	16.70	0.08	0.7	0.024	1.08	10.8	42.5	1.29	670	2.70	1.33	3.6	90.7	790
D728860		4.05	18.40	0.08	0.8	0.025	1.69	12.0	23.0	1.14	720	2.20	1.63	3.6	50.0	700
D728861		3.80	21.1	0.07	1.1	0.032	1.68	7.1	50.3	1.23	570	2.03	1.22	3.5	20.2	800
D728862		4.09	18.35	0.08	0.7	0.020	1.09	11.2	55.6	0.99	561	1.87	1.38	3.2	39.6	830
D728863		3.72	15.10	0.07	1.0	0.029	1.73	10.3	38.3	1.84	727	1.77	0.15	2.8	55.6	660
D728864		3.93	15.80	0.07	0.9	0.067	0.94	9.3	43.7	1.86	751	2.98	0.81	3.3	125.0	600
D728865		4.20	17.65	0.15	1.2	0.065	1.12	9.1	18.4	1.92	676	1.42	1.82	4.2	36.9	580
D728866		3.11	12.05	0.10	1.0	0.049	1.00	7.0	32.4	2.98	715	1.20	0.68	3.0	22.7	450
D728867		3.33	13.25	0.14	1.4	0.043	1.00	8.5	48.2	2.36	827	2.03	0.28	2.8	80.8	570
D728868		3.78	13.95	0.16	1.6	0.059	0.67	11.1	67.7	1.40	749	3.50	0.07	3.9	122.5	570
D728869		2.30	8.42	0.12	1.0	0.014	1.00	12.4	24.4	1.75	381	2.81	0.03	4.4	113.5	350
D728870		2.85	4.72	0.11	0.5	0.014	0.46	19.4	14.8	0.83	271	4.37	0.02	2.4	37.2	710
D728871		2.59	5.56	0.11	0.6	0.009	0.53	21.8	13.2	0.78	235	6.60	0.02	2.8	40.0	630
D728872		2.93	7.29	0.10	0.6	0.013	0.79	22.3	14.6	1.02	265	8.09	0.02	3.3	40.6	830
D728873		4.69	9.95	0.10	0.4	0.013	1.10	24.3	10.2	0.82	208	1.81	0.02	3.7	52.5	450
D728874		2.72	6.86	0.07	0.4	0.016	0.71	15.5	15.4	1.88	363	2.40	0.02	3.0	33.0	300
D728875		3.17	4.62	0.08	0.4	0.011	0.49	17.8	12.2	0.77	200	3.50	0.01	1.9	28.8	560
D728876		1.81	3.87	0.05	0.4	0.011	0.46	8.9	10.4	0.63	174	3.34	0.02	1.6	21.5	280
D728877		2.82	7.17	0.09	0.6	0.013	0.47	19.1	16.4	0.60	193	5.70	0.02	3.2	47.4	490
D728878		4.47	6.12	0.11	0.4	0.025	0.69	30.2	5.8	0.89	538	2.98	0.03	3.1	42.8	270
D728879		4.14	11.65	0.10	1.4	0.040	0.70	25.6	30.1	1.44	489	12.70	0.15	6.0	66.4	440
D728880		2.85	15.55	0.09	1.5	0.022	1.03	8.8	22.6	1.67	429	1.60	1.77	3.8	15.3	580
D728881		3.21	15.00	0.10	1.5	0.023	1.25	9.0	15.4	1.46	400	1.53	2.02	3.9	12.3	590
D728882		3.04	15.70	0.10	1.5	0.028	1.35	10.6	16.8	1.68	451	1.85	1.77	4.0	27.8	530
D728883		3.19	11.75	0.11	1.2	0.023	1.09	18.4	22.4	1.19	289	4.00	0.11	5.2	46.1	320
D728884		3.36	12.80	0.10	1.2	0.023	1.28	18.2	25.2	1.10	225	3.25	0.11	6.1	40.1	260
D728885		2.68	12.55	0.09	1.4	0.023	1.08	19.3	38.4	1.00	237	1.95	0.09	6.7	40.4	280
D728886		3.25	12.80	0.11	1.4	0.027	1.43	18.2	29.0	1.09	285	2.08	0.11	5.8	42.5	190

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method	ME-MS61														
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm							
	LOD	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
D728847		2.7	33.8	<0.002	0.23	121.0	13.9	1	1.1	194.5	0.23	0.36	2.27	0.256	0.34	0.7
D728848		2.7	38.0	<0.002	0.12	67.7	17.7	1	1.0	58.6	0.10	0.48	0.69	0.160	0.20	0.4
D728849		1.9	25.8	<0.002	0.23	53.6	12.7	1	0.6	44.1	0.06	0.31	0.42	0.099	0.12	0.2
D728850		1.8	27.5	<0.002	0.49	101.5	17.6	1	1.0	192.5	0.23	0.29	1.71	0.302	0.33	0.6
D728851		2.2	33.9	<0.002	0.89	42.0	14.3	1	0.8	223	0.22	0.26	1.77	0.249	0.30	0.5
D728852		2.3	43.2	<0.002	1.00	9.10	16.8	2	0.8	175.5	0.29	0.23	2.90	0.335	0.36	0.9
D728853		2.7	40.5	<0.002	0.55	10.00	17.5	1	1.0	258	0.37	0.07	2.98	0.377	0.30	0.9
D728854		4.7	11.8	<0.002	0.77	4.19	9.0	1	1.1	335	0.35	<0.05	1.59	0.392	0.24	0.8
D728855		2.8	38.6	<0.002	0.74	7.50	17.0	1	0.7	261	0.31	0.06	1.93	0.377	0.44	0.7
D728856		2.9	45.4	0.002	1.02	4.73	20.9	1	0.9	195.0	0.27	0.11	2.03	0.407	0.38	0.6
D728857		3.0	32.7	<0.002	1.20	2.31	17.7	1	1.1	226	0.25	0.13	1.81	0.360	0.39	0.6
D728858		2.9	47.8	<0.002	0.72	10.05	16.4	1	1.4	193.0	0.24	0.17	2.13	0.325	0.41	0.7
D728859		2.4	28.9	0.002	0.83	6.65	18.4	1	0.7	243	0.24	0.30	1.47	0.380	0.38	0.5
D728860		3.0	44.1	0.003	0.72	5.55	18.0	1	0.7	209	0.25	0.14	1.73	0.388	0.38	0.6
D728861		4.9	40.5	<0.002	1.44	29.3	10.8	1	1.1	273	0.24	0.29	0.97	0.430	0.51	0.5
D728862		3.1	32.8	<0.002	1.28	7.90	21.9	2	0.8	187.0	0.22	1.01	1.37	0.410	0.46	0.5
D728863		2.7	57.5	0.004	2.13	85.2	17.6	2	0.7	352	0.19	0.78	1.38	0.321	0.49	0.7
D728864		3.3	31.8	0.002	1.33	62.3	16.1	1	1.9	347	0.21	0.34	1.08	0.331	0.39	0.6
D728865		3.4	33.6	<0.002	1.13	9.17	15.2	1	1.8	367	0.27	0.19	1.40	0.368	0.28	0.7
D728866		1.9	32.7	<0.002	0.68	62.7	11.2	1	1.6	286	0.20	0.11	1.14	0.244	0.20	0.6
D728867		2.2	36.5	0.003	0.68	69.1	15.2	1	0.9	368	0.18	0.26	1.02	0.311	0.31	0.5
D728868		2.1	24.9	0.009	0.85	163.5	17.0	1	1.0	258	0.25	0.44	1.69	0.333	0.40	0.8
D728869		3.6	29.3	0.008	1.58	376	7.7	1	0.6	271	0.30	0.17	3.36	0.182	0.24	0.9
D728870		1.0	14.1	0.003	2.51	304	4.5	1	0.4	369	0.16	0.16	1.84	0.083	0.20	0.7
D728871		1.0	16.7	0.010	2.20	219	4.9	1	0.4	329	0.18	0.17	2.02	0.098	0.19	1.0
D728872		1.3	25.2	0.008	2.43	205	6.4	1	0.4	404	0.21	0.15	2.82	0.129	0.27	0.9
D728873		1.4	34.1	<0.002	4.55	201	8.8	2	0.5	205	0.25	0.26	3.18	0.165	0.48	0.4
D728874		1.3	23.1	<0.002	2.03	145.5	6.5	1	0.5	236	0.20	3.11	2.33	0.121	0.21	0.3
D728875		0.9	14.3	0.002	2.80	176.0	4.2	1	0.3	281	0.12	0.66	1.82	0.081	0.19	0.4
D728876		1.0	13.5	<0.002	0.95	263	3.9	1	0.4	136.5	0.10	0.35	1.42	0.070	0.12	0.5
D728877		1.4	16.2	0.005	1.26	86.7	7.2	1	0.5	159.0	0.21	0.49	2.83	0.117	0.22	1.0
D728878		2.5	19.6	0.002	2.58	15.85	4.8	1	0.6	96.8	0.20	0.64	2.39	0.093	0.26	0.6
D728879		1.7	20.7	0.024	1.72	21.9	10.6	2	1.1	161.5	0.40	0.30	5.24	0.242	0.35	2.8
D728880		3.8	17.3	<0.002	0.91	7.24	8.8	<1	1.2	347	0.25	<0.05	1.50	0.331	0.27	0.8
D728881		3.9	24.8	<0.002	1.18	3.98	8.1	1	1.2	382	0.27	<0.05	1.70	0.311	0.21	0.9
D728882		4.0	29.4	0.002	0.86	2.33	8.9	1	0.9	370	0.26	0.10	1.92	0.310	0.23	1.0
D728883		1.9	26.8	0.011	1.16	2.47	10.3	1	0.8	191.0	0.36	0.15	4.65	0.235	0.39	1.6
D728884		2.1	31.8	0.011	1.20	1.76	11.6	2	0.8	98.4	0.39	0.22	5.12	0.252	0.44	1.5
D728885		1.7	25.0	0.012	0.68	1.69	11.3	2	0.8	101.0	0.46	0.21	5.64	0.280	0.33	1.5
D728886		2.1	35.3	0.008	1.18	2.71	11.6	3	0.9	76.1	0.38	0.42	5.21	0.254	0.45	1.4

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728847		88	9.0	9.5	37	33.8
D728848		83	6.5	9.6	156	17.5
D728849		57	3.7	4.4	88	11.4
D728850		89	24.1	11.4	75	47.3
D728851		70	5.8	8.8	45	33.1
D728852		104	2.1	12.3	41	40.9
D728853		106	2.5	13.1	42	44.3
D728854		112	2.9	7.7	42	62.5
D728855		101	2.4	12.6	46	38.3
D728856		111	5.0	12.1	35	27.2
D728857		100	5.2	10.4	31	31.2
D728858		87	6.6	11.8	33	30.1
D728859		103	2.5	11.8	41	24.9
D728860		109	6.0	10.6	33	29.1
D728861		119	11.3	6.9	43	39.0
D728862		125	3.0	14.4	33	28.7
D728863		98	32.3	12.6	35	35.9
D728864		104	12.9	11.8	58	29.4
D728865		134	4.4	10.9	50	39.3
D728866		89	9.6	9.2	35	30.2
D728867		66	13.6	14.9	56	45.9
D728868		93	8.1	15.9	58	57.5
D728869		78	23.3	7.1	28	38.3
D728870		48	23.8	8.8	22	23.2
D728871		74	28.3	9.7	26	25.7
D728872		55	25.6	10.4	28	23.8
D728873		38	27.5	9.8	29	17.2
D728874		24	21.7	7.0	22	16.3
D728875		33	17.2	7.3	19	17.5
D728876		23	10.5	4.5	16	14.9
D728877		42	18.5	9.3	22	27.2
D728878		55	15.5	10.9	21	19.3
D728879		172	7.0	15.9	54	57.2
D728880		85	6.0	7.0	38	55.5
D728881		77	6.3	7.2	32	52.5
D728882		87	7.3	7.9	48	55.1
D728883		129	6.1	11.0	39	46.9
D728884		133	3.6	10.1	29	48.1
D728885		138	8.0	9.7	29	51.5
D728886		127	10.4	10.5	33	52.2



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
D728887		2.02	0.020	0.19	5.16	125.5	1230	0.99	0.66	0.91	0.03	42.0	12.0	56	1.59	54.3
D728888		1.42	0.049	0.13	2.28	61.2	1060	0.44	0.19	0.62	0.03	16.70	4.8	29	0.94	30.6
D728889		2.00	0.696	0.49	1.65	723	780	0.31	0.49	0.93	0.04	14.50	4.0	28	0.77	33.8
D728890		1.70	0.442	0.25	2.01	224	950	0.42	0.35	0.69	0.04	20.7	4.5	33	1.05	52.5
D728891		2.12	0.334	0.30	1.78	155.0	540	0.44	0.26	0.52	0.06	17.30	4.1	38	0.74	77.1
D728892		1.82	0.127	0.13	1.55	86.2	570	0.43	0.26	0.45	0.02	17.85	4.2	45	0.67	44.0
D728893		1.96	0.528	0.21	1.12	208	460	0.31	0.20	0.85	0.03	13.05	4.7	33	0.45	44.3
D728894		2.12	0.343	0.26	2.25	167.5	890	0.44	0.72	0.81	0.07	23.6	10.6	31	0.85	53.6
D728895		2.28	0.033	0.15	7.13	13.1	950	0.91	0.49	1.45	0.02	29.8	7.7	28	2.78	67.1
D728896		2.44	0.005	0.12	7.65	3.5	930	1.05	0.45	1.73	0.02	26.6	8.6	28	2.41	68.7
D728897		2.66	0.008	0.08	7.51	4.6	840	1.09	0.47	1.42	0.02	26.3	8.0	28	2.32	42.8
D728898		2.66	0.065	0.10	7.09	79.3	810	0.85	0.51	1.27	<0.02	24.7	8.8	39	2.12	48.9
D728899		2.22	0.006	0.14	5.98	5.6	650	0.81	1.00	1.69	<0.02	23.4	10.6	48	2.63	74.8
D728900		2.08	0.032	0.11	7.12	17.1	660	0.92	0.60	2.15	0.03	23.0	12.2	112	4.10	61.1
D728901		2.08	0.002	0.14	7.26	31.7	960	1.01	0.65	1.93	0.03	25.1	8.1	58	2.28	63.9
D728902		2.20	0.004	0.12	8.07	10.9	1050	1.01	0.69	1.24	0.02	28.7	8.8	39	2.38	66.6
D728903		2.88	0.019	0.14	7.97	4.3	870	1.02	0.75	1.80	0.02	25.2	9.9	44	2.19	69.8
D728904		2.16	0.006	0.11	7.98	2.8	1070	1.24	0.67	1.41	0.02	32.2	8.4	43	1.82	51.3
D728905		2.56	0.007	0.12	6.88	4.5	720	1.04	0.71	1.45	<0.02	27.6	10.5	35	2.06	53.8
D728906		2.18	0.005	0.08	6.83	2.8	870	0.94	0.65	1.53	<0.02	26.8	8.1	30	1.76	46.5
D728907		4.64	1.045	0.49	7.27	586	860	1.00	0.59	2.32	0.06	23.9	9.1	49	3.33	41.5
D728908		2.34	3.20	1.22	4.77	1765	740	0.70	0.49	1.50	0.04	25.4	6.7	47	2.01	38.0
D728909		2.44	8.82	1.79	6.65	4750	680	0.95	0.54	2.80	0.03	24.2	8.9	65	3.78	40.4
D728910		2.36	2.67	0.62	5.77	2220	610	0.75	0.48	4.54	0.16	18.10	14.4	162	2.85	40.0
D728911		2.26	2.18	0.34	4.42	2250	470	0.68	0.87	6.01	0.56	16.75	25.3	488	2.92	22.6
D728912		2.54	0.375	0.13	3.58	493	290	0.69	0.34	3.93	0.09	17.80	44.7	685	4.59	44.0
D728913		2.60	0.123	0.10	5.43	122.5	160	0.65	0.24	5.74	0.07	16.55	24.9	101	3.30	51.0
D728914		2.52	0.447	0.30	7.33	311	160	0.96	0.32	5.91	0.60	29.8	30.4	126	3.82	38.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method	ME-MS61														
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
D728887		3.11	13.90	0.10	1.4	0.035	1.58	21.0	31.3	1.19	345	2.62	0.09	6.2	44.8	260
D728888		1.63	5.51	0.07	0.6	0.014	0.69	7.2	9.4	0.60	133	2.38	0.06	2.1	13.6	370
D728889		1.58	4.48	0.06	0.4	0.023	0.58	6.1	5.1	0.52	223	2.39	0.04	1.7	9.8	320
D728890		2.01	5.99	0.08	0.6	0.015	0.70	8.9	6.1	0.50	150	3.28	0.04	2.5	12.9	360
D728891		1.79	5.90	0.10	0.7	0.021	0.63	6.5	8.0	0.46	181	4.72	0.03	2.2	15.6	140
D728892		1.94	5.31	0.08	0.7	0.014	0.51	6.9	9.3	0.43	184	4.66	0.03	2.1	16.3	220
D728893		1.74	4.00	0.07	0.4	0.012	0.43	5.0	5.6	0.50	163	3.87	0.01	1.4	12.4	180
D728894		2.10	5.65	0.09	0.7	0.011	0.74	9.8	11.0	0.50	135	5.84	0.07	1.8	16.8	380
D728895		3.18	14.15	0.17	1.2	0.016	1.49	13.5	27.0	0.84	217	4.05	1.59	3.4	15.8	480
D728896		3.83	15.30	0.15	0.9	0.019	1.72	11.6	29.8	1.07	392	2.92	1.70	3.4	16.7	580
D728897		3.23	15.20	0.16	0.8	0.033	1.80	10.8	25.3	0.92	446	3.27	1.88	3.4	18.3	680
D728898		3.11	14.10	0.14	0.7	0.019	1.81	9.9	23.9	0.89	341	2.98	1.71	2.8	23.5	730
D728899		3.75	12.80	0.13	1.1	0.015	1.34	9.9	31.7	1.14	264	6.95	0.98	2.7	32.9	670
D728900		3.84	14.25	0.13	1.0	0.026	1.61	10.2	26.4	1.89	452	3.24	1.41	2.8	85.3	660
D728901		3.56	14.95	0.15	0.9	0.019	1.66	10.4	25.0	1.27	262	3.30	1.73	2.9	43.6	690
D728902		3.66	15.65	0.15	0.9	0.026	2.18	12.8	29.9	0.94	247	3.61	1.48	3.2	25.5	660
D728903		3.86	14.85	0.17	0.9	0.011	1.57	10.2	24.2	1.03	329	3.57	2.49	3.1	23.3	680
D728904		3.61	16.10	0.15	1.1	0.019	1.95	14.1	17.4	0.84	471	3.99	2.28	4.1	22.8	680
D728905		3.64	14.25	0.14	0.9	0.021	1.37	10.7	33.9	1.03	597	2.81	1.72	3.4	23.1	570
D728906		3.29	14.00	0.15	1.1	0.029	1.44	10.9	31.6	1.09	465	3.00	1.62	3.5	17.6	590
D728907		3.67	15.20	0.14	1.1	0.032	1.57	9.8	67.9	1.72	675	1.83	0.42	4.5	30.8	710
D728908		2.55	11.05	0.13	1.3	0.023	1.42	11.8	31.6	0.88	432	4.87	0.07	3.6	23.4	450
D728909		3.32	14.70	0.11	2.3	0.032	1.73	10.4	50.1	1.48	500	3.25	0.07	3.2	52.5	620
D728910		3.94	11.45	0.14	1.1	0.075	1.31	7.6	49.6	3.06	1060	2.25	0.06	2.6	157.0	420
D728911		3.54	9.43	0.08	1.2	0.136	0.86	7.3	52.6	4.58	1755	4.12	0.05	2.7	501	450
D728912		4.41	7.92	0.07	1.0	0.048	0.61	8.0	29.6	6.38	1000	4.54	0.07	4.9	770	260
D728913		5.92	11.50	0.09	1.4	0.071	0.71	11.3	34.3	3.49	1615	2.24	1.06	6.2	56.3	800
D728914		6.28	15.30	0.12	2.1	0.073	1.17	13.6	49.6	2.78	1395	1.44	1.22	14.3	54.6	1140



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

Sample Description	Method	ME-MS61														
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm							
	LOD	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
D728887		2.2	37.7	0.003	0.77	3.01	12.6	2	1.2	83.1	0.43	0.32	5.86	0.279	0.34	1.3
D728888		1.5	18.2	<0.002	0.53	4.17	7.1	<1	0.5	66.8	0.14	0.07	2.32	0.095	0.14	0.5
D728889		2.7	15.8	<0.002	0.87	16.55	5.7	1	0.6	67.1	0.11	0.27	1.63	0.077	0.10	0.3
D728890		1.2	19.7	<0.002	1.11	32.3	6.9	<1	0.6	82.5	0.17	0.15	2.20	0.105	0.17	0.5
D728891		1.2	16.5	<0.002	0.61	39.8	6.4	<1	0.5	42.3	0.15	0.11	1.99	0.093	0.14	0.9
D728892		1.3	14.2	<0.002	0.67	20.6	6.0	1	0.6	51.9	0.15	0.14	1.84	0.084	0.15	1.3
D728893		1.0	12.0	<0.002	0.81	19.30	4.6	<1	0.4	57.2	0.09	0.09	1.12	0.057	0.11	0.3
D728894		1.4	18.3	0.002	1.12	15.90	6.5	1	0.6	114.5	0.13	0.31	1.76	0.095	0.15	0.5
D728895		2.1	39.7	0.003	1.54	5.24	13.5	1	0.8	123.5	0.21	0.14	2.29	0.285	0.35	0.8
D728896		1.9	39.1	0.002	1.33	2.66	15.5	1	1.0	154.5	0.23	0.10	1.98	0.342	0.37	0.7
D728897		2.2	42.6	0.002	0.90	3.02	15.3	1	0.9	139.5	0.22	0.22	1.73	0.364	0.40	0.5
D728898		2.3	41.9	0.003	1.08	2.13	14.2	1	1.0	126.5	0.19	0.20	1.56	0.312	0.37	0.5
D728899		2.1	36.8	0.005	1.53	2.58	13.6	1	0.7	135.5	0.18	0.45	1.89	0.263	0.40	0.7
D728900		1.9	48.4	0.005	1.28	13.20	17.6	2	0.9	205	0.18	0.17	1.46	0.354	0.40	0.6
D728901		2.2	37.1	0.003	1.39	27.1	16.2	1	1.1	208	0.19	0.17	1.55	0.293	0.35	0.6
D728902		2.1	47.9	0.003	1.60	6.04	16.3	2	1.2	149.0	0.20	0.14	2.04	0.314	0.42	0.6
D728903		2.3	37.8	0.002	1.56	1.76	16.7	1	0.9	184.5	0.20	0.20	1.68	0.344	0.42	0.6
D728904		2.3	44.2	0.002	1.42	1.61	15.8	1	1.0	152.5	0.27	0.28	2.35	0.339	0.49	0.8
D728905		2.2	34.1	0.002	1.21	1.00	14.7	1	0.8	130.0	0.23	0.34	1.76	0.308	0.41	0.5
D728906		2.3	31.3	0.002	0.97	1.82	13.6	1	0.9	181.5	0.24	0.17	2.05	0.302	0.28	0.6
D728907		2.9	30.9	0.003	1.55	112.5	14.2	1	0.7	271	0.30	0.12	1.83	0.378	0.33	0.6
D728908		2.0	37.2	0.006	1.56	79.3	11.1	1	0.6	144.5	0.25	0.24	2.62	0.245	0.29	1.4
D728909		2.6	50.5	0.005	2.30	141.5	14.8	1	0.8	270	0.21	0.23	2.11	0.309	0.48	1.1
D728910		2.0	39.9	0.004	1.51	222	14.2	1	0.8	242	0.17	0.17	1.18	0.311	0.44	0.7
D728911		1.9	29.6	0.003	0.98	363	12.7	<1	1.0	421	0.18	0.41	1.30	0.237	0.32	0.8
D728912		2.1	22.6	0.003	0.27	117.0	12.5	1	0.8	216	0.32	0.15	1.56	0.283	0.13	0.7
D728913		2.7	22.5	0.002	0.53	88.5	23.3	<1	0.8	180.0	0.38	0.09	0.55	0.670	0.31	0.2
D728914		4.4	35.5	0.002	0.80	89.1	30.1	1	1.3	191.0	0.87	0.05	1.00	1.025	0.26	0.3



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22135568

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728887		96	17.6	10.8	32	59.8
D728888		33	8.3	4.5	16	23.5
D728889		25	13.3	4.1	18	15.3
D728890		29	15.2	6.3	20	25.9
D728891		26	14.1	4.6	26	32.7
D728892		32	16.2	5.8	21	30.7
D728893		23	24.3	3.5	15	22.6
D728894		30	17.7	6.5	19	23.7
D728895		69	11.1	12.9	19	45.9
D728896		88	5.0	11.6	25	39.1
D728897		86	3.7	11.6	21	29.3
D728898		79	6.5	11.2	19	25.5
D728899		86	5.5	13.4	21	34.9
D728900		108	6.4	14.6	46	34.2
D728901		88	4.5	12.0	24	28.9
D728902		93	4.4	12.4	21	31.8
D728903		100	5.8	12.8	24	32.5
D728904		83	7.2	14.6	24	42.3
D728905		73	5.4	11.8	29	29.6
D728906		69	4.3	12.3	30	37.4
D728907		98	17.4	10.4	46	40.3
D728908		91	17.5	10.4	24	41.2
D728909		87	26.1	15.6	32	93.0
D728910		91	20.5	11.8	72	39.9
D728911		80	17.9	13.0	136	39.1
D728912		93	4.6	9.7	86	37.4
D728913		194	11.4	25.1	69	49.2
D728914		212	20.3	27.0	100	66.8



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 7-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135568**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-ICP21	CRU-31	CRU-QC	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

## CERTIFICATE VA22135570

Project: Reliance Gold  
P.O. No.: Reliance-2022-009  
This report is for 57 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 23-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

### SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

### ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Sb-AA08	Sb – KCIO3/HCl digestion AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

  
Signature: Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190153		2.42	0.015		0.11	7.42	67.4	730	1.08	1.18	1.41	0.17	24.1	11.3	72	3.27
G190154		2.04	0.011		0.13	7.58	132.5	950	1.07	1.18	1.42	0.18	26.4	11.7	77	3.23
G190155		2.56	0.002		0.12	7.04	43.1	830	1.04	1.09	2.74	0.17	24.2	14.5	135	3.94
G190156		2.30	0.042		0.82	5.84	328	430	0.76	4.74	2.89	0.55	26.1	24.4	202	3.70
G190157		2.34	0.108		0.11	7.58	117.0	830	0.83	0.67	2.36	0.11	21.6	14.8	114	3.55
G190158		2.16	0.304		0.23	7.41	518	340	0.85	1.91	4.24	0.70	19.60	15.1	96	3.72
G190159		2.22	0.172		0.27	7.84	223	570	0.82	1.30	2.10	12.80	23.7	13.8	70	2.64
G190160		2.52	4.94		1.27	6.70	3230	660	0.91	0.87	4.37	0.38	18.95	18.9	90	3.86
G190161		2.00	0.890		0.22	7.93	457	240	0.81	0.19	6.37	0.07	20.6	30.6	127	9.33
G190162		2.48	5.52		3.14	5.78	3500	230	0.69	0.54	5.65	2.38	15.50	20.9	92	6.00
G190163		2.40	1.775		0.79	8.03	1235	320	0.98	0.53	4.66	1.89	38.2	30.1	71	5.32
G190164		1.64	0.184		0.12	7.54	236	260	1.00	0.05	5.23	0.23	40.3	38.1	153	3.71
G190165		2.86	0.191		0.10	7.23	155.5	200	1.02	0.04	5.73	0.19	40.1	31.5	129	3.85
G190166		2.70	0.026		0.05	6.47	31.5	250	1.10	0.02	5.31	0.13	36.8	41.8	232	7.70
G190167		1.90	1.315		0.38	6.97	701	320	1.00	0.04	5.33	0.15	37.5	30.3	138	5.32
G190168		2.14	0.029		0.34	7.14	52.5	700	0.91	0.13	1.90	0.28	25.6	11.3	61	2.72
G190189		1.14	0.070		0.12	7.12	28.3	750	0.89	1.58	0.57	0.09	28.4	12.4	66	2.86
G190190		1.14	0.071		0.10	7.78	51.0	760	0.96	0.77	0.52	0.02	24.9	10.5	55	3.03
G190191		1.66	0.057		0.12	8.72	24.8	1190	1.06	1.00	0.73	0.05	26.8	10.2	36	2.49
G190192		2.10	0.033		0.07	7.56	18.4	710	1.09	0.44	1.22	0.03	28.7	12.0	101	3.71
G190193		2.10	0.257		0.17	6.67	119.0	390	0.91	1.46	1.62	0.04	26.3	25.5	334	3.56
G190194		1.94	0.194		0.16	7.42	70.7	590	0.78	0.93	1.11	0.04	27.0	14.0	41	2.46
G190195		2.02	0.028		0.08	5.73	15.1	780	0.76	0.70	0.98	0.02	28.4	12.6	18	1.72
G190203		2.08	0.011		0.17	7.91	64.1	980	0.91	1.20	1.52	0.02	26.2	12.4	27	2.93
G190204		2.24	0.020		0.12	8.02	97.3	1170	0.93	1.06	1.05	0.02	26.7	9.5	35	2.24
G190205		2.32	0.011		0.10	7.03	41.2	710	0.91	1.46	1.60	0.03	23.8	11.0	71	2.80
G190206		2.78	0.196		0.24	6.60	213	370	0.87	1.46	2.28	0.04	18.85	16.4	173	3.81
G190207		2.70	0.804		0.38	6.55	469	260	0.78	0.90	2.55	0.05	18.55	14.3	126	4.23
G190208		2.14	9.86		3.25	5.55	4900	390	0.69	1.21	2.96	0.60	16.75	10.1	68	4.41
G190209		2.02	0.039		0.15	7.46	56.2	180	0.73	1.45	4.14	0.11	18.70	18.1	106	3.53
G190210		2.20	0.067		0.19	7.44	120.0	190	0.73	2.59	4.10	0.11	18.20	18.1	104	3.60
G190211		2.50	>10.0	15.15	6.40	3.60	8440	290	0.46	1.90	5.02	0.68	9.13	27.5	379	2.78
G190212		2.28	>10.0	11.40	3.94	3.26	5490	420	0.41	0.42	3.89	0.14	8.91	9.8	83	2.40
G190213		1.98	2.48		1.14	5.84	2350	220	0.42	0.86	6.95	0.84	6.27	34.5	109	4.54
G190214		2.30	0.855		0.34	7.19	551	200	0.44	0.15	6.55	0.10	11.35	30.3	127	5.92
G190215		2.66	0.056		0.15	7.76	83.6	180	0.77	0.09	6.48	0.15	23.8	28.2	106	6.03
G190216		2.60	0.053		0.06	7.34	50.5	150	0.89	0.03	6.08	0.13	37.2	34.0	51	3.33
G190217		2.70	0.022		0.05	7.77	22.5	210	0.95	0.02	5.24	0.13	36.4	33.6	122	5.82
G190218		2.88	0.015		0.03	7.20	18.3	230	0.91	0.01	5.78	0.10	32.6	35.2	152	6.40
G190219		3.08	0.094		0.08	7.05	67.9	140	0.95	0.01	5.98	0.15	34.5	34.0	161	4.06

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
G190153		40.7	4.25	16.05	0.12	0.8	0.048	1.47	11.0	26.2	0.95	816	1.78	2.14	3.1	49.6
G190154		45.4	3.95	18.00	0.13	1.1	0.057	1.55	12.2	30.7	0.98	653	2.60	1.83	3.4	66.1
G190155		60.9	4.36	17.35	0.16	1.2	0.078	1.42	9.7	33.9	1.66	930	5.88	1.46	4.1	150.0
G190156		113.0	5.60	13.10	0.13	1.2	0.071	1.21	11.7	31.0	1.95	791	10.05	0.77	4.9	241
G190157		42.4	4.48	16.90	0.17	1.1	0.059	1.62	8.6	24.8	1.86	937	2.01	1.82	3.8	73.3
G190158		55.6	4.36	17.15	0.17	1.3	0.098	0.97	7.8	37.6	2.09	842	1.15	0.91	4.0	37.7
G190159		79.8	4.97	17.25	0.18	1.3	0.470	0.81	10.5	82.2	1.23	859	2.30	0.06	3.5	46.3
G190160		43.9	5.08	18.05	0.16	1.4	0.079	1.34	8.0	78.0	2.12	1225	1.87	0.22	6.6	62.5
G190161		41.9	5.83	17.05	0.18	1.8	0.088	1.29	7.7	21.7	2.74	1400	0.87	1.43	8.1	48.9
G190162		62.1	4.60	12.50	0.17	1.5	0.084	1.32	6.1	51.1	2.50	1010	1.20	0.18	6.5	40.3
G190163		59.3	6.16	18.20	0.17	2.4	0.083	1.51	17.2	46.5	1.94	1220	1.22	1.03	23.6	45.5
G190164		45.7	6.59	17.40	0.20	1.9	0.074	0.96	17.8	33.6	3.53	1095	1.62	1.39	22.2	130.5
G190165		41.0	6.19	16.20	0.18	2.4	0.065	0.85	18.0	33.4	3.50	1075	1.65	1.74	21.0	93.4
G190166		38.7	6.40	14.90	0.16	2.9	0.063	0.52	15.8	28.1	5.04	1065	1.52	1.68	20.5	197.5
G190167		47.6	5.93	16.65	0.16	2.1	0.068	1.13	15.8	36.3	2.92	1315	1.37	1.27	18.8	114.5
G190168		37.1	4.15	16.50	0.19	1.5	0.076	1.94	10.2	29.8	1.36	1075	1.84	1.40	4.1	40.2
G190189		45.6	3.63	15.85	0.21	1.0	0.042	1.44	13.9	29.2	0.66	546	2.61	1.22	5.2	53.3
G190190		46.4	4.22	16.95	0.24	0.8	0.040	1.66	12.0	27.4	0.57	663	1.70	1.62	3.9	33.9
G190191		46.9	3.89	18.70	0.23	0.9	0.053	2.27	12.8	17.4	0.59	644	2.88	2.19	4.2	30.0
G190192		38.0	4.19	16.75	0.25	1.3	0.063	1.73	14.0	27.3	1.11	865	1.48	1.68	5.2	88.6
G190193		74.1	5.51	15.30	0.23	2.0	0.107	1.24	13.0	35.0	1.14	938	2.93	0.64	5.8	284
G190194		60.2	3.99	15.70	0.22	0.9	0.057	1.15	12.6	20.5	0.87	680	1.76	2.89	4.8	40.4
G190195		41.0	3.13	12.35	0.25	1.8	0.051	1.17	11.6	20.5	0.73	837	1.14	1.44	3.6	19.2
G190203		68.0	3.49	17.75	0.22	1.2	0.044	1.78	12.4	25.2	0.52	421	2.14	1.68	4.1	21.8
G190204		48.5	3.28	16.75	0.24	1.0	0.040	1.59	12.7	46.4	0.75	475	2.76	1.34	4.2	24.7
G190205		45.6	3.96	16.30	0.23	0.8	0.041	1.20	11.3	41.9	1.41	653	2.25	1.17	3.4	57.4
G190206		59.7	4.68	15.20	0.19	1.0	0.087	1.15	9.0	39.5	1.85	855	2.21	0.86	3.1	147.0
G190207		55.0	4.38	15.00	0.21	1.5	0.077	1.47	8.6	39.2	1.73	770	1.56	0.27	3.1	119.0
G190208		54.5	3.34	12.60	0.17	1.1	0.057	1.36	8.2	47.6	1.68	650	1.81	0.10	2.9	40.8
G190209		65.9	4.61	16.45	0.20	1.3	0.077	0.88	8.6	27.7	2.28	749	1.08	1.15	4.0	43.4
G190210		72.3	4.68	17.30	0.18	1.3	0.071	0.91	8.0	22.4	2.15	704	1.33	1.18	4.3	40.3
G190211		68.1	3.62	9.87	0.16	0.7	0.107	0.94	4.7	39.6	2.65	979	2.11	0.06	1.7	378
G190212		31.5	2.66	7.90	0.16	0.8	0.045	0.92	4.2	39.2	2.00	916	2.26	0.06	1.7	50.2
G190213		35.3	6.09	13.30	0.13	1.4	0.085	1.25	2.3	24.1	3.37	1505	1.09	0.77	1.3	48.7
G190214		33.0	5.57	14.10	0.14	1.7	0.074	0.96	5.0	37.4	2.94	1440	1.04	1.35	4.4	45.6
G190215		49.5	5.42	15.65	0.17	1.6	0.065	0.87	11.2	37.8	2.57	1350	1.05	1.51	14.4	48.9
G190216		61.1	5.79	16.80	0.18	2.6	0.073	0.66	18.3	31.6	2.15	1085	1.20	2.09	25.9	42.8
G190217		49.8	6.54	16.40	0.19	3.2	0.077	0.93	17.6	31.3	3.32	1040	1.34	1.90	24.1	106.0
G190218		39.4	6.25	15.20	0.17	2.7	0.068	0.91	16.2	28.9	4.12	1110	1.52	1.77	20.3	135.5
G190219		36.6	6.36	15.40	0.18	2.4	0.071	1.07	17.2	24.6	3.61	1155	1.38	1.77	21.4	118.0

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
G190153		760	4.0	43.7	0.002	0.65	72.6	23.2	2	0.9	187.5	0.20	0.50	1.44	0.418	0.49
G190154		670	4.3	45.6	0.003	0.52	105.5	24.6	1	1.1	247	0.23	0.49	1.68	0.379	0.39
G190155		740	2.5	33.8	0.005	0.98	42.5	19.2	2	1.7	206	0.29	0.32	1.74	0.369	0.46
G190156		690	14.6	38.2	0.004	2.04	239	15.1	2	1.8	200	0.37	1.51	2.79	0.320	0.83
G190157		660	3.7	34.0	0.003	0.64	64.2	20.2	1	1.2	265	0.26	0.20	1.30	0.421	0.40
G190158		590	2.8	18.2	<0.002	0.97	103.0	16.1	1	2.2	381	0.29	0.87	1.52	0.356	0.33
G190159		680	4.8	17.3	0.003	1.93	97.2	20.2	2	2.3	317	0.25	0.46	1.51	0.380	0.45
G190160		900	3.0	17.2	0.004	1.67	1015	23.8	1	1.4	322	0.45	0.30	0.88	0.651	0.54
G190161		720	1.7	42.1	0.002	0.71	142.0	33.2	<1	1.1	213	0.54	0.05	0.58	0.866	0.34
G190162		600	3.5	42.4	0.003	3.30	>10000	22.3	1	0.9	255	0.44	0.15	0.51	0.572	0.56
G190163		1570	5.1	37.4	0.002	1.84	975	29.0	1	1.6	235	1.54	0.05	1.34	1.090	0.38
G190164		1370	1.9	26.5	<0.002	0.44	167.5	25.4	1	1.6	408	1.40	<0.05	1.15	1.130	0.19
G190165		1320	1.7	25.1	<0.002	0.42	419	22.1	1	1.5	293	1.42	<0.05	1.42	1.085	0.14
G190166		1190	1.5	21.1	<0.002	0.16	23.5	21.9	1	1.4	313	1.30	<0.05	1.38	1.025	0.11
G190167		1190	2.7	37.9	<0.002	0.74	75.8	22.2	1	1.4	242	1.24	<0.05	1.32	1.025	0.26
G190168		670	6.7	51.4	0.004	0.45	35.3	17.3	1	1.4	188.0	0.29	0.07	1.54	0.387	0.39
G190189		590	4.3	40.5	<0.002	0.11	31.4	15.6	1	0.9	136.5	0.34	0.88	2.46	0.364	0.37
G190190		660	2.6	47.0	<0.002	0.32	11.90	17.5	1	0.6	110.0	0.26	0.34	1.85	0.379	0.50
G190191		720	3.4	51.1	0.003	0.56	23.9	20.9	1	1.1	125.0	0.28	0.33	1.98	0.425	0.45
G190192		720	2.4	50.9	<0.002	0.48	8.60	17.7	1	1.1	116.5	0.33	0.16	2.33	0.379	0.51
G190193		900	2.2	39.5	<0.002	0.64	6.38	17.6	2	2.1	107.5	0.37	0.57	1.68	0.408	0.47
G190194		790	2.6	34.8	0.002	0.78	16.50	17.8	1	1.5	138.5	0.31	0.41	1.71	0.387	0.34
G190195		670	2.3	29.6	<0.002	0.58	2.01	12.7	<1	1.0	117.5	0.24	0.22	2.29	0.265	0.26
G190203		590	3.5	45.9	<0.002	0.80	40.6	12.3	1	1.3	237	0.27	0.22	1.98	0.343	0.37
G190204		720	3.3	34.8	0.002	0.95	25.6	17.1	1	1.0	293	0.28	0.25	2.07	0.377	0.33
G190205		660	2.7	32.6	0.003	0.98	14.40	18.1	1	0.9	199.5	0.23	0.70	1.47	0.345	0.41
G190206		500	2.3	38.7	0.004	1.50	49.4	18.4	2	1.5	143.0	0.20	0.74	1.25	0.331	0.64
G190207		420	2.1	50.6	0.004	1.74	1580	17.6	1	1.6	151.0	0.20	0.40	1.43	0.329	0.60
G190208		570	3.4	43.4	0.005	2.61	>10000	13.0	1	1.2	320	0.19	0.37	1.27	0.265	0.49
G190209		530	2.9	23.6	<0.002	1.46	164.5	16.4	1	2.3	289	0.27	0.39	1.48	0.332	0.32
G190210		580	2.9	18.2	<0.002	1.60	163.5	16.9	1	2.5	334	0.28	1.06	1.44	0.350	0.47
G190211		340	5.8	28.2	0.002	2.63	8390	9.3	1	1.2	299	0.11	0.59	0.68	0.162	0.31
G190212		440	2.3	27.8	0.002	1.74	6510	10.1	1	0.6	298	0.12	0.10	0.62	0.211	0.30
G190213		320	10.7	40.3	<0.002	1.97	904	31.3	1	0.8	169.5	0.08	0.12	0.12	0.561	0.39
G190214		480	2.3	34.0	<0.002	0.82	217	30.8	1	0.8	255	0.28	<0.05	0.33	0.650	0.35
G190215		910	2.4	28.4	0.003	0.11	96.3	25.6	<1	1.0	227	0.88	<0.05	0.91	0.790	0.18
G190216		1440	2.1	21.4	0.004	0.05	97.3	30.5	1	1.4	235	1.56	<0.05	1.60	1.145	0.09
G190217		1350	2.2	30.4	<0.002	0.05	31.9	26.5	<1	1.4	295	1.50	<0.05	1.47	1.145	0.11
G190218		1180	2.0	30.9	<0.002	0.06	25.0	21.8	1	1.2	299	1.22	<0.05	1.23	1.010	0.11
G190219		1450	2.1	29.2	<0.002	0.32	28.1	23.3	<1	1.3	249	1.28	<0.05	1.19	1.055	0.14

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Sb-AA08 Sb % 0.01
G190153		0.6	128	1.7	13.5	73	30.5	
G190154		0.8	113	5.3	14.9	69	40.6	
G190155		0.9	109	3.8	14.9	76	40.7	
G190156		1.3	107	5.3	15.6	85	41.3	
G190157		0.7	132	5.5	13.2	77	41.8	
G190158		0.7	130	9.8	10.8	114	40.5	
G190159		0.9	120	3.9	15.0	1250	43.7	
G190160		0.5	178	38.4	15.8	95	39.7	
G190161		0.2	227	11.2	21.8	74	48.7	
G190162		0.2	147	57.2	13.7	175	43.5	1.23
G190163		0.4	173	32.4	22.9	179	80.4	
G190164		0.3	193	3.5	20.9	88	65.3	
G190165		0.5	192	3.2	21.0	76	78.7	
G190166		0.4	184	0.8	20.5	70	101.0	
G190167		0.5	178	7.1	19.0	99	74.8	
G190168		0.6	96	2.0	14.2	99	48.8	
G190189		0.7	106	2.3	12.0	47	37.6	
G190190		0.5	102	2.4	12.2	37	31.6	
G190191		0.6	120	2.8	12.7	35	31.1	
G190192		0.8	100	1.9	14.8	60	54.1	
G190193		0.9	111	2.5	19.6	94	70.9	
G190194		0.6	92	2.9	15.4	37	33.3	
G190195		0.8	60	2.5	15.6	32	61.1	
G190203		0.7	98	8.4	11.4	28	42.4	
G190204		0.6	105	8.1	11.3	31	34.6	
G190205		0.5	90	4.5	12.2	45	28.2	
G190206		0.6	105	6.1	14.7	69	36.0	
G190207		0.7	98	19.4	15.7	70	50.4	
G190208		0.7	86	26.4	10.4	84	41.1	1.65
G190209		0.8	127	7.6	10.8	69	40.9	
G190210		0.8	131	14.9	11.0	71	41.8	
G190211		0.4	62	20.7	7.6	103	22.1	
G190212		0.3	68	30.5	8.2	47	39.3	
G190213		0.1	224	31.3	20.6	95	50.7	
G190214		0.1	215	10.5	22.3	75	62.3	
G190215		0.3	182	2.3	20.0	79	54.5	
G190216		0.5	220	1.9	23.2	92	112.0	
G190217		0.4	176	0.9	23.0	88	110.0	
G190218		0.3	175	0.5	19.4	73	101.0	
G190219		0.3	180	2.4	22.1	89	91.7	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190220		2.10	0.016		0.04	8.04	20.1	220	0.96	0.02	4.72	0.12	39.3	33.2	116	4.36
G190234		2.26	0.039		0.07	7.40	18.4	1070	0.85	0.40	1.39	0.02	31.2	11.1	27	2.57
G190235		2.70	0.032		0.10	5.42	137.0	760	0.66	0.76	2.94	0.03	22.4	24.6	396	3.52
G190236		2.64	0.040		0.12	8.02	138.5	1180	0.92	0.74	0.97	0.02	26.1	10.8	69	2.97
G190237		2.66	0.007		0.15	7.47	10.2	990	0.81	0.85	1.18	0.04	22.5	14.8	85	3.31
G190242		2.36	0.014		0.14	7.22	112.0	990	0.87	1.71	1.37	0.03	23.3	12.8	70	3.07
G190243		2.82	0.006		0.07	5.73	17.6	700	0.71	0.36	1.15	0.03	27.2	10.6	59	2.85
G190244		2.46	0.015		0.07	6.56	126.0	1140	0.70	0.82	0.52	0.05	30.1	12.8	15	2.45
G190245		2.84	0.032		0.16	6.84	295	640	0.74	1.21	2.63	0.04	23.8	18.7	109	3.42
G190261		3.02	0.036		0.16	7.24	56.4	720	0.88	1.14	3.56	0.05	17.35	9.5	36	3.24
G190262		2.34	0.259		0.22	7.31	526	1210	0.83	0.91	3.16	0.04	19.50	9.6	34	4.04
G190263		2.56	0.550		0.31	7.42	1340	980	0.94	0.85	2.60	0.03	21.7	9.0	33	6.38
G190264		2.34	3.57		2.16	4.49	2540	350	1.01	0.57	2.23	0.06	32.0	9.0	49	4.07
G190265		2.50	3.54		1.42	6.91	3330	220	0.91	0.81	1.55	0.03	20.9	6.8	14	5.40
G190266		2.94	3.43		0.69	6.94	2090	320	1.01	0.95	1.67	0.05	24.7	6.0	16	4.57
G190267		2.36	0.632		0.45	7.07	816	690	0.95	0.73	1.91	0.04	22.3	6.5	17	3.66
G190268		3.02	0.053		0.24	7.40	48.1	790	0.89	1.70	1.94	0.02	25.1	8.0	18	2.71



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
G190220		39.6	6.55	17.25	0.16	2.7	0.073	1.12	19.5	33.4	3.95	1045	1.72	2.39	24.6	67.6
G190234		36.4	3.70	15.45	0.20	1.0	0.046	1.65	14.4	9.3	1.16	899	1.48	2.36	4.2	57.1
G190235		50.0	3.61	11.55	0.16	1.4	0.049	1.17	10.2	18.7	3.80	729	2.48	0.90	2.9	347
G190236		59.9	3.99	17.45	0.19	0.9	0.040	2.35	13.2	17.0	1.00	465	2.60	1.64	2.9	49.0
G190237		69.5	4.14	15.90	0.18	0.8	0.021	1.55	11.0	20.6	0.87	423	3.99	2.05	2.6	67.8
G190242		74.5	4.21	16.15	0.21	0.8	0.038	1.53	11.4	28.2	0.90	515	2.62	1.67	3.1	51.6
G190243		55.8	3.67	13.60	0.20	1.1	0.030	1.17	12.6	24.7	0.91	638	2.27	1.25	4.2	44.4
G190244		40.0	2.89	13.35	0.22	0.7	0.037	1.27	12.3	17.8	0.30	700	2.93	1.86	3.6	33.5
G190245		47.2	4.13	15.20	0.23	1.0	0.059	1.27	9.8	13.6	1.27	645	2.26	1.82	4.6	60.6
G190261		48.8	3.02	17.20	0.22	1.8	0.028	1.29	7.8	30.3	1.62	398	1.71	1.88	4.2	14.6
G190262		45.1	2.92	17.80	0.20	1.9	0.037	1.38	8.9	90.7	1.42	424	1.48	0.16	4.5	13.7
G190263		44.6	2.86	17.50	0.20	1.7	0.031	1.70	10.6	90.1	1.22	394	1.44	0.07	4.7	16.5
G190264		61.4	2.75	11.40	0.12	1.1	0.013	1.24	14.6	39.9	1.25	304	5.33	0.06	4.5	32.5
G190265		55.2	4.17	15.55	0.13	0.7	0.042	1.83	8.5	70.0	0.87	472	1.65	0.08	2.5	7.2
G190266		48.2	3.40	14.50	0.14	1.0	0.033	1.59	10.7	86.1	0.86	432	2.02	0.07	3.1	9.4
G190267		45.9	3.51	15.10	0.16	1.1	0.031	1.22	9.7	75.4	1.02	581	1.82	0.19	2.9	11.0
G190268		66.6	4.03	16.00	0.14	1.1	0.031	1.29	10.9	65.3	0.94	448	3.32	0.25	2.9	12.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005
G190220		1480	1.7	28.5	<0.002	0.10	23.3	25.9	<1	1.4	445	1.51	<0.05	1.42	1.235	0.11
G190234		550	2.5	40.0	<0.002	0.47	6.64	16.0	1	0.9	183.0	0.28	0.07	2.08	0.369	0.34
G190235		400	2.7	30.7	<0.002	0.78	7.35	13.4	1	0.8	185.5	0.20	0.31	1.86	0.243	0.25
G190236		700	3.2	55.2	0.003	1.13	4.39	20.5	2	1.0	142.5	0.20	0.18	1.71	0.340	0.57
G190237		760	2.9	44.6	0.002	0.73	5.65	18.6	1	0.7	176.0	0.18	0.13	1.41	0.311	0.51
G190242		660	2.6	43.1	0.002	0.90	4.21	17.1	2	1.2	173.5	0.20	0.81	1.50	0.339	0.44
G190243		660	2.0	34.3	0.002	0.58	9.79	15.8	1	0.6	133.0	0.28	0.20	2.41	0.314	0.41
G190244		590	2.8	33.1	<0.002	0.24	18.95	14.8	1	0.9	165.0	0.24	0.35	2.02	0.294	0.33
G190245		600	3.1	32.7	<0.002	0.54	10.25	17.3	1	0.8	284	0.28	0.14	1.56	0.392	0.27
G190261		620	5.3	25.7	<0.002	1.03	5.12	8.5	<1	0.9	412	0.29	0.11	1.58	0.310	0.26
G190262		710	5.3	23.8	0.002	1.04	21.5	8.6	<1	0.9	328	0.31	0.06	1.67	0.313	0.37
G190263		610	4.9	36.6	0.002	1.64	67.3	8.5	<1	0.9	258	0.34	0.07	2.03	0.307	0.47
G190264		580	3.2	36.5	0.009	1.70	4070	10.6	3	0.6	243	0.33	0.21	3.87	0.225	0.30
G190265		640	2.7	58.5	0.004	3.46	195.5	18.7	1	1.2	225	0.16	0.24	0.89	0.359	0.55
G190266		710	2.9	47.7	0.004	2.41	887	14.8	1	1.0	171.5	0.20	0.27	1.36	0.321	0.51
G190267		640	4.3	34.2	0.003	1.47	2920	15.2	1	0.8	156.0	0.20	0.19	1.28	0.319	0.36
G190268		700	3.3	32.0	0.003	1.72	20.2	18.5	1	1.1	146.0	0.18	0.53	1.21	0.363	0.40



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22135570

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Sb-AA08 Sb % 0.01
G190220		0.4	220	0.8	22.3	72	98.4	
G190234		0.6	72	2.9	13.1	51	33.7	
G190235		0.6	76	3.4	10.8	47	46.0	
G190236		0.6	114	2.9	13.2	37	31.7	
G190237		0.6	110	3.1	15.4	44	29.4	
G190242		0.7	106	3.1	15.2	38	28.9	
G190243		0.6	83	1.8	13.0	36	37.8	
G190244		0.5	66	3.8	14.0	32	27.5	
G190245		0.6	122	4.1	11.3	45	37.9	
G190261		0.8	84	10.0	7.0	35	62.6	
G190262		0.9	82	16.5	7.0	34	63.3	
G190263		1.0	79	19.1	7.2	34	53.3	
G190264		1.2	110	26.7	8.4	27	40.0	
G190265		0.4	65	43.4	15.6	34	21.6	
G190266		0.6	63	30.1	15.1	28	33.0	
G190267		0.5	67	14.1	11.4	33	32.7	
G190268		0.6	77	5.5	15.4	27	40.8	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135570**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>Sb-AA08</td><td>SPL-21</td><td>WEI-21</td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	Sb-AA08	SPL-21	WEI-21	
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
Sb-AA08	SPL-21	WEI-21											



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

## CERTIFICATE VA22135911

Project: Reliance Gold

P.O. No.: Reliance-2022-008

This report is for 75 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 23-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN O'BRIEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:  
Saa Traxler

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190019		2.82	0.077		0.23	8.58	51.9	840	1.01	1.72	1.66	0.06	18.95	13.5	17	2.37
G190020		1.18	0.449		0.25	3.98	585	340	0.48	2.31	3.60	0.06	11.90	56.9	1225	4.11
G190021		0.76	0.020		0.23	3.30	323	310	0.42	4.46	5.00	0.10	10.25	64.6	1490	6.30
G190022		0.42	0.045		0.19	7.33	136.0	620	0.88	2.20	3.80	0.13	22.9	35.5	401	6.56
G190023		1.62	0.044		0.12	7.54	53.8	820	0.94	1.11	3.48	0.12	21.6	20.3	137	4.25
G190058		3.58	0.026		0.23	7.11	30.0	560	1.00	1.77	1.57	0.33	33.1	11.1	18	2.77
G190059		2.04	0.041		0.12	6.54	128.0	380	0.86	0.79	1.22	0.02	25.3	10.7	11	3.09
G190060		1.78	2.04		1.09	6.33	1065	740	0.92	0.65	1.93	0.03	36.2	12.6	12	4.10
G190061		2.70	3.04		1.08	5.77	1555	550	0.86	0.62	2.28	0.08	29.3	6.2	12	4.63
G190062		3.14	0.465		0.23	6.84	343	840	0.91	0.59	1.29	0.19	35.4	8.9	10	3.58
G190063		2.54	1.450		0.48	5.87	648	460	0.82	0.83	1.51	0.10	30.5	6.8	12	4.14
G190064		1.40	0.272		0.18	6.90	226	570	1.02	0.92	2.48	0.53	23.8	8.7	34	4.24
G190065		3.40	0.115		0.16	7.36	180.0	880	1.06	0.64	1.60	0.05	26.0	10.8	57	3.13
G190066		1.70	0.383		0.33	7.02	614	770	0.85	0.65	1.48	0.03	24.4	9.5	37	3.45
G190067		3.32	1.715		0.63	7.15	1140	460	0.92	1.14	2.19	0.05	21.7	12.3	33	4.73
G190068		2.04	0.443		0.28	6.88	305	740	0.91	0.73	2.40	0.03	24.4	11.7	69	3.19
G190069		2.82	2.17		0.56	6.24	1140	560	0.91	0.64	3.01	0.03	21.6	11.4	53	3.67
G190070		3.86	>10.0	13.65	3.70	4.41	7020	210	0.66	0.50	6.15	0.11	16.00	17.4	53	4.49
G190071		0.94	>10.0	13.95	2.92	5.37	6340	140	0.73	0.51	7.06	0.14	17.05	19.9	83	6.54
G190072		0.92	8.06		1.06	6.35	3830	130	0.77	0.25	7.17	0.06	21.6	27.7	88	6.53
G190073		3.40	2.79		0.60	7.98	1415	150	1.01	0.42	5.58	0.06	31.9	35.7	130	6.48
G190074		3.12	5.27		2.12	6.97	2800	140	1.00	0.52	6.76	0.07	31.0	34.5	99	7.03
G190075		2.70	1.330		0.38	7.60	833	150	1.04	0.46	6.94	0.03	30.9	35.1	112	7.79
G190076		4.36	1.450		0.50	7.37	743	160	0.94	0.26	7.19	0.09	34.6	37.6	105	5.58
G190077		5.94	2.94		2.23	7.53	2480	160	1.08	2.93	5.46	4.33	35.2	31.9	106	5.68
G190078		1.56	0.065		0.10	7.74	53.6	1040	1.00	0.36	0.28	0.15	32.9	9.4	36	2.87
G190079		1.20	0.032		0.11	3.21	24.0	560	0.61	0.91	0.13	0.04	21.8	7.0	35	1.68
G190080		2.06	0.148		0.27	4.53	223	500	0.90	0.94	0.17	0.04	27.7	14.8	60	2.89
G190081		1.68	0.050		0.18	7.84	61.0	1180	0.94	1.18	0.96	0.07	26.2	14.2	42	3.23
G190082		2.08	0.010		0.20	7.26	58.8	790	0.91	1.96	3.53	0.13	13.40	21.0	249	4.00
G190083		2.58	0.011		0.17	7.00	24.7	780	0.98	1.36	1.65	0.05	22.8	14.4	119	3.43
G190084		2.22	0.044		0.12	7.40	45.9	630	0.99	0.52	1.72	0.06	23.4	13.4	81	3.54
G190085		2.58	0.056		0.11	7.67	65.2	520	0.97	0.41	1.61	0.06	24.8	15.0	116	3.85
G190086		2.02	0.026		0.08	8.07	149.0	730	1.01	0.46	0.71	0.22	26.0	14.3	95	4.19
G190087		2.18	0.028		0.10	7.60	76.7	670	1.04	0.48	1.56	0.10	23.6	13.0	78	4.26
G190088		2.70	0.011		0.10	7.20	60.9	650	1.02	0.51	2.02	0.07	23.2	16.9	135	4.20
G190089		2.26	0.006		0.05	5.77	238	310	0.63	0.56	4.87	0.10	16.30	48.7	624	10.45
G190090		2.78	0.009		0.16	7.20	28.3	740	0.86	1.46	3.27	0.07	12.35	14.6	49	2.77
G190091		2.66	0.013		0.18	7.12	6.9	750	0.83	1.78	3.44	0.07	12.30	13.7	14	3.34
G190092		2.58	0.567		0.36	7.48	376	590	0.80	1.57	3.53	0.07	13.65	12.6	17	4.15

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
G190019		89.7	3.39	23.0	0.16	1.6	0.023	0.95	8.5	14.8	0.29	358	0.94	3.33	3.6	16.2
G190020		79.2	5.27	10.00	0.10	0.7	0.060	0.61	5.4	20.7	3.35	954	1.88	0.69	1.9	961
G190021		124.0	6.85	10.30	0.05	0.7	0.056	0.49	4.8	21.3	3.52	962	2.54	0.51	1.9	1195
G190022		101.0	5.57	17.70	0.09	1.6	0.048	0.96	10.6	15.9	1.84	722	2.13	2.03	4.4	452
G190023		60.5	4.52	17.65	0.11	1.2	0.048	0.92	9.5	23.6	1.80	774	1.30	1.78	4.0	166.0
G190058		96.9	4.69	15.65	0.14	1.9	0.055	1.07	14.3	68.9	0.80	550	1.29	0.48	4.0	15.0
G190059		54.1	3.88	14.75	0.13	0.8	0.035	1.23	10.6	57.3	0.71	645	0.86	0.70	3.5	11.4
G190060		38.3	2.69	13.60	0.12	2.2	0.042	1.94	15.9	57.3	1.03	564	1.35	0.06	5.4	16.5
G190061		37.2	2.51	12.40	0.08	1.6	0.039	1.48	13.0	69.3	1.16	420	1.71	0.05	3.6	9.0
G190062		36.1	2.65	15.05	0.07	1.7	0.050	1.67	15.1	70.4	0.79	616	1.34	0.06	4.5	13.5
G190063		51.7	2.65	12.90	0.06	1.7	0.025	1.60	13.3	55.0	0.77	230	1.62	0.05	3.4	10.6
G190064		51.3	3.35	15.30	0.06	1.2	0.032	1.18	10.9	82.9	1.33	399	1.50	0.06	3.4	26.2
G190065		42.4	3.89	16.15	0.07	1.5	0.040	1.31	11.8	85.1	1.32	643	1.71	0.06	3.6	52.5
G190066		47.6	3.63	15.15	0.06	1.2	0.035	1.50	11.1	68.3	1.10	497	1.99	0.06	3.7	28.8
G190067		66.3	4.41	15.45	0.07	1.7	0.026	1.39	10.5	75.8	1.24	501	8.16	0.06	3.1	24.9
G190068		47.6	3.75	15.35	0.06	1.5	0.030	0.86	11.2	100.5	1.50	600	1.63	0.05	3.2	65.8
G190069		44.8	3.77	13.60	0.06	1.1	0.028	0.93	10.1	91.3	1.68	623	2.58	0.06	3.3	50.3
G190070		42.5	4.30	11.85	0.06	1.1	0.059	1.22	7.3	49.1	2.92	943	1.71	0.05	6.4	29.4
G190071		33.2	4.92	12.35	<0.05	1.2	0.069	1.58	7.6	43.7	3.17	1285	0.89	0.06	8.7	30.6
G190072		28.0	5.92	14.05	0.05	1.8	0.066	1.38	9.8	60.3	3.19	1385	1.26	0.06	11.4	38.1
G190073		74.6	6.03	20.1	0.10	2.2	0.090	0.88	13.5	74.6	2.39	1370	1.44	0.92	19.9	53.5
G190074		93.1	6.78	16.70	0.09	2.1	0.082	1.33	14.2	57.1	2.94	1405	1.35	0.35	17.4	47.6
G190075		34.6	5.94	16.55	0.07	2.3	0.070	1.01	13.7	55.7	3.01	1455	1.23	0.99	16.7	48.1
G190076		47.2	6.31	17.65	0.08	2.2	0.083	0.76	15.4	57.4	3.03	1570	1.31	1.33	19.1	47.4
G190077		64.1	6.35	17.30	0.09	2.2	0.105	1.23	14.9	89.1	2.01	1110	1.35	1.21	19.8	44.7
G190078		39.2	3.56	16.65	0.10	1.1	0.059	1.79	15.1	28.3	0.44	732	1.42	1.49	5.2	26.8
G190079		50.5	2.61	8.78	<0.05	1.0	0.023	0.90	9.9	16.8	0.15	296	1.45	0.15	3.6	16.7
G190080		102.0	4.58	12.10	0.07	0.8	0.024	1.09	12.1	26.9	0.22	440	1.68	0.16	2.9	52.0
G190081		76.3	4.04	18.00	0.11	0.9	0.045	1.67	11.9	31.0	0.43	568	1.22	1.37	3.7	39.1
G190082		109.0	4.78	19.00	0.08	1.1	0.079	1.27	5.6	24.0	1.05	836	1.49	1.16	3.0	145.0
G190083		74.4	4.50	15.70	0.09	1.1	0.066	1.39	11.2	42.6	1.07	575	2.90	1.29	3.9	97.0
G190084		46.1	4.08	17.40	0.12	0.8	0.033	1.52	10.3	30.0	1.45	802	1.36	1.97	3.8	69.5
G190085		42.7	4.36	17.25	0.11	0.8	0.028	1.44	11.4	30.7	1.37	822	1.72	2.18	4.0	91.1
G190086		43.6	4.50	18.20	0.14	0.8	0.037	1.61	12.1	28.5	0.84	1055	2.15	2.34	4.0	92.3
G190087		48.0	4.24	16.65	0.12	0.8	0.029	1.44	10.7	21.2	1.37	778	1.69	2.40	3.6	62.5
G190088		55.6	4.56	15.95	0.13	0.7	0.063	1.25	10.8	29.5	1.79	841	1.77	1.88	4.0	125.5
G190089		24.9	5.45	12.90	0.10	1.0	0.056	0.69	7.6	29.2	3.49	1370	2.17	0.25	2.7	768
G190090		78.0	3.42	20.7	0.07	1.4	0.021	0.99	5.0	17.7	1.03	400	1.01	2.56	3.2	69.8
G190091		86.6	3.45	20.9	0.07	1.4	0.020	1.19	5.0	20.5	1.06	350	1.05	2.17	3.2	10.5
G190092		68.1	3.35	20.6	0.08	1.3	0.022	1.64	5.7	18.3	1.33	346	0.91	1.78	3.1	19.5

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
G190019		580	6.3	24.9	<0.002	0.24	3.41	5.8	1	1.1	630	0.24	0.20	1.10	0.387	0.17
G190020		250	3.2	25.0	<0.002	0.61	13.40	12.7	1	0.9	338	0.12	0.52	0.78	0.195	0.11
G190021		180	3.4	24.6	<0.002	0.57	13.30	10.9	2	0.8	342	0.12	1.21	0.84	0.149	0.08
G190022		480	4.9	36.5	<0.002	0.37	7.56	11.3	2	1.1	494	0.30	0.36	1.75	0.343	0.19
G190023		490	3.5	27.3	<0.002	0.29	3.41	17.3	1	1.2	470	0.26	0.33	1.45	0.402	0.15
G190058		940	2.9	29.7	0.002	2.32	7.25	18.2	2	3.6	224	0.24	0.43	2.24	0.367	0.44
G190059		680	2.8	32.3	<0.002	1.39	11.60	19.7	1	1.2	169.5	0.20	0.19	1.65	0.394	0.25
G190060		500	2.2	56.9	<0.002	1.46	1190	11.5	1	1.2	217	0.37	0.20	3.87	0.237	0.35
G190061		410	2.0	44.6	0.002	2.22	5070	10.6	1	1.0	178.0	0.24	0.17	2.25	0.197	0.33
G190062		480	4.7	45.6	0.002	1.05	156.0	15.1	1	1.2	171.0	0.30	0.24	2.91	0.255	0.32
G190063		430	2.8	46.1	<0.002	2.04	76.7	11.5	1	0.9	143.5	0.22	0.34	2.40	0.185	0.37
G190064		580	3.3	30.8	0.005	1.34	80.5	15.9	2	1.0	173.5	0.21	0.19	1.54	0.321	0.38
G190065		600	2.4	33.1	0.005	0.98	22.2	19.9	1	0.9	166.0	0.24	0.20	1.91	0.363	0.36
G190066		530	2.2	40.5	0.006	1.61	34.0	18.6	2	0.8	167.5	0.24	0.20	1.83	0.326	0.33
G190067		490	2.8	43.3	0.013	2.72	73.9	20.6	2	0.7	156.5	0.19	0.38	1.53	0.338	0.45
G190068		670	2.2	26.3	0.005	1.01	56.7	19.5	2	0.7	195.0	0.21	0.24	1.68	0.337	0.33
G190069		570	2.4	27.2	0.008	1.40	216	17.9	2	0.7	188.0	0.21	0.21	1.42	0.329	0.37
G190070		580	3.2	41.0	0.004	3.29	5940	19.3	1	0.8	178.0	0.38	0.18	0.66	0.526	0.48
G190071		590	2.9	53.3	0.002	3.45	2400	24.3	1	0.8	181.0	0.52	0.20	0.65	0.618	0.54
G190072		810	2.6	48.1	0.003	3.67	1250	30.1	1	0.9	175.5	0.67	0.06	0.84	0.775	0.60
G190073		1270	2.7	19.1	0.003	1.81	481	31.0	1	1.4	186.0	1.13	0.11	1.21	1.190	0.40
G190074		1240	2.7	45.2	0.003	4.66	514	33.9	2	1.2	228	0.99	0.12	1.23	1.010	0.67
G190075		1110	2.0	37.3	0.005	1.54	244	34.4	1	1.2	188.0	0.98	0.18	1.19	1.040	0.38
G190076		1250	1.9	27.7	0.003	1.11	251	38.0	1	1.3	203	1.08	0.07	1.43	1.090	0.29
G190077		1430	78.0	43.2	0.004	1.81	771	31.6	1	1.5	210	1.14	0.36	1.28	1.100	0.42
G190078		560	2.8	44.8	<0.002	0.14	25.0	18.2	2	1.3	107.0	0.32	0.13	2.54	0.374	0.29
G190079		370	1.6	26.3	<0.002	0.10	21.2	10.0	1	0.8	60.0	0.23	0.31	2.51	0.174	0.23
G190080		520	1.9	36.2	<0.002	0.15	283	14.1	2	0.8	102.0	0.19	0.32	2.23	0.203	0.37
G190081		650	3.1	43.6	<0.002	0.51	86.6	15.7	2	1.3	258	0.24	0.24	1.82	0.381	0.37
G190082		630	3.0	26.2	<0.002	0.96	25.9	9.2	2	1.8	284	0.19	0.46	0.79	0.409	0.38
G190083		890	2.7	40.3	0.005	1.22	6.01	20.5	3	1.8	163.0	0.24	0.32	1.67	0.380	0.47
G190084		690	2.2	46.4	0.002	0.67	26.6	21.0	2	0.9	145.0	0.23	0.20	1.37	0.411	0.49
G190085		740	2.2	48.2	0.002	0.59	40.3	22.2	2	0.8	172.5	0.25	0.16	1.55	0.427	0.44
G190086		760	2.3	51.2	0.002	0.22	128.0	22.7	2	0.8	171.5	0.24	0.14	1.65	0.450	0.42
G190087		630	2.5	48.7	0.003	0.52	48.1	21.6	2	0.6	211	0.22	0.15	1.38	0.427	0.46
G190088		690	2.5	41.0	0.002	0.75	43.4	20.8	2	1.2	281	0.25	0.16	1.44	0.419	0.43
G190089		360	1.1	33.8	<0.002	0.08	51.9	18.1	1	0.7	326	0.18	0.16	1.16	0.292	0.08
G190090		670	5.1	16.3	<0.002	0.82	8.51	5.7	1	1.0	556	0.22	0.17	0.73	0.358	0.23
G190091		710	5.3	21.5	<0.002	1.16	5.73	5.4	1	1.1	468	0.22	0.24	0.72	0.356	0.30
G190092		690	5.0	34.9	<0.002	1.62	22.7	5.5	1	0.9	364	0.21	0.20	0.81	0.349	0.38

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190019		0.6	102	14.1	5.9	31	50.7
G190020		0.3	79	10.1	7.8	150	23.9
G190021		0.5	68	9.3	6.2	189	24.0
G190022		0.8	111	9.9	10.0	96	51.2
G190023		0.6	129	4.4	11.1	85	39.3
G190058		0.9	56	8.2	25.5	51	66.4
G190059		0.4	77	4.1	16.3	40	27.0
G190060		1.2	50	23.8	14.2	34	76.1
G190061		0.7	33	22.9	13.4	24	52.5
G190062		0.9	55	22.5	12.9	46	66.6
G190063		0.9	38	7.7	14.7	22	60.8
G190064		0.8	92	6.3	12.2	53	43.4
G190065		0.7	103	8.3	11.8	56	58.5
G190066		0.9	93	16.4	11.8	46	46.4
G190067		1.2	115	23.5	16.3	38	72.4
G190068		0.7	98	9.3	12.3	53	52.5
G190069		0.7	98	13.6	11.6	45	41.1
G190070		0.3	129	49.3	12.0	48	34.9
G190071		0.3	156	72.0	14.1	63	42.3
G190072		0.4	193	92.2	19.5	60	69.7
G190073		0.5	271	92.7	23.6	87	63.5
G190074		0.4	223	93.9	23.0	71	62.6
G190075		0.5	236	65.9	23.3	80	70.0
G190076		0.4	255	62.7	26.4	85	72.5
G190077		0.3	172	43.6	23.9	245	78.3
G190078		0.7	92	2.8	14.3	61	39.4
G190079		0.8	57	2.5	9.4	22	39.1
G190080		0.6	74	4.5	11.0	37	29.2
G190081		0.6	110	8.2	10.5	43	32.4
G190082		0.5	126	9.8	8.2	77	38.0
G190083		1.0	139	2.3	20.5	51	38.2
G190084		0.5	111	2.7	11.9	52	29.2
G190085		0.6	120	4.0	13.3	61	30.8
G190086		0.7	126	7.6	14.6	77	32.3
G190087		0.6	117	2.6	12.6	62	29.7
G190088		0.5	117	1.8	14.2	72	27.5
G190089		0.6	97	1.6	15.1	154	35.7
G190090		0.5	106	3.7	4.9	41	46.8
G190091		0.5	105	7.3	4.7	33	46.7
G190092		0.5	105	5.7	4.8	30	44.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190093		2.98	0.126		0.19	7.23	110.5	530	0.86	2.22	2.11	0.05	21.1	17.9	70	4.97
G190094		2.90	0.105		0.35	7.00	109.0	680	0.95	0.47	1.71	0.02	25.2	14.0	96	4.97
G190095		2.50	2.66		0.73	6.50	1265	640	0.89	0.71	2.31	0.07	24.2	13.8	84	4.26
G190096		2.82	0.452		0.17	7.17	404	680	0.97	0.79	1.57	0.27	26.0	14.2	84	5.29
G190097		2.76	0.187		0.13	7.60	283	660	0.94	0.76	1.59	0.04	26.7	13.5	72	5.50
G190098		2.80	0.156		0.13	6.14	203	380	0.69	0.83	2.13	0.06	22.8	14.8	163	5.67
G190099		3.00	0.025		0.09	7.24	96.2	710	0.83	1.04	1.51	0.33	26.7	13.7	65	4.37
G190100		2.90	0.257		0.10	6.90	264	690	0.84	0.30	1.59	0.02	25.0	12.1	56	3.86
G190101		3.00	0.022		0.09	6.99	22.6	650	0.81	0.44	1.43	0.16	26.0	13.1	60	3.85
G190102		2.50	0.026		0.08	6.95	13.5	700	0.92	0.59	1.39	0.20	26.1	12.4	56	3.71
G190103		3.02	0.053		0.11	6.98	45.5	770	0.83	1.14	1.44	0.03	25.4	12.0	56	3.50
G190104		2.44	0.021		0.12	6.86	48.1	960	0.83	0.72	1.73	0.03	24.8	13.2	54	3.71
G190105		2.62	0.008		0.07	6.78	20.5	510	0.83	0.33	1.64	0.05	24.7	14.3	114	3.48
G190106		2.88	0.009		0.12	6.68	15.3	610	0.67	1.00	2.69	0.03	18.15	13.8	99	3.71
G190107		2.64	0.017		0.07	6.45	45.2	600	0.78	0.47	2.16	0.05	21.4	18.6	239	5.39
G190108		3.30	0.010		0.06	6.59	25.4	470	0.71	0.50	1.82	0.64	21.7	15.3	188	5.24
G190109		2.64	5.05		0.77	6.62	3110	580	0.72	0.72	2.10	0.11	20.0	11.8	104	6.41
G190110		2.94	2.89		0.43	5.79	1605	810	0.71	0.75	3.14	0.05	20.4	12.2	88	5.23
G190111		2.48	0.018		0.10	6.76	18.4	760	0.83	0.27	1.95	0.03	24.3	12.6	64	4.15
G190112		2.66	0.035		0.07	7.38	31.7	700	0.82	0.31	1.23	0.02	26.1	14.0	96	5.23
G190113		2.66	0.057		0.10	6.42	276	640	0.74	0.64	2.12	0.03	22.4	16.6	214	6.63
G190114		2.48	0.024		0.12	6.69	47.0	900	0.78	1.06	2.72	0.02	20.5	18.8	327	6.87
G190115		2.76	0.016		0.08	6.46	23.0	450	0.75	0.43	1.81	0.25	23.7	15.9	151	7.41
G190116		2.98	0.018		0.08	6.42	80.9	480	0.76	0.47	2.99	0.09	18.20	23.1	311	7.90
G190117		3.60	0.272		0.16	6.31	512	670	0.77	1.54	3.42	1.47	21.3	15.3	138	5.19
G190118		2.92	3.15		0.31	7.34	1350	1110	0.82	0.36	1.80	0.06	23.9	10.0	45	3.96
G190119		2.22	1.060		0.45	6.51	1115	550	0.82	1.10	1.89	0.17	31.6	11.8	40	4.66
G190120		2.64	0.670		0.21	5.35	450	530	0.76	0.95	1.82	0.04	26.2	11.3	77	3.10
G190121		1.50	0.385		0.24	7.51	289	440	0.79	1.18	2.84	0.03	19.80	17.5	89	6.27
G190122		3.06	1.085		0.83	6.17	955	440	0.66	1.87	5.10	0.03	13.35	31.7	365	4.47
G190123		1.96	5.30		1.18	5.93	2150	430	0.85	2.25	3.49	0.14	24.2	21.3	160	4.52
G190124		2.70	0.166		0.14	7.95	133.0	180	1.07	0.08	3.11	0.08	38.7	39.2	240	5.04
G190125		2.14	0.195		1.40	5.95	427	730	0.98	2.17	6.00	3.67	31.1	33.5	194	4.36
G190126		2.26	0.041		0.19	4.76	79.7	310	0.80	0.14	5.02	0.27	25.7	45.1	179	3.79
G190127		1.92	0.006		0.04	7.92	13.1	580	1.50	0.07	3.57	0.09	51.5	32.4	107	12.85

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
G190093		61.9	3.84	17.00	0.08	0.9	0.036	1.44	9.0	37.1	1.40	659	1.34	1.25	3.4	108.5
G190094		44.9	3.99	15.25	0.11	0.6	0.046	1.59	11.1	34.0	1.51	941	1.44	1.42	3.6	66.9
G190095		52.3	3.86	14.70	0.10	0.7	0.039	1.50	10.8	37.3	1.58	828	1.43	0.96	3.4	67.2
G190096		59.7	3.95	16.10	0.13	0.7	0.052	1.54	11.6	34.1	1.38	788	1.47	1.66	3.7	67.8
G190097		47.4	4.18	16.55	0.14	0.7	0.042	1.66	11.8	27.7	1.36	854	1.30	1.82	3.8	61.6
G190098		45.4	3.88	12.80	0.05	0.8	0.059	1.26	10.2	37.2	1.76	803	1.34	0.79	3.0	125.0
G190099		42.6	4.03	15.00	0.06	0.7	0.066	1.31	11.8	43.0	1.34	974	1.55	1.56	3.5	61.9
G190100		35.0	3.68	14.25	0.07	0.7	0.049	1.56	11.3	32.1	1.29	1025	1.31	1.51	3.5	45.8
G190101		42.7	3.86	14.70	0.08	0.9	0.052	1.38	11.6	36.8	1.34	891	1.46	1.64	3.5	51.4
G190102		38.9	3.79	14.60	0.07	0.6	0.054	1.31	11.6	42.9	1.30	941	1.33	1.56	3.6	47.6
G190103		35.1	3.68	14.35	0.07	0.7	0.039	1.22	11.2	44.8	1.24	843	1.24	1.40	3.5	48.9
G190104		44.2	3.74	14.45	0.06	0.6	0.041	1.21	10.7	47.5	1.36	863	1.16	1.02	3.5	50.7
G190105		39.6	3.81	13.95	0.06	0.8	0.050	0.72	11.2	68.7	1.52	899	1.20	0.79	3.5	97.8
G190106		58.4	3.83	14.65	0.06	0.9	0.042	1.06	7.7	35.9	1.90	703	1.60	1.82	2.9	71.0
G190107		36.8	4.10	13.05	0.06	0.7	0.052	1.04	9.7	43.8	2.22	1080	1.87	1.25	3.0	197.5
G190108		37.1	3.97	13.50	0.06	0.8	0.082	1.01	10.1	51.0	2.46	954	1.61	1.10	3.1	155.5
G190109		45.3	3.84	13.65	0.06	0.9	0.034	1.61	9.4	43.9	1.69	593	1.57	0.66	2.7	80.2
G190110		37.3	3.54	12.30	0.05	1.0	0.045	1.26	9.0	53.9	2.07	926	1.27	0.33	2.8	63.7
G190111		38.7	3.82	14.00	0.06	0.6	0.046	1.31	10.8	45.1	1.58	1065	1.45	1.32	3.4	50.2
G190112		37.6	3.94	14.90	0.07	0.9	0.053	1.45	11.6	52.6	1.62	1060	1.84	1.72	3.7	78.2
G190113		33.0	3.90	13.30	0.06	0.7	0.041	1.25	10.0	42.8	2.56	1025	1.81	1.35	3.1	144.5
G190114		46.3	4.10	13.95	0.06	0.8	0.064	1.36	9.5	42.5	2.61	1045	3.44	1.09	3.0	185.5
G190115		42.7	3.92	13.65	0.06	0.7	0.062	1.24	10.8	60.0	2.23	996	1.54	1.02	3.4	121.0
G190116		37.8	4.15	12.45	0.05	1.1	0.060	1.04	8.4	37.3	3.18	1135	1.69	1.06	2.5	286
G190117		54.1	4.50	13.35	0.07	1.1	0.169	1.28	10.0	39.5	2.26	1385	1.52	0.43	3.0	114.5
G190118		33.2	3.83	15.40	0.06	0.8	0.054	1.99	10.6	49.2	1.33	950	1.72	0.17	3.7	34.7
G190119		67.8	3.67	15.45	0.07	1.1	0.049	2.18	15.0	33.2	1.12	589	4.07	0.06	5.1	34.5
G190120		35.7	2.85	12.05	0.06	1.1	0.033	1.17	11.9	55.7	1.24	587	1.97	0.03	3.8	77.3
G190121		70.8	4.19	16.30	0.06	1.8	0.039	1.79	9.3	48.1	2.54	631	3.07	0.08	3.2	105.0
G190122		68.0	4.36	13.95	0.05	1.0	0.035	1.63	5.8	42.0	4.44	712	1.54	0.07	2.3	428
G190123		45.0	4.46	14.05	0.06	1.1	0.054	1.14	11.4	64.7	2.45	834	1.52	0.35	7.4	149.0
G190124		80.0	8.53	21.6	0.09	2.4	0.090	0.88	17.4	46.1	1.93	868	0.93	1.55	22.5	145.5
G190125		58.7	6.44	16.10	0.07	1.6	0.090	1.15	14.6	50.3	3.63	909	5.95	0.24	15.5	176.0
G190126		38.4	6.60	12.75	0.06	1.7	0.058	0.47	12.0	50.5	5.65	1025	2.48	0.08	14.2	376
G190127		42.7	6.56	19.40	0.08	3.7	0.078	1.72	21.6	15.3	2.05	857	1.29	2.79	37.6	90.9

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
G190093		790	3.6	40.1	0.002	1.10	130.5	13.6	2	1.2	296	0.22	0.64	1.23	0.371	0.42
G190094		680	2.6	49.9	0.002	0.92	25.5	19.2	1	1.3	138.0	0.22	0.14	1.59	0.381	0.49
G190095		600	2.8	46.7	0.003	1.11	512	17.9	2	1.3	172.0	0.21	0.20	1.51	0.344	0.39
G190096		720	3.3	52.1	0.002	1.09	129.5	19.7	1	2.0	194.0	0.23	0.14	1.60	0.382	0.50
G190097		760	3.5	56.7	0.002	0.84	230	20.7	2	1.4	180.5	0.23	0.16	1.60	0.431	0.43
G190098		650	3.2	44.7	0.003	0.70	112.0	16.6	1	1.1	215	0.20	0.17	1.41	0.328	0.42
G190099		980	2.9	38.7	0.003	0.67	96.9	18.4	1	0.9	177.0	0.23	0.49	1.53	0.405	0.35
G190100		630	2.5	43.5	0.003	0.64	21.6	17.0	1	1.0	137.5	0.24	0.08	1.72	0.357	0.30
G190101		640	2.6	39.1	0.003	0.98	8.82	17.0	1	1.0	142.0	0.24	0.17	1.75	0.352	0.42
G190102		640	2.8	34.0	0.003	0.79	5.49	17.0	1	1.0	152.5	0.24	0.15	1.72	0.359	0.31
G190103		660	2.8	32.2	0.003	0.71	22.8	17.4	1	0.9	198.0	0.24	0.29	1.75	0.371	0.33
G190104		650	2.6	30.5	0.002	0.95	39.0	17.0	1	0.9	230	0.23	0.27	1.59	0.358	0.37
G190105		630	2.8	21.9	0.003	0.61	25.2	17.4	1	0.7	208	0.24	0.11	1.65	0.358	0.22
G190106		560	3.0	30.0	0.003	1.02	10.25	11.5	1	0.9	314	0.19	0.13	1.11	0.351	0.35
G190107		560	1.9	33.6	0.002	0.66	19.30	17.0	1	1.0	224	0.20	0.26	1.32	0.335	0.25
G190108		550	2.0	32.6	0.003	0.53	15.95	17.4	1	0.9	202	0.21	0.12	1.37	0.335	0.29
G190109		550	2.4	50.9	0.004	1.80	162.0	16.9	1	0.9	192.5	0.18	0.11	1.29	0.317	0.55
G190110		630	2.0	36.4	<0.002	1.10	322	14.4	1	0.9	269	0.19	0.31	1.26	0.304	0.35
G190111		610	2.1	33.1	0.003	0.70	9.76	16.8	1	1.1	165.5	0.23	0.11	1.47	0.356	0.29
G190112		670	2.3	41.1	0.002	0.67	10.80	18.3	1	1.1	136.5	0.25	0.12	1.71	0.381	0.34
G190113		580	2.2	38.8	0.003	0.41	11.15	17.5	1	0.9	179.0	0.20	0.15	1.25	0.340	0.30
G190114		590	2.5	39.0	0.004	0.82	10.45	18.4	2	1.1	186.0	0.20	0.25	1.33	0.359	0.36
G190115		620	2.0	41.8	0.003	0.67	9.18	17.6	1	1.1	158.0	0.22	0.13	1.54	0.351	0.48
G190116		490	1.7	34.5	0.003	0.58	36.7	18.3	1	1.0	172.5	0.17	0.16	1.10	0.330	0.32
G190117		660	2.5	39.2	0.003	1.43	55.1	16.9	3	1.7	161.5	0.20	0.65	1.41	0.331	0.73
G190118		740	2.1	46.7	0.003	1.28	492	18.5	1	1.1	174.5	0.25	0.15	1.75	0.385	0.48
G190119		590	2.9	60.4	0.009	2.38	118.0	15.1	3	1.2	211	0.36	0.17	3.45	0.335	0.63
G190120		650	2.2	36.2	0.003	0.80	65.0	12.4	1	0.7	244	0.27	0.21	2.42	0.263	0.35
G190121		620	3.0	53.4	0.002	1.78	84.8	12.3	1	1.1	323	0.21	0.14	1.40	0.391	0.47
G190122		390	3.1	46.0	<0.002	1.99	185.5	7.5	1	0.8	317	0.16	0.18	0.80	0.308	0.41
G190123		980	4.6	35.0	0.006	1.09	2370	16.2	1	1.0	285	0.46	0.27	1.25	0.571	0.37
G190124		2220	1.6	29.0	<0.002	0.15	235	25.6	<1	1.7	155.5	1.44	<0.05	1.26	1.680	0.19
G190125		1360	54.3	36.1	0.008	1.72	73.8	19.4	2	1.4	498	0.94	0.21	1.63	1.020	0.37
G190126		960	4.8	15.5	0.002	0.50	41.9	16.6	1	1.1	273	0.84	<0.05	1.01	0.959	0.12
G190127		1970	3.0	61.8	<0.002	0.13	6.66	23.6	<1	1.7	225	2.35	<0.05	2.28	1.440	0.45

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190093		0.5	104	5.7	9.8	62	31.0
G190094		0.5	100	3.6	11.3	63	24.0
G190095		0.5	91	10.0	10.5	58	25.4
G190096		0.5	99	6.3	12.6	77	26.6
G190097		0.5	105	7.4	12.7	58	26.7
G190098		0.5	92	5.4	15.2	67	26.4
G190099		0.4	99	3.2	13.0	90	23.4
G190100		0.5	91	3.8	10.5	57	28.1
G190101		0.5	91	2.6	10.7	65	30.4
G190102		0.5	91	3.2	11.1	60	26.5
G190103		0.5	92	3.0	10.4	49	25.6
G190104		0.4	90	3.5	12.1	51	23.3
G190105		0.5	95	3.1	14.1	72	28.2
G190106		0.5	104	3.7	10.4	52	29.1
G190107		0.5	93	2.9	12.8	89	23.0
G190108		0.5	93	2.0	15.0	147	26.1
G190109		0.6	93	11.5	12.3	65	26.9
G190110		0.4	82	10.6	9.2	61	24.0
G190111		0.5	89	3.4	9.6	60	23.7
G190112		0.6	98	2.4	10.5	61	33.9
G190113		0.5	96	3.3	11.9	70	23.3
G190114		0.5	99	4.9	12.2	82	26.3
G190115		0.6	99	3.0	15.3	97	27.6
G190116		0.7	103	3.1	16.4	107	37.4
G190117		0.8	93	8.3	14.5	181	38.4
G190118		0.5	100	20.0	9.5	60	26.1
G190119		1.2	134	25.1	11.0	56	42.5
G190120		0.9	76	15.0	9.8	43	35.3
G190121		0.7	112	16.4	10.1	59	56.4
G190122		0.5	101	13.2	5.2	51	31.6
G190123		0.5	111	15.2	13.8	85	33.0
G190124		0.3	199	5.9	27.8	166	64.9
G190125		0.9	189	15.0	17.1	253	54.5
G190126		0.3	139	4.0	17.1	98	55.7
G190127		0.7	177	0.9	19.1	131	134.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 9-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135911**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>SPL-21</td><td>WEI-21</td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21		
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
SPL-21	WEI-21												



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-JUN-2022  
Account: ENDURA

## CERTIFICATE VA22135914

Project: Reliance Gold  
P.O. No.: Reliance-2022-010  
This report is for 26 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 23-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

  
Signature: Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135914**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190281		1.74	0.011		0.07	6.91	45.3	480	0.80	0.28	1.77	0.08	22.3	13.0	140	3.40
G190282		3.38	0.229		3.09	6.82	180.0	490	0.86	0.55	2.01	0.11	20.8	16.0	188	5.06
G190283		0.60	0.014		0.24	6.05	36.1	490	0.66	0.28	3.32	0.09	19.70	19.0	295	3.86
G190284		1.12	0.007		0.12	5.19	227	280	0.50	0.72	3.66	2.23	16.10	29.1	500	7.94
G190285		2.02	0.004		0.07	3.12	294	70	0.31	1.18	3.67	0.09	5.69	67.8	1130	3.39
G190286		2.12	0.013		0.15	2.07	294	130	0.30	0.75	6.25	0.16	3.52	89.8	1720	3.07
G190287		2.22	0.009		0.09	5.84	201	360	0.69	1.14	3.60	0.23	15.80	34.5	304	4.75
G190288		2.16	0.005		0.07	6.58	264	340	0.70	0.87	2.64	0.09	20.4	19.5	221	6.03
G190289		2.38	0.011		0.10	7.61	198.5	770	0.90	0.62	1.57	0.07	22.9	12.7	86	3.41
G190290		1.64	0.031		0.10	7.65	132.5	860	1.01	0.52	1.40	0.05	20.2	14.6	54	3.33
G190291		2.48	0.023		0.12	7.01	340	560	0.81	0.44	1.67	0.08	19.25	19.8	97	4.49
G190292		2.72	0.224		0.28	7.36	499	570	0.74	0.51	1.68	0.07	21.1	15.6	57	3.37
G190293		2.48	>10.0	16.80	2.31	5.01	6660	220	0.72	0.24	6.99	0.16	13.45	19.4	89	5.08
G190294		2.66	0.807		0.18	7.77	814	250	0.70	0.26	6.40	0.08	21.4	29.9	140	7.69
G190295		2.96	1.030		0.38	6.73	789	190	0.73	0.40	7.14	1.32	22.6	25.8	84	4.63
G190296		2.18	0.659		0.31	7.75	508	220	0.69	0.38	6.71	6.85	16.60	28.0	142	6.12
G190297		3.00	4.92		0.94	6.35	2430	150	0.93	0.27	6.04	0.41	21.2	23.9	115	4.64
G190298		1.94	0.220		0.10	7.70	216	190	0.84	0.23	6.69	0.25	21.4	27.6	149	5.70
G190299		2.76	0.101		0.16	8.02	159.0	210	0.69	0.18	6.66	0.20	15.75	27.0	100	5.95
G190300		2.36	0.181		0.12	6.91	205	170	0.84	0.12	6.56	0.05	20.3	26.9	57	5.06
G190301		2.26	0.412		0.25	7.27	389	120	0.91	0.48	5.40	0.78	31.4	36.6	84	4.49
G190302		2.28	0.330		0.25	7.21	435	150	1.20	0.43	4.82	2.90	39.4	36.5	104	5.44
G190303		2.84	0.458		0.29	8.13	272	200	1.48	0.09	5.41	0.65	46.4	36.4	66	6.48
G190304		2.92	0.082		0.04	7.18	32.4	150	1.16	0.02	5.49	0.19	38.4	43.3	133	3.96
G190305		2.64	0.018		0.04	7.60	16.1	420	1.30	0.02	6.33	0.12	41.7	36.6	119	4.36
G190306		2.78	<0.001		0.04	7.97	12.6	310	1.27	0.01	6.93	0.15	41.6	37.0	125	4.40



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135914**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
G190281		44.8	3.67	15.10	0.07	1.2	0.041	0.89	10.9	14.0	1.40	707	1.72	2.54	3.9	90.9
G190282		48.0	3.85	14.40	0.06	1.0	0.069	0.99	9.6	13.9	1.61	754	1.49	2.38	3.3	139.0
G190283		35.6	3.88	12.95	0.06	1.2	0.102	0.71	9.4	16.2	2.69	1150	3.35	1.70	3.1	248
G190284		35.1	4.51	11.65	0.06	1.1	0.153	0.73	7.9	21.8	3.96	1325	1.79	0.83	2.5	437
G190285		33.0	5.43	7.59	<0.05	0.4	0.100	0.16	2.8	22.7	11.25	1410	1.15	0.05	0.9	1150
G190286		35.5	5.33	6.04	<0.05	0.3	0.145	0.17	1.8	27.9	7.76	1300	1.96	0.05	0.6	1470
G190287		42.3	4.63	13.20	0.06	0.8	0.095	0.93	7.7	22.7	2.19	997	3.65	1.42	2.2	436
G190288		35.1	4.92	14.80	0.07	1.0	0.076	1.09	9.9	20.6	2.03	1240	2.09	1.51	3.0	241
G190289		44.2	4.04	16.40	0.08	1.1	0.028	1.47	11.0	17.8	1.23	717	4.23	2.52	3.6	109.5
G190290		48.2	4.17	16.15	0.07	1.1	0.024	1.54	9.6	17.4	1.27	626	4.03	2.46	3.4	73.7
G190291		51.2	4.71	15.65	0.07	0.8	0.064	1.34	9.9	25.9	1.49	849	1.74	1.57	2.7	132.5
G190292		58.4	4.65	15.50	0.07	0.8	0.025	1.14	10.3	35.7	1.41	754	2.03	1.93	3.7	69.7
G190293		25.0	3.95	13.05	0.07	0.8	0.061	1.75	6.2	25.0	3.35	1155	1.24	0.07	5.7	46.8
G190294		17.8	5.04	15.65	0.07	1.2	0.064	1.24	9.8	25.0	2.62	1510	0.88	1.40	8.5	65.8
G190295		52.6	5.86	13.75	0.08	1.2	0.146	1.14	16.1	17.0	2.97	2230	1.08	1.36	11.1	71.3
G190296		62.7	6.14	13.75	0.07	1.1	0.136	1.12	16.5	18.8	2.77	2050	1.17	1.24	6.6	68.3
G190297		44.9	5.94	14.10	0.10	1.3	0.098	1.12	19.0	17.4	2.59	2140	1.45	1.19	10.5	54.1
G190298		23.2	6.33	15.50	0.07	1.9	0.085	1.06	10.3	18.9	2.84	1945	0.99	1.23	10.6	60.5
G190299		42.0	5.08	14.25	0.05	1.2	0.061	0.92	6.7	17.8	2.58	1545	1.13	1.92	6.8	44.7
G190300		36.6	6.37	15.05	0.06	1.8	0.090	0.59	8.7	20.5	2.81	1550	1.07	1.68	9.5	36.3
G190301		81.3	6.73	17.00	0.07	2.0	0.078	0.81	13.8	31.3	2.31	1300	1.17	1.30	17.5	45.8
G190302		81.2	6.54	18.85	0.10	1.9	0.071	1.17	17.1	56.8	1.79	1185	1.24	1.04	21.2	55.5
G190303		59.0	7.07	19.55	0.11	2.7	0.075	1.50	23.0	62.1	2.14	1135	1.10	1.31	29.5	52.6
G190304		58.4	6.42	16.45	0.08	2.6	0.063	0.71	18.3	36.8	3.06	1100	1.39	1.83	26.5	124.5
G190305		39.5	6.66	18.15	0.09	2.9	0.066	0.90	19.2	35.5	3.94	1095	1.89	2.40	25.5	86.0
G190306		46.3	6.73	17.90	0.10	2.8	0.067	0.74	19.1	36.7	3.90	1120	1.96	2.69	25.3	91.6



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135914**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
G190281		530	2.1	34.3	0.002	0.15	39.1	19.0	1	0.8	177.0	0.25	0.12	1.58	0.386	0.25
G190282		510	2.3	36.9	0.002	0.23	45.8	18.7	1	0.9	189.0	0.21	0.26	1.29	0.375	0.28
G190283		550	1.8	27.1	0.003	0.31	28.4	17.9	1	1.3	208	0.20	0.15	1.27	0.319	0.28
G190284		390	1.8	32.7	<0.002	0.17	27.7	16.0	1	1.2	172.5	0.17	0.29	1.06	0.262	0.20
G190285		170	1.6	8.1	<0.002	0.10	75.8	15.7	1	0.9	95.8	0.06	0.36	0.35	0.114	0.06
G190286		120	2.3	8.7	<0.002	0.45	158.0	12.8	1	1.1	214	<0.05	0.31	0.23	0.077	0.09
G190287		350	2.4	34.3	<0.002	0.31	164.5	18.7	1	1.0	228	0.14	0.32	0.84	0.296	0.26
G190288		630	2.0	39.5	0.002	0.25	115.0	20.6	1	1.1	135.5	0.20	0.16	1.06	0.346	0.29
G190289		520	2.9	43.1	0.003	0.40	101.0	21.2	2	0.6	141.0	0.23	0.12	1.45	0.382	0.36
G190290		560	2.6	45.0	0.005	0.86	77.8	21.8	2	0.5	138.0	0.21	0.22	1.29	0.396	0.58
G190291		510	1.8	44.1	0.002	0.84	180.5	21.5	1	0.8	130.5	0.17	0.19	0.98	0.358	0.63
G190292		680	3.3	35.1	0.004	1.18	251	20.8	2	0.5	152.5	0.25	0.18	1.06	0.434	0.51
G190293		520	1.7	58.2	0.003	2.44	1095	18.2	<1	0.7	275	0.37	0.08	0.43	0.500	0.59
G190294		650	2.1	44.9	0.002	0.51	82.5	24.0	<1	0.9	273	0.47	0.12	0.61	0.700	0.40
G190295		870	2.5	38.3	0.003	1.37	83.8	26.9	<1	1.2	226	0.63	0.08	0.70	0.792	0.37
G190296		900	2.8	38.5	<0.002	1.19	56.7	25.4	<1	1.0	250	0.42	0.08	0.60	0.610	0.44
G190297		2250	2.2	37.9	0.002	1.70	118.0	24.8	1	1.0	203	0.60	0.05	0.76	0.742	0.38
G190298		830	3.0	36.4	0.002	0.32	75.5	29.2	<1	1.1	231	0.61	0.07	0.73	0.869	0.27
G190299		640	2.1	31.7	<0.002	0.29	19.70	25.8	1	0.9	270	0.43	0.05	0.42	0.701	0.24
G190300		830	1.7	20.8	0.002	0.28	45.9	29.0	<1	1.0	231	0.56	<0.05	0.60	0.871	0.17
G190301		1200	4.1	27.1	<0.002	0.37	96.8	38.3	<1	1.4	169.0	1.06	0.07	0.97	1.100	0.18
G190302		1610	6.6	36.7	<0.002	2.01	180.0	28.0	<1	1.6	191.0	1.16	0.12	1.22	1.160	0.39
G190303		2140	4.2	50.8	<0.002	1.65	262	35.2	<1	1.7	282	1.62	<0.05	1.68	1.325	0.33
G190304		1600	2.4	22.9	<0.002	0.21	16.40	29.1	1	1.4	208	1.43	<0.05	1.48	1.190	0.10
G190305		1440	2.4	22.0	0.002	0.06	3.29	28.3	<1	1.5	348	1.43	<0.05	1.28	1.210	0.10
G190306		1460	2.4	19.4	0.003	0.03	1.32	26.6	<1	1.4	342	1.40	<0.05	1.36	1.255	0.07



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135914**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190281		0.7	120	2.0	17.7	67	44.1
G190282		0.6	113	2.8	19.3	95	36.3
G190283		0.8	100	1.6	22.1	103	47.0
G190284		0.6	90	2.0	16.8	279	41.9
G190285		0.2	70	1.3	8.1	160	14.9
G190286		0.2	58	1.4	5.3	167	10.1
G190287		0.5	100	4.1	15.1	109	27.8
G190288		0.6	110	2.1	20.5	94	38.5
G190289		1.0	132	1.6	15.6	59	43.7
G190290		0.8	127	1.4	14.2	48	43.7
G190291		0.5	115	2.3	17.2	79	27.1
G190292		0.5	131	4.6	14.2	54	29.3
G190293		0.1	129	61.6	13.3	57	28.4
G190294		0.2	187	37.2	21.7	82	37.1
G190295		0.4	211	20.1	24.4	162	36.1
G190296		0.2	177	21.0	23.2	687	38.2
G190297		0.5	216	32.4	27.9	116	41.2
G190298		0.4	219	24.1	24.6	93	62.3
G190299		0.1	177	32.7	19.0	89	33.9
G190300		0.2	215	62.4	24.1	77	54.0
G190301		0.3	236	23.6	27.6	139	64.6
G190302		0.2	192	26.5	27.1	382	67.5
G190303		0.4	177	23.8	31.2	157	132.0
G190304		0.4	179	2.2	23.5	103	101.0
G190305		0.4	216	0.9	23.1	85	95.9
G190306		0.5	222	0.6	22.7	87	102.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 8-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22135914**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>SPL-21</td><td>WEI-21</td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21		
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
SPL-21	WEI-21												



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 18-JUN-2022

Account: ENDURA

## CERTIFICATE VA22143681

Project: Reliance Gold

P.O. No.: Reliance-2022-013

This report is for 58 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 30-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN O'BRIEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Sb-AA08	Sb – KCIO3/HCl digestion AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190319		0.84	0.002		0.05	5.14	57.5	250	0.70	0.18	10.45	0.05	20.1	26.3	42	2.52
G190320		1.46	0.002		0.09	7.68	50.5	200	0.99	0.10	6.49	0.05	28.9	38.9	79	6.08
G190321		2.12	<0.001		0.05	7.29	49.8	180	0.88	0.11	7.32	0.05	26.6	32.3	73	5.86
G190322		2.20	<0.001		0.04	6.85	70.9	160	0.89	0.15	7.36	0.03	23.5	35.7	58	6.75
G190323		2.38	0.042		0.07	7.99	137.5	160	0.94	0.12	6.16	0.42	21.5	39.9	70	7.56
G190324		1.94	0.437		0.31	8.27	399	260	1.32	0.27	5.28	0.53	31.9	31.6	118	10.05
G190325		2.12	0.016		0.08	8.05	128.5	150	1.28	0.06	5.70	0.63	38.7	35.6	124	8.06
G190326		2.26	0.005		0.03	7.17	15.0	290	1.22	0.02	5.83	0.14	37.9	35.8	123	8.67
G190327		2.42	0.004		0.10	7.89	12.8	180	1.54	0.06	3.32	0.25	43.3	54.3	168	11.00
G190328		2.44	0.001		0.06	8.08	9.6	260	1.52	0.02	3.28	0.09	38.1	51.7	210	12.80
G190329		2.34	0.001		0.04	7.81	12.6	520	1.32	0.01	4.49	0.12	35.7	49.9	222	11.05
G190330		2.64	0.002		0.07	8.24	17.8	310	1.56	0.02	3.06	0.05	43.7	60.9	213	4.94
G190331		2.50	0.006		0.11	7.75	18.0	470	1.42	0.01	5.07	0.06	34.3	35.4	354	2.89
G190332		1.50	0.002		0.14	8.36	51.7	540	1.48	0.01	3.96	0.15	30.2	45.2	424	3.28
G190333		2.28	<0.001		0.16	5.18	166.5	740	0.73	0.01	6.67	0.13	20.9	55.3	210	0.87
G190334		2.18	0.002		0.14	5.58	198.0	260	0.86	0.01	6.71	0.12	23.2	68.0	244	2.71
G190335		2.52	0.013		0.36	4.16	360	190	0.80	0.07	4.94	0.49	19.65	50.8	193	1.78
G190336		1.92	0.034		0.33	1.44	371	380	0.43	0.07	4.34	0.38	14.40	7.0	32	0.52
G190337		2.98	0.015		0.32	1.23	144.0	420	0.47	0.07	6.56	0.23	13.55	4.8	28	0.46
G190338		Not Recvd														
G190380		Not Recvd														
G190381		Not Recvd														
G190382		Not Recvd														
G190414		2.60	0.155		0.34	7.41	24.4	500	0.88	0.10	1.98	0.25	25.2	9.9	51	2.68
G190415		2.18	0.217		0.22	7.62	1155	560	1.16	0.15	3.55	0.64	30.1	19.9	107	2.91
G190416		2.22	0.004		0.10	6.21	184.0	240	0.88	0.02	5.47	0.15	34.0	50.7	218	2.67
G190417		3.02	0.013		0.08	5.53	20.6	190	0.84	0.03	3.66	0.03	30.8	30.3	229	2.72
G190472		2.86	1.235		0.36	8.05	194.5	1230	0.92	0.80	0.30	0.05	23.3	7.3	24	2.74
G190473		3.12	0.468		0.21	7.70	230	1090	1.00	0.53	0.55	0.03	24.6	6.3	18	2.74
G190474		3.02	0.081		0.14	7.65	69.1	1020	1.02	0.52	0.71	0.04	24.2	8.8	20	3.16
G190475		0.78	0.025		0.13	7.90	11.0	1260	0.99	0.49	1.09	0.12	22.1	8.8	39	2.49
G190476		0.98	0.008		0.14	6.54	13.3	530	0.84	0.91	2.58	0.10	16.10	12.8	47	2.55
G190477		2.14	0.030		0.09	6.97	11.2	600	0.91	0.62	2.52	0.02	13.25	15.9	29	2.85
G190478		2.44	0.008		0.07	6.94	12.5	610	0.78	0.51	3.03	0.03	15.35	19.2	128	6.01
G190479		2.42	0.040		0.11	6.91	13.1	570	0.71	1.62	4.13	0.03	17.10	15.6	38	3.67
G190480		1.84	0.014		0.07	6.92	15.8	460	0.59	0.56	2.93	0.10	18.20	19.7	155	5.76
G190481		2.38	0.008		0.05	6.85	13.6	490	0.79	0.53	2.44	0.04	21.2	18.2	168	5.02
G190482		2.38	0.013		0.08	6.84	18.2	600	0.79	0.52	1.75	0.02	22.6	16.7	183	3.00
G190483		2.20	0.003		0.12	6.90	28.2	560	0.90	0.90	1.94	0.03	22.7	20.8	221	3.59
G190484		2.44	0.105		0.12	7.07	136.0	780	0.84	0.51	1.91	0.02	22.3	12.8	120	3.38

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method Analyte Units LOD	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li %	ME-MS61 Mg ppm	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
G190319		44.1	7.14	12.70	0.15	1.9	0.056	0.48	8.6	13.1	2.76	1760	0.79	1.59	9.2	26.3
G190320		39.6	6.87	17.95	0.17	3.1	0.080	0.85	11.7	15.0	2.12	1485	1.06	2.10	14.1	43.7
G190321		26.8	6.83	17.15	0.17	2.8	0.082	0.87	10.9	14.2	2.29	1525	1.11	1.94	13.1	35.2
G190322		23.1	7.08	16.45	0.16	2.5	0.082	0.71	10.2	20.0	2.38	1595	0.97	1.81	11.2	40.0
G190323		27.3	6.72	18.90	0.16	2.3	0.086	0.67	8.8	28.4	1.78	1390	1.09	1.80	10.9	43.9
G190324		45.3	7.05	19.45	0.20	2.3	0.084	1.35	13.2	28.3	1.47	1175	1.28	1.86	20.1	51.0
G190325		35.7	6.71	18.55	0.20	2.9	0.079	1.18	16.6	21.5	2.37	1160	1.05	2.00	23.1	77.3
G190326		33.4	6.53	16.00	0.20	3.0	0.065	0.81	17.2	44.8	3.48	1140	1.29	1.93	22.6	106.0
G190327		96.4	7.83	22.0	0.24	2.5	0.090	1.17	25.2	27.6	1.74	3970	1.33	2.32	24.4	246
G190328		87.4	7.93	25.0	0.27	2.7	0.091	1.27	16.0	28.9	1.63	3580	2.30	2.53	22.9	200
G190329		36.1	8.19	20.9	0.26	3.1	0.085	1.34	16.0	26.6	1.90	2020	1.07	2.20	22.1	176.0
G190330		60.5	8.51	21.3	0.28	2.8	0.079	1.82	18.8	21.8	1.47	3880	0.98	2.39	27.5	172.0
G190331		53.3	7.72	20.5	0.25	2.4	0.075	1.93	14.7	30.3	1.37	1075	1.12	1.61	20.7	130.0
G190332		63.7	8.11	22.8	0.25	2.0	0.080	1.41	12.0	31.0	0.97	1125	2.24	1.84	22.0	187.0
G190333		33.2	6.39	12.15	0.16	1.4	0.048	0.12	9.2	54.4	4.77	1320	1.91	0.12	12.4	500
G190334		37.1	7.43	13.15	0.19	1.1	0.055	0.18	9.9	53.1	4.69	1420	1.89	0.07	13.3	650
G190335		35.5	5.41	10.80	0.15	1.1	0.051	0.16	12.7	52.4	1.38	1610	3.52	0.04	9.7	457
G190336		42.0	1.81	4.43	0.09	0.7	0.025	0.35	17.8	15.5	0.22	689	3.33	0.03	2.9	42.9
G190337		29.9	1.52	3.94	0.06	0.6	0.022	0.34	18.0	11.7	0.37	603	4.12	0.02	2.5	24.0
G190380																
G190381																
G190382																
G190414		29.3	4.01	15.85	0.15	1.5	0.072	1.85	11.1	30.3	0.69	1120	1.80	1.95	3.7	31.6
G190415		37.2	5.00	17.25	0.21	1.5	0.081	1.78	13.6	33.9	1.11	1375	1.95	1.81	8.8	62.1
G190416		35.8	7.76	16.80	0.10	2.4	0.064	0.37	16.2	54.9	3.04	1805	1.80	1.14	18.0	339
G190417		51.9	12.45	16.50	0.07	1.3	0.059	0.20	12.9	24.7	1.81	3370	1.46	1.33	16.9	80.7
G190472		46.5	3.34	18.65	0.16	0.7	0.029	2.49	10.9	19.4	0.32	447	2.95	1.13	3.0	26.8
G190473		39.2	2.95	17.20	0.16	1.0	0.019	2.19	11.1	20.9	0.39	316	2.23	1.25	3.3	14.0
G190474		55.7	3.12	17.45	0.16	0.8	0.023	2.25	10.6	28.9	0.45	360	2.82	0.83	2.7	14.6
G190475		43.8	3.58	18.05	0.19	0.8	0.033	2.33	9.8	20.0	0.65	468	3.38	1.26	3.4	48.8
G190476		69.3	4.01	14.75	0.18	0.9	0.031	1.00	6.5	13.8	1.02	586	2.34	2.39	3.2	93.0
G190477		56.2	4.07	16.15	0.16	0.6	0.012	1.02	5.1	13.6	1.34	616	1.75	2.60	2.9	39.7
G190478		47.2	4.50	15.25	0.16	0.4	0.031	1.08	6.3	19.4	2.20	1015	1.08	1.67	2.7	136.0
G190479		43.8	3.24	15.30	0.19	1.3	0.035	1.00	7.6	15.8	1.99	617	1.47	2.12	3.7	64.9
G190480		38.0	4.07	13.60	0.15	1.1	0.026	1.18	7.9	21.0	3.10	798	1.84	1.85	2.6	226
G190481		45.4	4.27	14.35	0.17	1.9	0.034	1.21	10.1	23.3	3.30	934	2.07	1.71	3.2	162.5
G190482		52.7	4.18	15.35	0.14	0.8	0.015	1.32	10.9	16.1	1.97	633	2.89	2.06	4.5	109.5
G190483		72.1	4.71	15.00	0.14	1.2	0.021	1.35	11.0	18.2	2.12	658	2.82	1.91	3.9	158.5
G190484		49.0	3.85	15.15	0.14	0.9	0.013	1.67	10.9	12.6	1.84	518	2.87	2.07	3.4	75.5

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
G190319		750	1.4	16.1	<0.002	0.26	8.49	25.1	1	0.9	156.0	0.54	<0.05	0.63	0.756	0.11
G190320		1170	1.7	31.5	<0.002	0.17	5.27	39.0	1	1.3	237	0.82	<0.05	0.90	1.145	0.20
G190321		1100	1.2	31.6	<0.002	0.10	5.17	35.9	1	1.3	246	0.79	<0.05	0.83	1.110	0.16
G190322		1000	1.4	27.2	<0.002	0.14	15.85	34.5	1	1.1	236	0.67	<0.05	0.76	1.005	0.13
G190323		1010	1.7	19.7	<0.002	0.07	57.7	38.3	1	1.2	241	0.64	0.05	0.68	1.070	0.14
G190324		1410	7.8	50.0	<0.002	0.18	101.0	32.6	1	1.5	192.5	1.20	0.06	1.18	1.155	0.30
G190325		1550	3.4	43.2	<0.002	0.11	63.3	30.4	1	1.5	216	1.34	<0.05	1.34	1.215	0.19
G190326		1400	2.2	28.4	<0.002	0.06	17.45	23.6	1	1.3	278	1.30	<0.05	1.38	1.150	0.10
G190327		2280	8.3	53.6	<0.002	0.11	3.67	25.1	1	1.6	174.5	1.44	0.09	1.84	1.300	0.28
G190328		1670	9.1	57.1	<0.002	0.01	4.60	23.8	1	1.7	170.5	1.33	<0.05	1.20	1.610	0.29
G190329		1730	2.2	53.7	<0.002	0.01	4.22	26.1	1	1.6	193.0	1.27	<0.05	1.13	1.550	0.24
G190330		1820	4.5	63.2	<0.002	0.03	3.65	27.4	1	1.6	157.5	1.54	<0.05	1.20	1.465	0.28
G190331		1770	1.5	68.0	0.003	0.03	5.79	25.1	2	1.6	167.0	1.21	<0.05	0.85	1.445	0.21
G190332		1700	1.6	33.5	0.005	0.03	28.7	27.9	2	1.6	148.0	1.28	<0.05	0.71	1.490	0.29
G190333		830	3.6	3.8	<0.002	0.03	13.35	17.1	1	0.8	324	0.72	<0.05	0.61	0.790	0.04
G190334		940	2.1	6.9	<0.002	0.12	17.50	19.1	1	1.1	192.5	0.76	<0.05	0.60	0.905	0.05
G190335		910	73.0	5.9	0.002	0.05	30.3	14.2	1	0.8	88.7	0.56	0.06	0.91	0.608	0.08
G190336		1100	8.8	11.5	0.005	0.12	8.68	4.6	1	0.6	144.0	0.20	0.07	1.71	0.100	0.13
G190337		860	7.2	11.5	0.007	0.12	4.36	3.9	1	0.5	185.5	0.16	0.06	1.60	0.079	0.10
G190380																
G190381																
G190382																
G190414		720	5.6	53.0	0.003	0.17	3.16	18.2	1	1.1	141.5	0.23	0.08	1.42	0.382	0.31
G190415		960	11.9	51.4	0.003	0.14	4.64	20.8	2	1.3	241	0.54	0.17	1.57	0.640	0.30
G190416		1290	2.9	12.0	<0.002	0.05	4.46	21.5	1	1.3	185.5	1.08	<0.05	1.22	1.140	0.09
G190417		1110	3.2	7.0	0.002	0.45	3.30	19.1	1	1.3	129.0	0.96	0.15	0.69	1.190	0.08
G190472		690	3.2	56.3	<0.002	0.12	89.0	21.2	1	0.8	108.0	0.19	0.34	1.26	0.392	0.40
G190473		610	2.4	51.3	<0.002	0.16	84.2	18.2	1	0.6	110.5	0.22	0.18	1.73	0.328	0.32
G190474		780	2.6	54.0	<0.002	0.35	5.75	19.2	1	0.5	100.5	0.18	0.20	1.48	0.337	0.36
G190475		630	3.1	50.0	0.003	0.45	2.85	22.1	1	0.5	150.0	0.22	0.20	1.45	0.386	0.41
G190476		670	3.4	23.3	<0.002	0.57	1.69	17.5	1	0.6	235	0.22	0.20	1.04	0.357	0.21
G190477		490	2.5	23.1	0.003	0.54	1.84	20.9	2	0.3	257	0.18	0.09	0.78	0.407	0.36
G190478		440	1.7	27.2	<0.002	0.40	1.02	22.7	2	0.4	253	0.17	0.17	0.82	0.400	0.30
G190479		550	4.0	26.9	<0.002	0.40	1.68	11.5	1	0.9	370	0.26	0.39	1.38	0.351	0.16
G190480		480	1.5	38.4	<0.002	0.37	1.21	19.3	1	0.4	228	0.16	0.11	1.20	0.343	0.27
G190481		690	1.7	38.7	<0.002	0.39	2.48	18.8	1	0.4	153.0	0.21	0.10	1.64	0.366	0.30
G190482		720	2.0	38.7	0.003	0.87	3.25	19.0	2	0.4	148.5	0.28	0.10	1.58	0.401	0.40
G190483		710	2.2	42.3	0.003	1.24	5.99	19.3	2	0.5	176.0	0.24	0.20	1.63	0.378	0.45
G190484		700	2.0	48.4	0.005	0.83	9.25	19.2	1	0.3	153.5	0.21	0.09	1.42	0.379	0.50

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Sb-AA08 Sb % 0.01
G190319		0.4	182	8.5	27.3	70	70.2	
G190320		0.3	275	7.0	28.8	97	113.5	
G190321		0.3	266	9.4	27.6	87	100.5	
G190322		0.3	256	14.2	27.5	79	95.6	
G190323		0.3	276	53.8	26.4	103	69.2	
G190324		0.3	179	8.7	24.5	112	84.1	
G190325		0.4	191	1.9	25.4	131	118.0	
G190326		0.4	197	0.8	22.2	85	129.0	
G190327		0.5	191	1.2	31.7	190	84.2	
G190328		0.4	202	0.8	24.9	193	89.7	
G190329		0.3	191	0.7	28.5	201	98.1	
G190330		0.5	193	0.9	21.2	160	95.5	
G190331		0.3	209	1.4	22.7	132	83.5	
G190332		0.3	241	1.6	21.3	142	67.6	
G190333		0.2	140	0.5	12.8	90	49.6	
G190334		0.2	151	0.8	15.2	98	51.3	
G190335		0.8	113	1.4	15.9	125	48.3	
G190336		2.7	31	1.7	17.0	66	27.5	
G190337		2.6	27	2.6	14.8	46	25.6	
G190380								
G190381								
G190382								
G190414		0.6	90	1.1	19.2	99	48.0	
G190415		0.6	131	1.0	19.7	156	57.2	
G190416		0.4	174	0.6	21.7	135	71.5	
G190417		0.4	187	1.5	16.8	82	41.0	
G190472		0.5	94	7.0	15.2	31	26.3	
G190473		0.7	79	5.4	14.4	26	37.0	
G190474		0.7	96	3.6	15.4	27	31.7	
G190475		0.6	99	2.1	13.0	41	30.0	
G190476		0.5	97	3.2	12.6	53	33.8	
G190477		0.3	126	2.2	10.4	54	21.7	
G190478		0.3	118	2.0	12.0	80	16.8	
G190479		0.5	101	9.6	9.3	46	43.7	
G190480		0.7	105	2.7	15.0	80	41.6	
G190481		0.9	105	2.7	17.6	75	79.3	
G190482		0.7	115	2.4	14.6	60	31.5	
G190483		0.9	110	2.5	16.4	74	39.8	
G190484		0.7	112	3.4	13.7	47	29.7	



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
 SUITE 1900, 1055 WEST HASTINGS STREET  
 VANCOUVER BC V6E 2E9

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 18-JUN-2022  
 Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190485		2.54	2.13		2.21	7.05	507	630	0.79	0.51	2.31	0.03	17.15	14.7	100	4.57
G190486		2.76	0.011		0.07	7.34	13.8	670	0.84	0.57	1.91	0.02	19.85	9.4	100	3.39
G190487		2.24	0.014		0.11	7.09	16.8	930	0.85	0.64	1.60	<0.02	21.2	11.8	75	2.69
G190488		2.48	0.021		0.10	7.46	32.3	980	0.85	0.53	1.68	<0.02	23.6	9.6	43	2.75
G190489		1.96	0.014		0.10	6.32	73.4	400	0.71	1.02	2.22	0.02	20.0	28.5	588	4.98
G190490		2.04	0.017		0.16	6.22	56.0	310	0.66	1.35	2.94	0.04	19.25	22.1	292	4.07
G190491		2.50	>10.0	17.90	1.85	6.14	7180	400	0.76	0.57	2.87	0.05	22.4	14.7	118	4.85
G190492		2.26	4.30		2.14	3.19	2210	320	0.47	0.68	2.81	0.61	18.15	13.8	58	2.16
G190493		2.66	0.055		0.08	6.86	72.8	150	1.35	0.09	3.61	0.17	65.0	30.4	25	4.26
G190494		2.88	0.017		0.03	6.79	17.2	230	1.76	0.03	3.49	0.09	69.5	28.2	17	7.07
G190495		2.32	0.076		0.11	6.55	117.5	190	1.43	0.13	4.35	0.17	65.3	27.9	18	7.47
G190496		2.16	3.27		0.97	7.24	2270	190	0.82	0.40	6.13	0.49	21.2	28.8	75	7.39
G190497		1.68	0.160		0.14	6.05	140.0	140	0.78	0.07	9.18	0.32	27.2	29.8	31	4.48
G190498		2.66	3.43		1.07	5.96	1975	150	0.99	0.05	7.02	0.25	31.6	30.5	45	5.06
G190499		1.74	0.022		0.06	7.57	25.4	160	1.16	0.01	4.98	0.09	41.9	32.6	101	5.11
G190500		2.14	0.419		0.16	7.33	475	180	1.14	0.03	5.30	0.11	41.5	33.4	111	4.06
G190501		2.70	0.015		0.07	7.28	33.1	340	0.98	0.04	6.02	0.13	40.6	34.2	116	4.42
G190502		2.10	0.005		0.04	7.49	12.9	200	1.09	0.02	8.74	0.13	43.9	33.0	91	2.09



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
G190485		56.2	4.22	15.65	0.16	0.7	0.031	1.76	7.8	16.2	2.27	606	2.42	1.93	2.5	86.6
G190486		30.6	3.40	15.70	0.16	0.9	0.020	1.57	9.2	14.4	1.91	419	4.84	2.47	3.2	59.4
G190487		56.3	3.66	16.00	0.17	0.8	0.012	1.64	9.7	18.4	1.49	386	3.77	2.09	2.7	44.9
G190488		49.3	3.51	16.35	0.19	1.0	0.013	1.70	12.2	18.2	1.49	407	3.12	2.23	2.8	30.9
G190489		67.6	5.22	14.25	0.15	1.7	0.091	1.36	9.8	20.2	2.84	959	2.22	1.38	2.7	419
G190490		83.2	5.14	13.70	0.14	1.7	0.151	0.92	9.7	35.8	2.69	1015	1.68	1.15	2.4	215
G190491		54.3	3.75	14.95	0.13	2.2	0.038	1.76	10.5	34.9	1.82	495	1.40	0.23	2.9	95.6
G190492		62.6	2.62	8.34	0.14	0.8	0.052	0.66	11.5	40.7	1.34	541	2.57	0.03	3.9	57.1
G190493		27.8	8.89	24.2	0.18	3.2	0.119	1.04	28.4	40.4	1.76	1195	1.34	1.30	33.0	37.7
G190494		19.4	9.38	23.7	0.18	3.3	0.123	1.57	28.8	21.4	1.69	1085	1.58	1.20	35.3	23.1
G190495		31.6	8.89	24.6	0.17	3.5	0.116	1.43	28.0	25.5	1.99	1150	1.45	1.38	31.9	27.3
G190496		73.8	5.32	15.15	0.09	2.3	0.064	1.50	9.1	66.8	2.60	917	0.70	0.35	11.8	39.7
G190497		60.6	5.74	14.65	0.11	2.4	0.060	0.75	12.0	30.5	2.93	1005	0.88	1.40	15.6	28.0
G190498		50.8	5.62	14.55	0.10	2.8	0.061	1.27	14.2	39.2	2.98	946	1.11	0.63	19.2	38.9
G190499		55.6	6.45	18.30	0.13	3.1	0.072	0.77	18.6	22.1	3.44	1020	1.84	2.63	25.3	64.4
G190500		50.6	6.47	17.05	0.15	3.1	0.065	0.71	18.5	22.8	4.52	1130	1.91	2.30	23.9	81.3
G190501		50.1	6.73	16.85	0.15	2.8	0.065	0.89	18.1	21.4	3.72	1135	1.72	2.11	23.8	89.5
G190502		51.7	5.87	16.40	0.15	3.6	0.072	0.55	19.8	20.4	2.08	1025	1.76	3.01	25.3	60.3



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005	ME-MS61 Tl ppm 0.02
G190485		610	1.9	49.6	<0.002	0.94	57.0	22.3	1	0.5	147.0	0.16	0.08	1.00	0.365	0.59	
G190486		620	2.1	45.0	0.003	0.48	1.60	20.2	1	0.6	149.5	0.21	0.19	1.37	0.367	0.40	
G190487		770	2.4	41.0	0.004	1.09	3.73	18.9	2	0.4	136.5	0.18	0.12	1.40	0.333	0.48	
G190488		680	2.4	43.6	0.002	1.07	6.05	19.8	1	0.4	156.5	0.19	0.11	1.72	0.350	0.43	
G190489		800	1.9	46.1	0.006	1.10	8.00	20.3	2	0.7	144.5	0.18	0.20	1.34	0.336	0.36	
G190490		560	1.9	33.0	<0.002	1.44	27.5	19.4	2	1.4	184.5	0.15	0.39	1.27	0.304	0.54	
G190491		540	2.0	57.8	0.002	2.25	280	17.6	1	0.6	239	0.20	0.19	1.86	0.323	0.53	
G190492		410	3.0	22.0	0.002	1.83	>10000	10.2	1	0.8	243	0.23	0.16	1.74	0.252	0.39	
G190493		3210	2.9	35.1	<0.002	0.54	49.5	26.3	1	2.6	180.0	1.89	<0.05	1.63	1.625	0.20	
G190494		2640	2.5	61.3	<0.002	0.10	11.65	24.7	1	2.7	165.5	1.94	<0.05	1.76	1.665	0.25	
G190495		3290	3.8	51.4	<0.002	1.09	80.8	25.8	1	2.5	233	1.82	<0.05	1.90	1.565	0.32	
G190496		810	2.9	49.0	<0.002	1.74	184.0	28.1	1	0.9	186.0	0.67	0.10	0.87	0.779	0.37	
G190497		1110	3.9	25.3	<0.002	0.64	36.3	30.2	1	1.0	209	0.86	<0.05	1.10	0.875	0.17	
G190498		1290	4.4	41.0	<0.002	2.66	774	26.1	<1	1.1	265	1.10	<0.05	1.34	0.955	0.36	
G190499		1490	4.4	23.6	<0.002	0.19	18.55	28.3	<1	1.5	206	1.44	<0.05	1.62	1.275	0.13	
G190500		1400	4.5	21.5	0.002	0.38	13.05	27.2	1	1.3	307	1.39	<0.05	1.66	1.205	0.14	
G190501		1380	3.2	23.1	<0.002	0.17	6.50	26.6	1	1.3	317	1.36	<0.05	1.51	1.185	0.13	
G190502		1530	2.3	15.4	<0.002	0.09	2.55	27.3	1	1.4	341	1.54	<0.05	1.74	1.280	0.07	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22143681

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Sb-AA08 Sb % 0.01
G190485		0.5	114	6.4	14.3	60	24.3	
G190486		0.7	106	3.5	15.0	51	35.7	
G190487		0.7	104	3.1	13.6	38	32.6	
G190488		0.8	107	2.8	13.8	37	37.0	
G190489		0.9	109	2.0	17.2	118	75.1	
G190490		0.8	101	3.5	22.2	79	58.5	
G190491		1.0	90	33.6	16.6	53	83.1	
G190492		0.7	81	23.8	10.2	79	29.9	1.06
G190493		0.3	153	8.4	41.0	163	116.0	
G190494		0.3	143	1.8	41.8	158	98.0	
G190495		0.4	159	9.9	46.9	157	141.5	
G190496		0.2	151	19.5	17.3	99	93.5	
G190497		0.3	197	15.9	23.4	75	117.0	
G190498		0.3	175	42.3	21.2	82	100.0	
G190499		0.5	224	0.9	24.3	80	115.0	
G190500		0.5	211	4.1	23.4	70	144.5	
G190501		0.5	207	2.4	23.8	79	111.5	
G190502		0.7	232	0.5	24.7	78	160.0	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 18-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143681**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>Sb-AA08</td><td>SPL-21</td><td>WEI-21</td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	Sb-AA08	SPL-21	WEI-21	
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
Sb-AA08	SPL-21	WEI-21											



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUN-2022

Account: ENDURA

## CERTIFICATE VA22143706

Project: Reliance Gold

P.O. No.: Reliance-2022-015

This report is for 45 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 30-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
G190522		3.10	0.007	0.13	8.30	10.8	1090	1.16	0.47	0.45	<0.02	28.2	7.2	25	2.07	51.2
G190523		1.38	0.005	0.14	8.73	8.0	1110	1.24	0.51	0.68	0.02	22.9	9.7	26	2.31	63.1
G190524		1.16	0.004	0.13	7.73	11.9	1000	1.04	0.39	1.27	<0.02	23.9	9.1	22	2.05	62.1
G190525		1.64	0.025	0.13	7.87	34.7	950	1.09	0.57	0.94	0.02	26.6	9.3	20	2.05	65.0
G190526		2.62	0.002	0.13	8.06	8.1	890	1.13	0.71	0.86	<0.02	26.9	9.6	30	1.99	62.3
G190527		1.64	0.022	0.16	7.93	36.4	1220	1.08	1.30	1.61	<0.02	22.8	10.4	29	2.62	65.4
G190528		1.28	0.053	0.32	7.79	113.5	1260	1.10	1.74	1.36	0.03	24.8	10.9	31	2.18	81.4
G190529		2.16	0.133	0.27	7.40	99.5	1260	1.10	0.68	2.04	<0.02	21.3	10.0	27	2.26	78.8
G190530		2.60	0.020	0.18	7.03	25.2	790	0.98	0.44	1.49	<0.02	25.6	11.6	50	2.11	63.0
G190531		2.16	0.009	0.13	7.58	12.0	1070	1.18	1.15	1.26	0.02	25.6	12.3	45	2.60	57.1
G190532		3.18	0.008	0.11	4.27	104.0	660	0.70	0.49	0.99	0.02	27.0	11.2	34	1.96	61.0
G190533		2.60	0.003	0.09	6.13	32.9	980	0.95	0.46	1.65	<0.02	28.7	11.9	21	1.72	44.9
G190534		2.64	0.025	0.17	6.15	73.6	870	0.93	0.83	1.49	0.02	30.1	13.0	21	1.70	56.4
G190535		2.34	0.057	0.13	4.82	49.3	750	0.82	0.50	1.69	0.02	27.8	11.9	38	2.23	56.4
G190536		2.34	0.025	0.15	3.54	58.4	780	0.70	0.34	1.66	0.02	28.1	9.5	62	1.55	62.8
G190537		2.80	0.003	0.17	3.21	20.4	570	0.70	0.74	1.67	0.04	25.4	10.4	88	1.34	68.5
G190538		2.32	0.040	0.14	3.46	14.8	580	0.73	0.48	1.50	0.03	27.0	10.0	84	2.03	58.7
G190539		2.64	0.089	0.20	7.44	86.9	940	1.10	0.59	1.85	0.02	25.5	14.6	129	2.97	74.8
G190540		2.66	0.021	0.14	7.42	11.2	860	1.02	0.52	2.00	0.03	22.8	14.0	104	3.54	65.5
G190541		2.30	0.891	0.29	6.20	278	830	0.89	0.70	3.06	0.20	23.6	13.5	109	3.74	82.6
G190542		2.76	1.170	0.22	7.24	398	690	1.00	0.62	2.06	0.05	24.7	15.1	137	4.24	69.5
G190543		2.94	6.33	1.25	6.76	2560	600	0.83	3.73	3.24	0.13	21.5	10.8	46	5.32	59.9
G190544		1.96	1.235	0.59	7.37	743	380	0.87	1.22	3.17	0.05	20.6	9.7	32	5.88	57.8
G190545		2.46	5.99	2.20	6.02	3140	570	0.81	0.94	3.21	0.51	21.1	15.2	117	4.25	76.7
G190546		3.60	0.092	0.13	6.55	121.0	850	0.85	0.40	1.79	0.02	24.9	17.7	199	3.77	50.6
G190547		3.32	5.56	1.00	5.63	2890	520	0.70	0.94	4.88	1.00	15.05	13.6	56	4.79	48.5
G190548		2.86	8.43	1.40	6.26	6220	190	0.66	0.56	5.65	1.76	9.47	17.8	90	7.83	42.4
G190549		2.38	0.817	0.30	6.43	1435	800	0.66	0.77	4.44	1.40	17.85	15.5	91	4.68	59.8
G190550		2.30	7.91	1.25	5.54	4580	160	0.68	0.77	6.69	0.29	13.10	23.4	84	5.92	25.3
G190551		2.64	6.29	1.09	5.64	4470	130	0.67	0.32	6.37	0.28	12.30	23.8	88	6.79	23.8
G190552		2.60	3.66	0.86	7.52	1890	140	0.86	0.27	4.44	0.06	24.2	45.1	65	6.33	40.4
G190553		2.58	0.566	0.22	7.77	293	170	1.02	0.16	6.10	0.05	25.9	38.9	63	7.21	53.4
G190554		3.26	0.087	0.11	8.39	99.2	260	0.56	0.22	7.25	0.07	13.45	33.4	114	6.75	38.7
G190555		3.50	0.045	0.15	8.85	84.7	260	0.46	0.19	5.49	0.07	7.88	35.8	179	6.52	68.3
G190556		2.64	0.958	0.52	8.15	3010	230	0.70	0.77	6.03	0.36	13.90	32.1	120	7.86	82.8
G190557		3.48	3.20	0.81	8.52	1610	200	0.80	0.66	6.22	0.08	11.60	31.0	121	8.00	54.0
G190558		3.16	2.44	0.50	8.34	1800	220	0.80	0.39	7.20	0.13	13.30	27.5	130	8.36	44.5
G190559		1.54	8.21	1.78	7.54	2650	200	0.80	0.28	5.74	0.12	9.14	23.7	114	7.16	37.2
G190560		2.00	6.46	2.44	9.55	2590	210	1.06	0.20	4.13	0.07	11.30	64.8	121	7.72	77.1
G190561		2.72	8.38	10.00	7.28	4550	150	0.73	1.06	6.31	0.47	10.40	21.8	102	7.47	55.2

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method Analyte Units LOD	ME-MS61														
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G190522		3.34	16.10	0.15	0.6	0.029	2.23	12.3	17.2	0.24	330	2.91	2.07	3.3	19.8	790
G190523		4.15	20.1	0.15	0.3	0.026	2.12	10.1	16.9	0.31	473	3.59	2.69	3.2	16.8	710
G190524		3.60	18.05	0.13	0.3	0.015	1.55	10.5	18.0	0.50	445	2.47	2.39	2.9	15.0	850
G190525		4.17	18.00	0.11	0.4	0.023	1.55	11.9	20.0	0.29	633	2.18	2.36	2.9	14.9	2080
G190526		4.16	18.65	0.12	0.3	0.022	1.72	12.2	18.4	0.39	589	3.63	2.49	3.3	20.7	720
G190527		4.33	18.55	0.13	0.4	0.021	2.11	10.4	21.8	0.82	576	2.50	1.85	3.1	20.2	630
G190528		4.13	18.95	0.12	0.5	0.015	2.00	11.2	19.2	0.89	443	2.61	1.88	2.7	22.6	900
G190529		4.18	17.90	0.10	0.5	0.014	1.81	9.7	19.4	1.17	409	2.16	1.91	2.7	20.8	840
G190530		3.79	16.05	0.13	0.6	0.011	1.34	11.7	15.9	0.90	443	3.11	2.37	3.0	39.3	870
G190531		4.20	17.75	0.11	0.6	0.013	1.72	11.7	18.1	0.86	661	3.32	1.93	3.6	34.3	710
G190532		3.39	10.90	0.09	1.2	0.012	1.16	10.4	21.9	0.59	412	3.11	0.64	2.4	33.0	460
G190533		3.12	15.40	0.10	0.6	0.018	1.13	11.6	18.8	0.97	511	2.93	1.71	3.4	21.7	650
G190534		3.29	14.80	0.11	0.6	0.017	1.10	11.9	21.6	0.88	418	2.65	1.80	3.2	18.2	440
G190535		2.86	12.30	0.09	1.6	0.010	0.97	12.2	33.5	1.05	344	3.93	0.64	3.6	32.7	570
G190536		2.67	10.20	0.08	1.2	0.009	0.76	13.8	35.6	1.15	268	4.08	0.04	3.8	45.5	430
G190537		2.35	9.46	0.07	1.2	0.009	0.66	12.1	30.0	1.10	248	3.41	0.05	3.4	60.6	340
G190538		2.42	10.50	0.06	1.2	0.011	0.84	13.1	30.6	1.09	244	2.93	0.05	3.6	67.5	330
G190539		4.49	19.10	0.11	0.6	0.033	1.48	11.7	17.7	1.46	663	3.44	2.24	3.5	95.4	780
G190540		4.31	17.75	0.10	0.4	0.021	1.30	10.3	21.3	1.68	614	3.19	2.28	3.4	78.9	610
G190541		4.11	15.25	0.09	1.5	0.048	1.18	11.1	29.6	2.07	618	2.94	0.95	2.9	83.3	570
G190542		4.76	16.30	0.08	0.9	0.033	1.46	11.6	22.5	1.85	714	5.31	1.79	3.5	91.8	760
G190543		3.31	16.85	0.08	1.5	0.020	1.60	9.8	33.8	1.59	409	1.86	0.71	4.0	24.9	560
G190544		3.17	18.85	0.08	1.9	0.022	2.01	9.2	33.2	1.48	364	1.46	0.68	4.3	13.1	580
G190545		3.85	14.65	0.07	1.6	0.062	1.23	10.2	45.8	1.86	611	3.35	0.23	3.4	104.5	590
G190546		4.01	15.20	0.07	2.5	0.026	1.18	11.7	70.5	2.51	770	2.21	0.06	4.0	181.0	540
G190547		3.67	13.85	0.06	1.4	0.058	1.22	6.9	70.5	2.33	703	1.96	0.05	3.8	29.0	470
G190548		4.00	13.10	0.06	1.2	0.098	1.80	3.7	44.4	2.64	893	1.16	0.05	4.1	41.7	390
G190549		3.52	14.00	0.06	2.1	0.068	0.89	8.6	75.2	2.09	573	2.31	0.05	3.7	63.1	820
G190550		4.22	13.05	0.06	1.4	0.066	1.46	5.6	40.3	3.03	1075	1.94	0.06	5.6	45.5	560
G190551		4.16	12.80	<0.05	1.4	0.064	1.66	5.0	34.7	2.88	1025	1.43	0.05	5.4	35.0	550
G190552		6.63	19.30	0.06	2.8	0.080	0.92	9.2	29.0	2.00	1230	1.47	1.87	10.2	49.2	1050
G190553		7.79	21.2	0.08	3.3	0.090	0.90	10.3	18.2	2.01	1365	1.79	2.28	10.8	53.4	1180
G190554		5.61	17.20	0.06	1.4	0.062	1.18	5.6	19.4	1.59	1245	1.54	2.52	6.1	54.0	650
G190555		5.48	18.00	0.05	0.9	0.051	1.48	2.5	16.0	1.64	922	2.00	2.98	4.5	65.4	310
G190556		5.92	17.10	0.05	1.2	0.064	1.67	5.4	15.4	2.19	1130	1.31	1.87	6.7	55.6	610
G190557		5.26	16.50	<0.05	1.0	0.056	1.82	4.4	16.3	2.32	985	1.56	1.77	5.8	54.4	480
G190558		5.47	17.35	0.06	0.9	0.066	1.90	5.3	19.1	2.25	1190	1.28	1.35	6.7	59.0	630
G190559		4.14	17.85	0.07	0.7	0.061	1.91	3.5	35.2	1.58	788	1.02	0.85	5.5	44.4	740
G190560		5.69	21.0	0.05	0.9	0.057	3.06	4.2	15.2	1.88	615	1.04	0.18	6.0	61.0	710
G190561		3.96	13.55	0.08	1.3	0.041	1.88	4.5	38.0	1.87	749	1.28	0.53	4.2	34.6	580

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
G190522		2.6	49.2	<0.002	0.20	1.97	15.7	1	1.0	130.5	0.24	0.14	2.80	0.322	0.33	0.9
G190523		3.7	44.8	0.004	0.55	1.88	21.0	1	0.9	154.5	0.22	0.16	2.00	0.415	0.41	0.6
G190524		2.9	37.5	<0.002	0.94	2.89	18.3	1	0.9	165.0	0.20	0.09	1.66	0.363	0.35	0.5
G190525		2.7	34.9	0.003	0.96	6.01	19.0	1	0.9	201	0.20	0.14	1.90	0.372	0.35	0.6
G190526		3.2	40.3	0.003	1.00	5.70	19.2	1	1.1	146.5	0.22	0.15	2.02	0.379	0.38	0.6
G190527		2.8	48.4	0.004	1.28	4.25	20.2	1	1.1	160.5	0.20	0.25	1.65	0.398	0.45	0.5
G190528		3.1	47.6	0.004	1.68	8.63	18.9	2	0.9	154.0	0.19	0.87	1.80	0.331	0.49	0.5
G190529		2.8	39.7	0.003	1.76	7.88	18.3	2	0.8	178.0	0.19	0.19	1.62	0.339	0.45	0.5
G190530		2.5	34.2	0.004	1.29	4.54	17.0	2	0.8	156.5	0.20	0.13	1.85	0.298	0.35	0.6
G190531		2.6	43.0	0.006	1.23	11.65	19.3	2	0.7	155.5	0.23	0.56	1.93	0.390	0.42	0.7
G190532		1.9	32.3	0.002	1.02	39.5	12.1	1	0.7	96.3	0.16	0.16	1.77	0.204	0.27	0.5
G190533		2.7	28.2	0.002	0.74	13.90	16.1	1	1.0	155.0	0.22	0.13	2.02	0.294	0.23	0.4
G190534		2.5	28.2	0.002	1.04	12.50	15.8	1	1.0	153.0	0.22	0.28	1.93	0.273	0.28	0.4
G190535		2.1	30.5	0.005	1.06	19.00	13.8	1	0.7	182.0	0.25	0.13	2.46	0.241	0.28	0.8
G190536		1.4	23.6	0.006	0.85	12.75	9.8	2	0.6	145.5	0.27	0.10	3.17	0.175	0.26	1.2
G190537		1.6	21.3	0.005	0.58	11.35	9.5	1	0.5	120.5	0.24	0.17	3.08	0.158	0.21	1.2
G190538		1.5	27.7	0.005	0.67	10.70	10.8	1	0.7	132.0	0.26	0.15	3.26	0.171	0.28	1.3
G190539		3.1	38.9	0.004	1.19	6.72	19.8	2	1.3	201	0.24	0.16	1.83	0.409	0.40	0.6
G190540		3.3	35.5	0.004	1.04	10.75	20.7	2	0.8	217	0.22	0.13	1.68	0.401	0.41	0.5
G190541		2.4	37.2	0.005	1.32	104.5	18.4	2	1.6	275	0.20	0.19	1.71	0.309	0.33	0.8
G190542		2.7	43.9	0.006	1.44	32.7	20.0	2	1.1	172.5	0.24	0.16	1.86	0.376	0.55	0.8
G190543		6.5	40.8	<0.002	2.07	372	11.5	1	0.9	272	0.28	0.42	1.91	0.293	0.46	0.8
G190544		6.0	42.3	<0.002	2.39	56.8	9.0	1	1.0	203	0.30	0.09	1.83	0.301	0.47	1.0
G190545		2.8	41.0	0.004	2.33	605	15.3	1	1.8	299	0.23	0.14	1.80	0.303	0.46	0.9
G190546		2.8	34.2	0.003	1.23	48.9	17.7	1	0.7	238	0.28	0.14	2.35	0.338	0.30	1.0
G190547		3.2	36.6	0.002	2.11	344	14.0	1	0.9	315	0.26	0.22	0.95	0.346	0.49	0.5
G190548		1.7	58.3	<0.002	2.99	650	17.1	1	0.8	178.5	0.27	0.16	0.34	0.400	0.86	0.1
G190549		2.1	29.8	0.004	1.49	110.5	18.0	1	1.0	487	0.24	0.12	1.24	0.364	0.47	0.8
G190550		1.8	45.7	0.002	2.98	1195	20.4	<1	1.0	252	0.36	0.23	0.47	0.526	0.66	0.2
G190551		1.8	51.3	0.002	3.14	3030	19.8	1	0.8	181.5	0.33	0.09	0.38	0.520	0.79	0.1
G190552		2.1	31.1	0.002	1.56	149.0	39.6	1	1.4	165.0	0.66	0.07	0.76	1.100	0.36	0.2
G190553		2.4	30.9	0.002	1.01	55.5	41.6	1	1.6	168.5	0.70	<0.05	0.73	1.175	0.29	0.2
G190554		3.1	30.7	<0.002	0.52	37.2	28.9	<1	0.9	241	0.39	<0.05	0.39	0.683	0.32	0.1
G190555		2.5	30.5	<0.002	0.51	17.55	32.1	<1	0.8	260	0.29	<0.05	0.19	0.656	0.47	0.1
G190556		3.8	44.2	0.002	2.44	256	29.6	1	1.0	196.0	0.41	0.24	0.33	0.737	0.62	0.1
G190557		2.8	47.6	<0.002	2.08	543	26.8	1	0.8	223	0.37	0.06	0.31	0.613	0.59	0.1
G190558		3.4	48.8	<0.002	2.36	146.0	26.7	<1	1.0	200	0.43	0.05	0.34	0.650	0.59	0.1
G190559		3.1	35.5	<0.002	2.29	193.0	20.6	<1	0.8	150.5	0.35	0.07	0.24	0.539	0.51	<0.1
G190560		3.3	53.7	<0.002	5.46	213	34.2	1	0.8	143.5	0.38	0.15	0.29	0.593	1.03	0.1
G190561		20.7	58.5	<0.002	2.03	6750	18.3	1	0.7	181.5	0.27	0.09	0.31	0.437	0.45	0.1

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190522		95	4.3	12.4	23	24.2
G190523		122	4.1	12.5	30	11.6
G190524		91	6.5	13.9	33	12.4
G190525		83	5.7	18.1	34	13.6
G190526		94	4.1	13.2	34	11.1
G190527		107	8.3	12.7	32	15.2
G190528		102	4.8	12.6	27	18.5
G190529		100	5.7	12.1	24	16.0
G190530		83	3.4	16.0	28	23.8
G190531		105	3.1	14.3	33	22.3
G190532		61	4.3	10.4	27	47.5
G190533		68	5.5	11.9	31	14.3
G190534		70	5.8	11.5	30	19.0
G190535		73	9.4	13.9	27	56.3
G190536		80	4.6	9.4	26	45.5
G190537		67	4.6	9.4	27	45.5
G190538		71	4.7	9.4	30	50.3
G190539		112	6.4	13.5	53	18.0
G190540		118	8.0	11.8	56	17.3
G190541		105	15.8	13.3	72	51.7
G190542		117	16.3	14.2	61	37.7
G190543		79	24.9	8.0	40	53.9
G190544		80	13.3	7.0	35	64.2
G190545		94	30.8	13.7	88	57.4
G190546		95	11.4	17.4	56	94.5
G190547		94	29.4	10.6	92	42.8
G190548		96	38.0	10.4	174	36.6
G190549		102	35.7	19.7	147	62.7
G190550		133	46.4	26.2	78	60.0
G190551		132	44.5	13.5	78	56.0
G190552		261	29.0	28.5	95	111.0
G190553		260	48.3	34.9	87	118.0
G190554		167	19.4	21.7	73	43.4
G190555		121	7.4	11.4	86	26.0
G190556		164	39.6	17.3	108	32.0
G190557		119	47.5	15.3	81	33.2
G190558		168	39.4	23.5	98	23.4
G190559		126	40.8	12.7	64	18.6
G190560		136	62.3	12.7	63	32.7
G190561		107	33.5	16.5	70	33.7



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method	WEI-21	Au-ICP21	ME-MS61												
	Analyte	Revd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
G190562		2.04	0.564	0.50	8.40	341	190	1.03	0.09	7.18	0.42	30.6	34.5	115	5.90	62.2
G190563		1.92	0.208	0.40	8.34	108.0	180	1.24	0.45	7.71	3.49	37.2	33.6	101	4.08	90.9
G190564		1.78	0.101	0.24	7.79	110.0	200	0.98	0.11	7.64	0.68	33.2	31.0	93	4.46	52.3
G190565		2.64	0.026	0.21	7.99	51.0	270	0.99	0.07	8.08	0.71	35.6	34.5	99	4.69	62.5
G190566		1.82	0.110	0.38	7.62	471	350	0.98	0.21	7.60	0.58	32.3	31.7	82	4.33	66.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method	ME-MS61														
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G190562		6.41	18.90	0.08	2.9	0.072	1.25	13.0	29.5	2.00	1140	1.72	1.65	17.2	53.2	1160
G190563		6.91	19.10	0.08	3.4	0.090	0.96	15.7	20.8	2.04	1160	2.58	2.31	21.6	53.5	1480
G190564		6.66	16.85	0.08	2.8	0.065	1.09	14.4	24.7	2.42	1220	1.80	2.14	19.4	51.4	1450
G190565		6.96	18.85	0.08	3.5	0.074	1.03	15.5	22.5	2.46	1265	2.46	2.08	20.6	56.7	1380
G190566		7.00	18.05	0.08	2.9	0.075	1.26	14.0	19.4	2.72	1300	2.36	1.61	18.7	50.3	1230



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method	ME-MS61														
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm							
	LOD	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
G190562		2.4	42.0	<0.002	0.98	165.0	36.5	1	1.5	258	1.12	<0.05	1.16	1.070	0.29	0.3
G190563		3.3	31.9	<0.002	0.34	26.5	38.3	1	1.7	309	1.37	0.15	1.57	1.205	0.15	0.4
G190564		2.5	33.3	<0.002	0.26	39.3	33.8	<1	1.5	277	1.26	<0.05	1.30	1.110	0.15	0.3
G190565		2.6	31.6	<0.002	0.08	10.65	36.3	<1	1.6	324	1.35	<0.05	1.44	1.165	0.12	0.4
G190566		5.8	38.3	<0.002	0.23	15.95	34.1	1	1.6	284	1.22	0.06	1.30	1.100	0.17	0.3



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190562		209	22.9	23.7	136	104.0
G190563		217	3.0	29.2	257	114.0
G190564		226	4.8	25.6	157	134.5
G190565		229	1.6	27.1	150	119.5
G190566		216	4.4	25.6	149	89.4



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143706**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-ICP21	CRU-31	CRU-QC	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 17-JUN-2022

Account: ENDURA

## CERTIFICATE VA22143718

Project: Reliance Gold  
P.O. No.: Reliance-2022-017  
This report is for 30 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 30-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

### SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

### ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 17-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143718**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190567		2.10	0.044		0.16	6.53	65.6	910	0.89	0.51	0.55	0.03	28.2	12.4	24	2.10
G190568		1.98	0.016		0.09	5.45	15.2	780	0.78	0.34	0.95	0.03	26.7	13.1	21	1.76
G190569		1.14	0.021		0.13	6.18	10.2	1250	1.02	0.39	1.16	0.02	30.7	15.3	25	2.23
G190570		2.18	0.033		0.19	5.94	237	480	0.79	1.32	3.49	0.77	21.6	24.1	373	4.93
G190571		2.26	0.009		0.08	3.82	614	220	0.54	0.55	3.55	0.04	16.75	52.8	1120	12.65
G190572		2.02	0.003		0.05	6.01	20.4	550	0.80	0.22	2.05	0.06	25.8	11.1	38	2.97
G190573		2.46	0.001		0.05	5.87	11.4	540	0.80	0.24	3.09	0.07	28.1	14.1	46	7.57
G190574		2.10	0.048		0.08	6.40	91.5	490	1.00	0.34	2.10	0.04	24.0	12.7	63	2.65
G190575		2.04	0.003		0.09	6.58	32.7	590	1.03	0.49	2.04	0.02	23.5	15.5	140	2.88
G190576		2.08	0.010		0.07	6.52	19.5	460	0.88	0.35	1.46	0.03	26.4	12.7	89	2.70
G190577		2.36	0.004		0.09	6.92	34.4	680	1.04	0.48	1.70	0.03	28.3	16.3	112	3.22
G190578		2.04	0.004		0.11	7.04	99.0	660	1.00	0.62	1.51	0.04	24.6	15.6	52	2.53
G190579		2.12	0.002		0.09	7.58	126.0	960	1.10	0.43	1.39	0.02	29.6	13.0	68	2.92
G190580		2.74	0.011		0.10	7.91	138.0	960	1.18	0.62	1.97	0.02	24.6	12.9	34	2.94
G190581		2.60	0.006		0.09	6.02	161.5	710	0.91	0.36	1.32	0.03	29.0	21.2	56	2.94
G190582		2.46	0.021		0.11	3.32	762	230	0.78	1.58	4.47	0.05	13.20	54.7	1535	3.10
G190583		2.76	0.046		0.14	6.66	169.0	620	0.90	0.52	1.52	0.02	29.1	14.6	78	2.64
G190584		2.26	0.051		0.10	4.76	169.0	560	0.72	0.45	1.99	0.04	25.6	11.8	58	1.78
G190585		2.62	6.86		1.90	4.82	2670	740	0.62	0.70	3.22	0.18	17.35	11.6	81	4.11
G190586		3.22	4.17		0.99	3.49	2040	390	0.60	1.09	6.76	0.59	14.15	20.1	253	3.00
G190587		3.10	2.67		0.57	7.34	2030	200	0.78	1.10	7.35	1.23	16.70	24.0	139	5.26
G190588		1.96	>10.0	21.3	3.93	6.51	>10000	340	0.76	0.47	3.27	0.58	19.85	25.9	137	8.66
G190589		2.46	9.91		3.68	5.70	6680	280	0.72	0.78	5.51	1.53	19.05	29.2	109	6.23
G190590		1.38	4.08		0.84	6.22	3220	170	0.98	0.58	7.31	2.12	25.2	29.8	64	8.27
G190591		1.64	>10.0	11.00	1.50	6.33	4700	180	1.00	0.11	6.78	0.44	31.6	29.6	66	6.45
G190592		2.76	0.214		0.11	7.77	149.0	170	1.34	0.05	5.50	0.15	40.8	33.3	110	4.20
G190593		2.36	0.159		0.11	7.34	115.0	150	1.24	0.03	6.68	0.10	39.8	30.7	100	4.96
G190594		2.22	0.044		0.03	7.77	33.5	220	1.18	0.01	6.04	0.14	36.4	41.2	180	3.41
G190595		2.20	0.007		0.03	7.67	13.6	270	1.20	0.01	5.40	0.16	37.0	41.1	177	3.01
G190596		1.52	0.055		0.05	7.99	37.2	230	1.20	0.02	5.66	0.13	34.7	38.5	151	2.21



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 17-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143718**

Sample Description	Method	ME-MS61														
	Analyte Units LOD	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li %	Mg ppm	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
G190567		55.1	3.19	13.30	0.12	0.8	0.010	1.34	12.1	23.6	0.38	387	1.28	1.60	2.9	27.8
G190568		44.1	2.60	12.00	0.12	1.6	0.011	1.02	10.4	24.0	0.49	352	1.62	1.32	3.0	31.3
G190569		64.2	3.35	14.10	0.14	1.1	0.016	1.36	12.7	19.8	0.78	485	1.56	1.43	3.3	35.9
G190570		39.0	3.56	12.40	0.12	1.4	0.031	0.92	9.7	16.8	2.82	721	1.33	1.42	3.8	386
G190571		22.6	4.37	8.53	0.09	0.8	0.027	0.69	6.8	17.8	5.11	1040	1.54	0.32	2.1	891
G190572		21.2	2.96	13.80	0.14	0.7	0.012	0.98	11.0	11.6	1.28	582	1.42	2.11	3.2	70.9
G190573		19.9	3.67	14.30	0.09	1.3	0.026	1.15	12.3	14.2	2.26	861	1.60	1.48	3.9	92.2
G190574		30.9	3.41	13.05	0.13	0.7	0.011	1.04	10.1	16.9	1.46	650	2.04	2.31	3.3	91.7
G190575		42.7	4.24	14.00	0.12	0.7	0.021	1.08	9.9	16.5	1.47	893	2.36	2.14	3.4	136.5
G190576		31.6	3.38	13.80	0.14	1.0	0.010	1.09	11.4	19.2	1.08	604	1.70	2.20	3.7	93.6
G190577		45.8	4.13	14.25	0.14	0.9	0.013	1.38	12.5	15.0	1.44	778	9.15	2.20	3.5	98.2
G190578		67.7	3.77	14.80	0.14	1.3	0.024	1.19	11.5	14.6	0.91	490	19.80	2.55	3.3	45.0
G190579		43.9	3.87	15.80	0.15	0.8	0.013	1.50	13.2	15.9	1.27	596	2.39	2.70	3.7	57.7
G190580		40.8	3.92	17.45	0.17	0.6	0.011	1.52	10.2	17.0	1.48	631	2.07	2.96	3.5	32.2
G190581		36.8	3.39	13.25	0.14	2.1	0.017	1.23	12.0	22.7	1.36	778	2.19	1.58	3.6	71.7
G190582		49.1	6.19	9.38	0.11	0.8	0.282	0.63	5.2	21.4	4.03	2710	3.21	0.49	2.0	1415
G190583		44.3	4.03	14.45	0.12	2.2	0.013	1.14	13.6	44.7	1.53	795	1.84	1.36	5.1	78.0
G190584		42.5	2.99	10.80	0.11	1.2	0.014	0.77	11.3	60.0	1.21	474	6.54	0.30	3.9	58.9
G190585		35.0	2.89	10.70	0.12	1.0	0.031	1.09	7.3	62.5	1.70	576	1.63	0.04	2.5	84.9
G190586		39.5	2.98	8.12	0.09	0.8	0.054	0.62	6.6	45.0	3.51	844	2.47	0.06	2.9	237
G190587		60.1	5.41	13.90	0.12	1.4	0.147	0.57	7.8	66.8	3.43	1495	1.28	0.39	6.8	67.7
G190588		44.0	5.64	14.70	0.11	1.8	0.118	2.03	8.7	38.8	1.67	1055	1.30	0.03	9.7	52.9
G190589		68.9	5.90	13.20	0.12	1.5	0.118	1.32	11.7	65.4	2.55	1340	1.71	0.06	8.6	49.8
G190590		51.2	6.02	14.05	0.12	2.1	0.083	1.06	10.7	54.9	3.02	1115	1.06	0.41	12.5	41.1
G190591		45.9	6.04	14.90	0.13	2.3	0.062	1.25	14.4	33.3	3.03	1135	1.10	0.76	18.7	55.6
G190592		46.4	6.87	16.20	0.13	2.9	0.077	0.79	17.8	21.4	3.63	1140	1.94	2.36	25.7	56.2
G190593		42.6	6.50	15.90	0.13	3.2	0.073	0.71	18.0	24.1	3.88	1035	2.02	2.31	23.1	63.2
G190594		43.7	7.01	16.15	0.12	3.0	0.067	0.52	16.2	31.5	4.72	1105	1.88	2.39	24.0	140.5
G190595		45.8	6.89	16.50	0.14	3.1	0.069	0.58	16.5	36.8	5.11	1105	1.56	2.35	23.7	141.5
G190596		40.9	6.81	16.95	0.14	2.9	0.067	0.55	15.8	34.9	4.89	1100	1.88	2.62	23.1	112.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 17-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143718**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.01	ME-MS61 Sc ppm 0.05	ME-MS61 Se ppm 0.1	ME-MS61 Sn ppm 1	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005
G190567		610	2.6	34.4	<0.002	0.17	3.22	16.4	1	0.6	111.5	0.19	0.12	1.62	0.313	0.27
G190568		490	2.4	28.7	<0.002	0.27	1.63	14.2	1	0.4	108.0	0.19	0.09	2.10	0.250	0.24
G190569		620	2.6	34.9	<0.002	0.84	1.32	17.5	1	0.5	161.5	0.21	0.10	1.93	0.305	0.36
G190570		380	3.5	29.5	<0.002	0.39	4.12	10.4	1	0.8	319	0.25	0.15	1.97	0.297	0.17
G190571		390	1.7	36.0	<0.002	0.12	7.48	14.7	1	0.6	179.0	0.13	0.10	1.09	0.181	0.18
G190572		540	2.0	32.0	<0.002	0.27	2.38	15.0	1	0.4	200	0.21	<0.05	1.63	0.302	0.25
G190573		350	1.5	42.8	<0.002	0.26	2.00	15.1	1	0.5	194.0	0.25	<0.05	2.26	0.300	0.29
G190574		480	2.1	30.9	<0.002	0.37	5.94	16.0	1	0.4	165.0	0.21	0.06	1.66	0.328	0.30
G190575		600	1.9	33.6	0.002	0.50	31.0	17.6	1	0.4	157.0	0.21	0.11	1.61	0.377	0.31
G190576		620	1.9	35.2	<0.002	0.41	8.33	16.5	1	0.4	147.0	0.24	0.07	2.24	0.325	0.32
G190577		880	2.0	42.9	0.004	0.60	33.6	18.6	1	0.4	144.0	0.22	0.10	1.72	0.400	0.46
G190578		710	2.5	38.1	0.004	0.69	91.1	19.7	2	1.0	151.0	0.21	0.12	1.86	0.351	0.33
G190579		680	2.8	43.8	0.004	0.65	69.1	20.7	1	0.5	155.0	0.24	0.09	1.98	0.385	0.40
G190580		990	3.2	38.3	0.004	0.80	52.3	22.3	1	0.6	178.0	0.22	0.15	1.40	0.508	0.42
G190581		610	4.3	38.4	0.003	0.48	46.3	17.3	1	0.4	130.0	0.23	0.10	2.44	0.327	0.31
G190582		290	1.6	22.4	0.004	1.03	42.5	16.7	2	2.7	104.5	0.13	0.36	0.88	0.159	0.20
G190583		660	3.0	33.5	0.003	0.78	46.1	19.1	1	0.4	140.5	0.33	0.15	2.46	0.402	0.32
G190584		480	2.4	24.3	0.005	0.76	110.0	13.2	2	0.4	184.0	0.25	0.10	2.40	0.270	0.28
G190585		730	3.3	35.6	0.003	1.71	8060	12.7	1	0.5	481	0.17	0.16	1.33	0.268	0.38
G190586		390	2.4	23.4	0.004	0.99	3080	11.3	1	1.1	364	0.18	0.24	1.08	0.212	0.20
G190587		540	3.2	20.6	0.002	1.35	636	26.5	1	2.3	220	0.42	0.23	0.62	0.650	0.30
G190588		600	2.1	62.9	0.002	4.99	4260	27.8	1	1.4	364	0.58	0.11	0.65	0.796	1.22
G190589		780	2.1	43.2	0.002	4.85	2050	25.9	1	1.3	490	0.52	0.34	0.60	0.712	0.80
G190590		1090	2.6	39.6	<0.002	2.18	326	29.0	1	1.2	260	0.69	0.15	0.81	0.859	0.44
G190591		1200	3.1	42.8	<0.002	1.95	453	29.5	<1	1.1	264	1.02	<0.05	1.04	0.981	0.32
G190592		1550	2.1	22.2	0.002	0.10	31.2	28.9	1	1.5	240	1.39	<0.05	1.41	1.335	0.16
G190593		1380	1.8	27.4	0.002	0.19	41.4	27.2	<1	1.5	268	1.29	<0.05	1.48	1.185	0.15
G190594		1430	1.9	9.5	0.002	0.08	16.25	28.1	1	1.4	333	1.32	<0.05	1.15	1.255	0.09
G190595		1390	2.1	11.1	<0.002	0.04	10.35	28.4	1	1.4	405	1.31	<0.05	1.15	1.220	0.08
G190596		1420	1.7	8.0	0.002	0.07	80.8	27.3	<1	1.4	365	1.33	<0.05	1.06	1.230	0.07



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 17-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143718**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190567		0.5	86	4.2	12.4	43	24.6
G190568		0.7	69	3.0	15.7	30	63.3
G190569		0.5	77	4.5	13.8	31	38.8
G190570		0.8	87	11.6	9.1	99	51.2
G190571		0.4	72	3.8	10.9	122	32.4
G190572		0.4	74	3.2	14.7	52	29.0
G190573		0.6	79	3.7	14.4	85	51.9
G190574		0.5	85	5.1	12.8	54	29.9
G190575		0.5	98	3.2	14.4	52	27.8
G190576		0.7	82	2.8	15.8	54	40.1
G190577		0.6	103	2.9	16.4	53	36.9
G190578		0.8	108	2.1	19.4	41	45.4
G190579		0.6	103	3.4	15.7	42	32.6
G190580		0.5	113	5.7	16.3	44	24.8
G190581		0.8	86	3.6	18.0	46	90.5
G190582		0.3	77	2.2	9.5	168	27.9
G190583		1.0	113	7.7	16.2	47	87.9
G190584		1.0	109	9.3	11.8	44	44.2
G190585		0.6	73	33.4	10.5	61	34.7
G190586		0.5	69	28.5	10.1	86	26.7
G190587		0.3	175	40.8	19.5	152	48.7
G190588		0.2	201	80.8	13.8	125	60.6
G190589		0.2	186	76.7	17.8	167	52.6
G190590		0.2	169	36.5	22.5	243	83.7
G190591		0.3	178	27.2	26.8	106	79.0
G190592		0.4	239	1.2	24.1	90	115.5
G190593		0.5	209	1.4	24.8	75	129.0
G190594		0.4	221	0.6	22.7	82	117.5
G190595		0.4	216	0.3	22.4	78	127.0
G190596		0.4	218	0.5	20.7	79	104.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 17-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143718**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>SPL-21</td><td>WEI-21</td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21		
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
SPL-21	WEI-21												



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUN-2022

Account: ENDURA

## CERTIFICATE VA22143727

Project: Reliance Gold

P.O. No.: Reliance-2022-018

This report is for 22 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 30-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143727**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
G190618		2.34	0.005	0.10	7.34	4.9	680	0.87	1.48	1.99	0.02	21.3	12.6	77	3.27	51.4
G190619		3.00	0.435	0.46	6.41	648	630	0.69	1.21	2.76	0.49	20.7	14.1	112	5.23	68.8
G190620		2.26	0.855	0.33	7.92	1600	690	0.70	1.48	3.76	1.17	18.50	13.0	31	3.80	66.3
G190621		2.58	1.205	0.41	8.88	983	250	0.79	0.42	4.75	0.32	9.55	27.6	157	5.91	66.4
G190622		2.36	0.776	0.24	8.22	806	240	0.55	0.63	6.92	0.45	10.60	27.5	138	5.28	48.7
G190623		2.32	0.018	0.19	8.87	60.8	230	0.50	0.35	6.92	0.41	10.10	25.7	140	5.64	87.5
G190624		2.42	0.230	0.22	9.15	190.0	210	0.56	0.40	5.91	1.35	11.20	22.9	148	6.17	67.7
G190625		2.84	0.450	0.42	7.85	378	260	1.12	0.11	6.14	0.43	31.1	33.6	69	6.97	62.5
G190626		2.46	2.10	0.61	6.76	1405	230	0.98	0.05	7.20	0.17	27.5	30.5	37	8.52	59.9
G190627		2.20	0.505	0.37	6.89	480	190	1.02	0.06	6.32	0.25	28.6	33.3	36	7.87	72.3
G190628		2.92	0.026	0.16	7.03	43.1	330	0.92	0.12	8.03	0.50	28.7	31.7	40	6.79	70.2
G190664		3.16	0.034	0.16	7.57	54.7	930	0.91	0.51	1.53	0.36	25.1	10.4	51	2.09	34.6
G190665		2.52	0.023	0.11	7.41	420	890	1.02	0.39	1.32	0.27	29.0	10.9	59	2.36	35.2
G190666		2.52	0.008	0.11	7.32	73.4	650	1.06	0.37	1.46	0.41	26.1	12.8	67	3.27	41.6
G190667		2.68	0.004	0.11	7.76	60.1	700	0.99	0.38	1.57	0.25	26.6	12.7	52	2.81	49.9
G190668		3.22	0.007	0.22	6.89	50.6	620	1.02	0.23	1.56	0.75	30.7	14.7	67	2.72	51.0
G190669		2.34	0.037	0.25	6.70	303	550	1.28	0.34	2.97	0.35	41.9	27.7	107	2.22	61.1
G190670		3.58	0.011	0.18	8.82	139.5	680	1.64	0.09	4.02	0.36	56.8	53.9	166	4.92	45.5
G190702		2.62	0.001	0.06	7.06	86.3	220	1.17	0.01	5.40	0.06	39.3	49.8	234	13.65	80.3
G190703		2.92	0.002	0.08	7.70	172.5	330	1.41	0.04	5.28	0.09	44.1	77.9	190	11.05	84.1
G190704		2.80	0.003	0.07	7.38	118.5	430	1.32	0.04	4.91	0.08	44.0	70.6	144	10.95	77.3
G190745		2.04	0.444	0.85	7.71	826	340	0.86	1.94	4.94	0.39	19.70	15.5	87	4.63	62.9

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143727**

Sample Description	Method Analyte Units LOD	ME-MS61														
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	P	
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	10	
G190618		4.20	15.85	0.07	0.8	0.012	1.22	9.3	48.9	1.57	563	2.99	1.72	3.5	74.4	630
G190619		4.21	15.05	0.06	1.6	0.079	1.59	9.5	62.8	1.52	645	2.93	0.08	3.1	84.8	550
G190620		3.78	19.75	0.06	1.7	0.045	1.30	8.4	65.9	1.68	463	2.05	0.05	3.2	23.3	650
G190621		4.52	16.45	0.05	0.9	0.053	1.44	3.4	66.7	1.31	790	0.83	1.76	6.8	58.7	710
G190622		4.62	14.75	0.06	0.6	0.048	1.60	4.1	36.4	1.22	891	0.65	1.59	6.0	48.7	710
G190623		4.91	15.95	0.05	0.7	0.049	1.32	3.8	36.3	1.17	1025	0.62	1.97	6.2	46.8	640
G190624		4.58	16.35	0.07	0.8	0.053	1.29	4.3	42.2	1.18	790	0.87	2.29	6.6	47.0	810
G190625		6.57	18.55	0.09	3.2	0.065	1.12	12.8	39.1	2.72	1025	1.46	1.16	17.8	44.5	1090
G190626		6.26	16.30	0.07	3.0	0.064	1.59	11.9	28.2	3.12	1025	1.46	0.79	16.0	35.6	1070
G190627		6.46	16.45	0.06	2.6	0.067	1.66	12.1	21.5	3.12	1000	1.18	0.70	16.6	43.0	880
G190628		6.27	16.40	0.07	3.0	0.070	1.01	12.5	21.6	3.55	1030	1.70	1.34	16.8	39.0	1120
G190664		3.88	15.50	0.08	1.2	0.056	1.42	11.4	34.5	1.17	723	2.77	2.63	4.0	31.7	700
G190665		3.66	15.60	0.09	1.6	0.053	1.73	13.2	38.4	1.13	714	2.67	2.31	4.8	36.8	670
G190666		4.25	16.55	0.08	1.5	0.072	1.67	11.6	38.4	1.14	859	2.60	2.17	4.2	40.5	780
G190667		4.42	17.30	0.09	1.4	0.068	2.07	12.1	44.7	1.07	837	5.23	1.79	4.0	34.3	760
G190668		4.23	15.65	0.08	1.7	0.077	1.76	14.7	34.9	0.98	844	3.17	1.52	7.3	38.9	910
G190669		4.90	16.35	0.11	3.1	0.065	1.31	24.6	23.0	0.93	802	3.10	1.89	22.3	63.2	1990
G190670		7.57	22.0	0.14	2.5	0.086	1.23	33.3	32.1	1.25	918	2.39	2.87	37.0	128.0	2690
G190702		7.31	17.35	0.10	2.9	0.067	1.10	16.9	40.1	3.46	1600	0.89	1.67	22.8	211	1400
G190703		7.65	20.0	0.12	3.1	0.074	1.01	24.3	33.1	3.07	3920	1.83	2.24	23.0	276	2680
G190704		7.47	21.2	0.14	3.3	0.079	1.20	27.6	24.3	2.60	2970	2.65	2.44	22.8	202	2950
G190745		4.07	17.70	0.08	1.0	0.035	0.92	9.3	12.2	2.49	728	1.59	2.14	3.8	38.9	550



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143727**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.01	ME-MS61 Sc ppm 0.05	ME-MS61 Se ppm 0.1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005	ME-MS61 U ppm 0.02	ME-MS61 U ppm 0.1
G190618		1.8	30.5	0.004	1.14	10.65	19.3	2	0.4	162.0	0.25	0.64	1.40	0.403	0.51	0.5	
G190619		3.7	46.8	0.004	2.35	86.1	13.1	2	1.5	281	0.22	0.30	1.31	0.319	0.47	0.9	
G190620		5.2	31.1	0.002	1.97	85.0	8.9	1	1.0	332	0.24	0.12	1.14	0.354	0.38	0.7	
G190621		3.2	19.8	<0.002	1.32	146.5	22.5	<1	0.9	245	0.43	0.15	0.25	0.684	0.45	0.1	
G190622		3.6	28.1	<0.002	1.16	1065	22.7	1	0.8	232	0.39	0.14	0.27	0.624	0.42	0.1	
G190623		3.4	22.3	<0.002	0.64	36.8	23.0	1	0.8	294	0.40	0.07	0.28	0.623	0.35	0.1	
G190624		2.5	22.7	<0.002	0.82	272	21.7	<1	0.8	304	0.42	0.13	0.29	0.658	0.39	0.1	
G190625		2.6	36.0	<0.002	0.98	380	34.7	1	1.4	284	1.13	<0.05	1.10	1.075	0.26	0.3	
G190626		3.2	53.9	<0.002	1.82	203	33.3	<1	1.2	260	1.04	0.07	1.12	0.961	0.41	0.3	
G190627		3.3	55.9	<0.002	2.21	121.0	33.9	<1	1.2	246	1.06	<0.05	1.24	0.979	0.43	0.3	
G190628		2.9	32.8	<0.002	0.14	37.0	33.6	<1	1.3	342	1.11	<0.05	1.24	1.000	0.13	0.3	
G190664		9.3	38.5	0.003	0.45	4.47	17.9	1	1.0	241	0.26	0.05	1.57	0.396	0.30	0.6	
G190665		6.5	47.2	0.003	0.38	4.94	16.7	1	1.1	224	0.32	0.06	2.02	0.376	0.35	0.8	
G190666		4.3	46.5	0.003	0.53	6.29	19.6	1	1.2	165.5	0.29	0.08	1.53	0.427	0.34	0.6	
G190667		3.8	58.1	0.005	0.62	5.46	20.3	1	1.3	143.5	0.26	0.07	1.40	0.440	0.40	0.6	
G190668		4.6	52.1	0.005	0.50	6.60	18.2	1	1.3	138.5	0.48	0.08	2.41	0.472	0.38	1.3	
G190669		4.9	40.0	0.004	0.74	6.26	19.4	2	1.7	194.5	1.51	0.08	2.92	0.933	0.32	0.9	
G190670		4.3	42.9	<0.002	0.50	6.12	25.9	1	1.9	324	2.31	0.06	2.33	1.420	0.41	0.4	
G190702		2.7	48.7	<0.002	0.04	9.47	24.1	1	1.5	275	1.41	<0.05	1.40	1.170	0.23	0.3	
G190703		5.9	43.6	<0.002	0.04	16.70	26.4	1	1.7	244	1.45	<0.05	1.94	1.215	0.22	0.5	
G190704		5.1	48.3	<0.002	0.23	5.95	26.2	<1	1.7	211	1.42	<0.05	1.95	1.295	0.23	0.6	
G190745		3.4	27.0	<0.002	1.07	9.61	16.2	1	1.2	514	0.25	0.38	1.48	0.315	0.35	0.7	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22143727

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190618		116	5.1	11.7	42	28.2
G190619		100	12.0	20.4	81	61.1
G190620		103	22.0	8.6	81	51.1
G190621		156	18.1	11.7	86	25.7
G190622		141	6.5	13.5	80	15.8
G190623		149	2.3	13.3	102	20.0
G190624		147	6.9	15.2	136	25.9
G190625		198	12.3	23.7	99	121.5
G190626		184	27.4	21.8	78	108.0
G190627		174	18.9	21.8	105	85.9
G190628		188	2.2	26.3	91	98.9
G190664		92	2.2	20.5	77	42.4
G190665		89	2.1	18.7	83	57.5
G190666		102	2.2	18.7	100	47.5
G190667		106	2.6	16.8	90	43.9
G190668		114	2.8	20.8	127	56.3
G190669		165	3.7	29.0	98	132.0
G190670		235	1.6	34.8	160	86.3
G190702		196	1.9	20.4	179	99.5
G190703		194	1.3	34.5	218	158.0
G190704		207	1.1	40.9	154	128.0
G190745		121	6.1	11.6	65	25.9



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 13-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22143727**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-ICP21	CRU-31	CRU-QC	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 26-JUN-2022

Account: ENDURA

## CERTIFICATE VA22154150

Project: Reliance Gold  
P.O. No.: Reliance-2022-020  
This report is for 41 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 9-JUN-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

### SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

### ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22154150**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
G190760		1.56	0.340		0.25	7.60	133.5	970	1.05	0.52	0.41	0.36	25.0	7.4	24	2.79
G190761		2.04	0.654		0.23	7.71	67.5	1160	0.92	0.60	0.40	0.08	23.0	8.1	21	2.48
G190762		1.26	0.409		0.28	7.71	111.0	1080	1.03	0.68	0.58	0.10	23.2	13.6	116	4.11
G190763		1.80	0.479		0.26	7.64	243	1200	1.10	0.44	0.66	0.06	24.4	8.8	41	3.03
G190764		0.92	0.244		0.20	7.24	82.7	890	1.09	0.48	0.80	0.04	26.8	12.4	85	4.02
G190765		2.20	0.162		0.15	7.41	52.4	890	1.06	1.00	1.39	0.05	28.9	13.6	69	3.09
G190766		1.66	0.019		0.09	7.54	11.4	1070	1.05	0.34	1.32	0.03	27.2	12.4	62	3.33
G190767		2.06	0.010		0.10	6.95	13.1	820	1.14	0.64	1.89	0.09	27.6	15.8	183	4.40
G190768		2.06	7.13		0.85	6.95	1105	740	0.96	0.52	2.22	0.15	22.2	12.3	100	4.40
G190769		2.30	1.350		0.54	6.61	435	810	0.90	0.59	2.51	0.07	23.2	14.2	140	5.16
G190770		2.00	3.76		2.05	6.74	1040	1050	0.95	0.55	2.33	0.04	23.2	12.4	75	6.03
G190771		2.06	1.400		1.30	6.38	202	710	0.88	1.17	3.02	0.04	24.9	15.9	132	4.64
G190772		1.84	0.048		0.14	6.14	22.6	640	0.88	0.63	2.55	0.04	23.9	12.8	98	3.65
G190773		1.72	0.021		0.13	5.82	31.4	450	0.85	0.69	2.99	0.04	19.25	14.1	230	4.95
G190774		1.66	0.052		0.14	6.76	49.4	700	0.95	0.44	1.99	0.15	21.1	19.8	137	3.94
G190775		1.54	0.011		0.10	6.81	9.9	730	0.95	1.16	2.26	0.06	21.4	11.9	89	2.93
G190776		1.96	0.010		0.10	6.24	50.6	500	0.88	0.53	2.83	0.04	20.5	20.4	337	5.00
G190777		1.70	0.011		0.12	5.74	62.7	650	0.69	0.57	2.96	0.02	24.6	14.0	44	2.20
G190778		1.88	0.011		0.13	7.02	311	1100	0.92	0.51	1.82	0.02	24.0	14.1	56	2.62
G190779		1.40	0.012		0.17	4.48	96.5	450	0.73	0.55	2.68	0.10	19.05	11.6	350	4.97
G190780		1.80	0.011		0.16	7.26	20.3	770	0.95	0.77	1.99	0.03	20.1	14.4	39	3.05
G190781		1.84	0.063		0.22	6.80	48.5	650	0.84	2.14	1.81	0.02	21.3	10.6	37	2.69
G190782		1.44	0.500		0.11	3.20	193.5	520	0.61	0.66	1.91	0.02	22.2	6.8	65	1.60
G190783		1.76	0.169		0.11	3.61	137.5	610	0.64	0.57	2.19	0.02	20.8	8.5	87	2.18
G190784		1.64	5.08		1.20	5.25	3200	820	0.83	0.67	2.47	0.04	22.0	8.8	55	4.58
G190785		1.94	>10.0	12.70	2.74	5.73	8010	480	0.78	1.50	3.39	0.40	18.65	9.6	68	4.81
G190786		1.64	2.80		0.60	6.96	1515	510	0.80	13.70	3.11	0.05	23.2	13.5	32	4.12
G190787		1.90	2.26		0.36	6.46	1545	520	0.80	2.69	4.12	0.06	21.7	22.3	280	4.19
G190788		1.78	0.137		0.15	5.30	250	360	0.92	0.73	2.92	0.16	20.6	36.5	608	7.46
G190789		1.88	0.052		0.40	5.27	128.5	420	0.77	1.01	2.61	1.96	21.3	19.5	200	3.41
G190790		2.10	2.18		0.86	5.56	1515	540	0.76	0.85	2.75	0.73	18.15	11.2	154	3.10
G190791		2.02	6.72		1.36	4.92	4810	820	0.59	0.46	3.57	0.18	16.70	6.6	48	3.56
G190792		2.28	9.99		2.61	5.86	5710	890	0.65	2.20	1.76	0.05	21.4	6.1	25	2.95
G190793		2.22	7.32		1.58	6.23	3220	710	0.67	0.72	2.09	0.04	20.9	6.1	28	3.32
G190794		2.00	5.17		1.00	6.57	2780	850	0.75	1.40	2.55	0.04	21.5	8.4	38	3.27
G190795		2.06	>10.0	18.90	2.04	5.44	9070	780	0.69	0.41	4.62	0.07	17.80	9.1	80	3.63
G190796		2.30	0.270		0.22	6.58	241	870	0.80	0.72	1.82	0.14	23.4	12.1	130	3.42
G190797		2.12	0.295		0.15	7.09	170.0	870	0.80	0.69	1.67	0.05	24.8	10.0	71	2.93
G190798		1.96	0.127		0.11	4.71	93.7	820	0.78	0.71	1.51	0.03	25.7	9.6	50	1.70
G190799		2.28	0.048		0.13	7.00	47.7	930	0.85	0.47	1.32	0.02	26.7	10.4	26	2.38

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22154150**

Sample Description	Method	ME-MS61															
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
G190760		42.8	3.53	15.50	0.14	1.0	0.034	1.64	11.0	12.4	0.30	505	1.19	2.32	3.1	20.8	
G190761		75.0	3.65	16.30	0.15	1.1	0.028	1.66	9.3	18.0	0.29	311	2.49	2.16	2.9	18.7	
G190762		68.9	4.17	16.55	0.14	0.9	0.045	2.04	10.6	18.5	0.71	494	3.36	1.42	3.2	92.9	
G190763		56.8	3.11	16.60	0.15	1.0	0.032	2.07	11.3	14.8	0.42	334	3.55	1.98	3.1	39.4	
G190764		70.3	3.87	15.35	0.14	0.9	0.018	1.46	12.5	20.6	0.60	428	3.56	1.85	3.5	81.2	
G190765		56.9	3.74	16.00	0.15	1.2	0.017	1.42	13.1	18.8	0.76	469	2.67	2.22	3.8	67.8	
G190766		48.6	3.87	16.80	0.15	0.8	0.017	1.78	12.7	18.6	1.04	509	2.58	2.14	3.3	62.9	
G190767		56.8	3.95	15.75	0.14	1.2	0.063	1.48	12.7	15.0	1.17	690	4.88	1.69	4.9	142.5	
G190768		54.7	4.02	14.95	0.14	0.9	0.051	1.63	9.1	13.0	1.46	671	3.00	1.76	4.1	85.4	
G190769		68.4	4.08	15.00	0.15	0.8	0.065	1.65	9.6	11.8	1.42	788	2.96	1.21	5.2	115.0	
G190770		64.2	3.70	15.05	0.17	1.1	0.030	1.61	9.6	17.2	1.63	497	4.04	1.35	3.5	71.6	
G190771		65.4	4.11	13.65	0.16	1.9	0.049	1.47	11.8	11.1	2.18	678	4.42	1.41	4.4	130.0	
G190772		68.7	4.11	13.65	0.13	1.2	0.055	1.21	10.9	12.3	1.64	597	4.68	1.60	4.0	93.2	
G190773		59.2	4.49	13.40	0.13	1.5	0.082	1.06	7.9	11.6	2.55	959	3.78	1.10	3.0	195.5	
G190774		62.7	4.14	15.00	0.14	0.7	0.037	1.37	9.9	18.8	2.22	724	2.64	1.39	3.1	153.5	
G190775		48.4	3.74	14.20	0.14	0.8	0.019	1.23	9.8	16.3	1.88	554	3.25	1.90	3.0	90.0	
G190776		52.7	4.55	12.95	0.13	1.6	0.050	1.31	9.0	13.4	2.63	991	2.61	1.17	3.0	203	
G190777		56.7	3.36	11.60	0.15	1.9	0.012	0.92	11.1	12.5	2.23	423	3.40	1.87	3.2	128.0	
G190778		71.1	3.77	15.55	0.16	0.7	0.017	1.41	10.3	15.7	1.27	415	3.06	2.01	3.2	122.5	
G190779		45.4	3.69	10.65	0.12	1.2	0.035	1.00	8.2	12.4	2.84	997	2.50	0.69	2.7	111.5	
G190780		92.8	4.63	15.90	0.14	0.9	0.015	1.45	8.5	23.1	1.63	483	5.18	1.96	2.6	33.8	
G190781		76.1	3.88	14.60	0.15	0.9	0.010	1.11	10.0	24.9	1.46	413	2.50	1.86	2.9	20.0	
G190782		31.8	2.13	8.41	0.11	1.1	0.013	0.77	9.2	26.6	1.32	281	2.03	0.08	3.1	43.0	
G190783		33.4	2.60	9.21	0.11	1.0	0.014	0.87	9.8	35.0	1.66	372	2.08	0.05	2.9	76.5	
G190784		43.8	2.85	11.95	0.16	1.3	0.016	1.68	9.3	34.2	1.43	320	2.03	0.06	2.9	56.4	
G190785		48.6	3.14	14.00	0.16	1.6	0.029	2.02	7.7	24.2	1.82	447	2.11	0.05	2.7	58.1	
G190786		57.7	3.02	14.70	0.13	1.9	0.032	1.09	10.4	97.8	1.61	388	1.35	0.07	4.0	23.8	
G190787		36.0	3.12	14.10	0.16	1.9	0.052	1.05	9.3	57.9	2.58	704	1.30	0.19	3.7	270	
G190788		43.8	4.24	12.25	0.12	1.5	0.054	0.85	8.0	27.6	3.47	1125	1.84	0.21	2.9	496	
G190789		45.7	3.99	11.35	0.12	1.3	0.049	0.81	9.1	45.7	3.03	831	50.8	0.12	2.3	190.5	
G190790		33.3	3.46	12.30	0.11	1.4	0.037	1.04	7.2	57.8	2.72	737	4.54	0.07	2.4	131.0	
G190791		33.4	2.83	10.65	0.13	1.1	0.019	1.74	6.9	27.5	1.94	585	1.72	0.07	2.1	31.3	
G190792		42.3	2.44	13.55	0.16	1.2	0.023	2.29	8.6	27.1	1.03	228	1.44	0.08	2.3	20.1	
G190793		44.2	2.84	13.70	0.14	1.3	0.020	2.13	9.4	32.0	1.25	314	1.84	0.07	2.4	22.3	
G190794		47.6	3.13	13.95	0.14	1.5	0.017	1.66	10.1	50.6	1.40	380	1.58	0.07	3.0	26.5	
G190795		40.3	3.16	13.10	0.16	1.1	0.025	1.62	7.6	39.1	2.63	472	1.86	0.06	2.4	71.1	
G190796		50.8	3.78	13.70	0.13	1.3	0.012	1.51	11.0	56.6	1.46	416	2.45	0.13	2.4	96.7	
G190797		45.7	3.78	14.35	0.10	0.8	0.020	1.22	10.6	63.7	1.27	505	1.92	0.50	2.8	54.0	
G190798		38.3	2.87	11.65	0.10	1.2	0.020	0.68	11.3	71.8	0.95	576	2.60	0.06	3.2	35.5	
G190799		37.8	3.60	14.85	0.15	1.9	0.025	1.11	11.8	74.5	0.98	886	2.02	0.60	3.2	19.8	

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22154150**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
G190760		670	5.7	40.7	<0.002	0.08	8.22	21.5	1	0.7	166.5	0.18	0.16	1.15	0.404	0.22
G190761		680	4.2	42.7	<0.002	0.15	5.79	23.4	1	0.9	169.5	0.18	0.17	1.25	0.375	0.37
G190762		670	3.6	58.7	<0.002	0.25	15.50	24.6	1	0.9	137.0	0.20	0.25	1.30	0.388	0.50
G190763		570	3.0	50.5	0.002	0.35	18.30	22.2	1	0.8	159.0	0.19	0.16	1.42	0.343	0.36
G190764		790	3.7	46.2	<0.002	0.26	22.5	21.3	2	0.8	165.0	0.22	0.19	1.79	0.359	0.35
G190765		590	3.3	42.2	<0.002	0.45	8.94	22.3	1	0.8	169.5	0.24	0.47	1.94	0.388	0.36
G190766		640	2.6	50.2	0.002	0.52	3.00	23.0	1	0.5	152.5	0.22	0.16	1.64	0.393	0.42
G190767		690	2.0	45.0	0.003	0.47	12.70	20.4	2	1.5	155.0	0.31	0.25	2.04	0.385	0.40
G190768		620	2.7	46.7	0.002	0.63	143.0	20.1	1	0.9	164.0	0.26	0.18	1.35	0.387	0.44
G190769		630	2.0	50.9	0.002	0.88	191.5	20.3	1	1.2	168.0	0.31	0.19	1.18	0.429	0.45
G190770		550	2.1	53.1	0.004	1.50	170.0	21.6	2	1.0	197.0	0.22	0.17	1.44	0.362	0.46
G190771		620	1.8	51.7	0.003	1.14	48.9	20.3	1	1.3	175.5	0.26	0.45	1.86	0.356	0.45
G190772		690	1.9	36.0	0.004	1.42	3.26	19.4	2	1.6	167.5	0.26	0.22	1.65	0.339	0.45
G190773		430	1.5	39.9	0.003	0.96	1.94	18.6	1	2.2	171.0	0.19	0.21	1.49	0.293	0.33
G190774		520	2.4	44.0	0.002	0.91	3.59	22.6	2	0.8	157.5	0.20	0.13	1.22	0.359	0.49
G190775		600	2.1	34.2	0.004	1.04	4.59	20.2	1	0.8	163.0	0.20	0.33	1.26	0.347	0.40
G190776		520	2.0	45.3	0.003	0.98	1.33	19.4	2	0.9	142.0	0.19	0.14	1.42	0.341	0.47
G190777		400	2.3	30.2	0.003	1.07	2.42	16.2	1	0.8	222	0.21	0.18	1.67	0.270	0.31
G190778		630	2.9	36.7	<0.002	1.02	18.65	20.3	1	0.8	217	0.22	0.13	1.49	0.350	0.37
G190779		290	2.5	35.4	0.002	0.42	6.17	14.5	1	0.6	120.5	0.17	0.15	1.62	0.230	0.26
G190780		610	2.7	39.8	0.006	1.75	8.59	22.4	1	0.8	161.0	0.17	0.15	1.13	0.360	0.51
G190781		760	2.7	32.9	0.004	1.27	28.9	22.3	2	0.7	197.5	0.18	0.78	1.15	0.371	0.38
G190782		400	1.3	24.4	0.004	0.38	54.8	10.2	1	0.4	163.5	0.20	0.24	2.37	0.179	0.20
G190783		430	1.5	28.4	0.003	0.57	98.7	11.7	1	0.5	255	0.20	0.19	2.01	0.199	0.24
G190784		610	2.1	54.6	0.004	1.81	230	15.1	1	0.6	358	0.20	0.16	1.74	0.268	0.42
G190785		330	2.3	69.6	0.005	2.10	785	17.6	1	0.6	252	0.17	0.53	1.24	0.302	0.58
G190786		520	4.7	33.9	0.002	1.40	103.5	10.4	1	1.3	356	0.26	5.74	1.78	0.352	0.38
G190787		480	5.0	35.8	0.002	0.81	106.5	11.6	1	1.2	396	0.25	0.72	1.84	0.319	0.30
G190788		380	7.1	34.5	0.003	0.58	26.2	17.6	1	0.9	185.5	0.19	0.24	1.51	0.281	0.31
G190789		460	33.9	27.4	0.003	0.80	80.0	14.2	1	0.8	222	0.15	0.29	1.51	0.252	0.31
G190790		460	37.2	33.0	0.003	0.73	98.6	15.2	1	0.9	263	0.17	0.31	1.42	0.272	0.34
G190791		540	2.5	46.6	<0.002	1.89	140.0	10.8	1	0.5	316	0.14	0.16	1.24	0.230	0.41
G190792		390	2.0	58.3	0.002	1.87	142.0	12.4	1	0.7	200	0.15	1.07	1.67	0.238	0.45
G190793		510	2.0	55.4	0.003	2.00	109.0	13.6	1	0.6	258	0.17	0.26	1.59	0.261	0.46
G190794		530	2.6	43.7	0.004	1.87	115.0	13.2	1	0.7	309	0.20	0.25	1.65	0.309	0.43
G190795		490	2.2	47.0	0.004	2.01	6340	13.9	1	0.5	418	0.16	0.14	1.33	0.283	0.43
G190796		590	2.8	43.7	0.004	1.44	133.5	17.4	1	0.8	217	0.16	0.30	1.70	0.292	0.53
G190797		690	2.3	28.5	0.003	1.12	66.1	16.7	1	0.7	172.0	0.20	0.29	1.75	0.343	0.45
G190798		580	2.7	17.2	0.004	0.68	22.6	12.4	1	0.6	229	0.21	0.40	2.22	0.259	0.30
G190799		640	3.7	25.4	0.003	0.74	12.35	17.6	1	0.8	214	0.21	0.17	1.99	0.380	0.25

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22154150**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190760		0.5	76	5.6	18.1	93	36.4
G190761		0.7	92	3.6	19.0	36	40.7
G190762		0.7	114	4.8	16.7	55	33.1
G190763		0.7	93	5.2	17.7	35	34.0
G190764		0.7	112	5.3	18.5	43	33.3
G190765		0.9	107	4.9	17.5	41	44.5
G190766		0.6	112	4.5	14.8	37	29.7
G190767		1.0	113	2.2	19.7	65	43.7
G190768		0.6	108	13.4	15.1	58	36.6
G190769		0.6	104	17.2	15.2	48	29.9
G190770		0.7	109	14.8	15.3	42	40.2
G190771		1.2	110	5.9	19.6	59	70.8
G190772		0.9	103	3.1	19.1	47	41.6
G190773		0.8	101	2.3	16.6	71	59.0
G190774		0.6	108	2.8	15.0	64	28.2
G190775		0.6	97	2.9	15.7	48	31.5
G190776		0.8	104	3.2	17.5	75	53.9
G190777		1.0	80	4.1	16.8	35	81.9
G190778		0.5	97	3.9	13.6	38	27.0
G190779		0.8	73	4.8	13.9	62	57.1
G190780		0.7	112	3.7	15.3	37	32.5
G190781		0.9	108	4.5	16.4	35	34.3
G190782		0.9	65	4.3	9.0	25	45.1
G190783		0.8	72	5.4	9.3	35	38.1
G190784		0.9	82	20.0	13.3	37	48.7
G190785		0.8	87	34.2	14.4	76	53.9
G190786		1.0	95	18.5	10.6	35	65.7
G190787		0.9	88	18.2	19.6	62	65.0
G190788		0.6	85	5.9	15.9	109	48.7
G190789		0.6	75	7.5	15.1	183	41.7
G190790		0.6	78	12.5	11.8	95	44.2
G190791		0.5	61	24.4	11.3	38	41.6
G190792		0.6	65	14.2	11.2	21	45.0
G190793		0.6	67	19.0	11.3	25	42.4
G190794		0.7	80	19.6	9.9	31	55.0
G190795		0.5	80	26.9	9.3	44	39.4
G190796		0.7	96	7.8	11.4	47	60.8
G190797		0.6	101	4.2	10.6	43	31.9
G190798		0.8	75	4.4	9.2	35	43.4
G190799		0.8	89	3.4	13.7	44	73.7



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22154150

Sample Description	Method Analyte Units LOD	WEI-21 Revd Wt. kg	Au-ICP21 Au ppm	Au-GRA21 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
G190800		2.22	0.025		0.08	7.27	41.7	980	0.95	0.34	1.02	<0.02	29.4	11.4	38	1.80



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

**Page: 3 - B**  
**Total # Pages: 3 (A - D)**  
**Plus Appendix Pages**  
**Normalized Date: 26-JUN-2022**  
**Account: ENDURA**

## Project: Reliance Gold

**CERTIFICATE OF ANALYSIS**    VA22154150

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	
G190800		43.7	3.64	16.00	0.12	0.9	0.015	1.25	13.4	85.7	0.85	611	2.37	0.06	4.0	28.7

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

## Project: Reliance Gold

# CERTIFICATE OF ANALYSIS VA22154150

Sample Description	Method	ME-MS61														
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	%	ppm							
LOD	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.05	0.01	0.005	0.02
G190800	570	2.4	26.6	0.004	0.77	15.05	18.1	1	0.6	161.0	0.26	0.16	2.48	0.405	0.34	

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22154150**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190800		0.7	111	5.8	10.9	37	36.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 26-JUN-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22154150**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>SPL-21</td><td>WEI-21</td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21		
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
SPL-21	WEI-21												



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 1

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 24-JUL-2022

Account: ENDURA

## CERTIFICATE VA22165573

Project: Reliance Gold

P.O. No.: Reliance-2022-026

This report is for 3 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 20-JUN-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN O'BRIEN

### SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

### ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 24-JUL-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22165573**

Sample Description	Method Analyte Units LOD	WEI-21 Revd Wt. kg	Au-ICP21 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
G190380		2.20	0.023	0.61	2.48	70.7	530	0.96	0.33	0.91	3.78	27.4	25.0	67	1.66	118.5
G190381		2.72	0.043	1.03	3.62	130.0	220	1.35	0.49	1.36	6.32	39.2	37.3	84	2.82	163.5
G190382		2.88	0.029	0.70	6.91	72.3	190	1.68	0.39	1.85	4.38	49.0	21.3	121	4.00	102.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 24-JUL-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22165573**

Sample Description	Method	ME-MS61														
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
G190380		3.66	7.77	0.12	1.2	0.063	1.13	25.9	13.5	0.50	504	54.2	0.04	5.5	133.0	1290
G190381		5.31	10.75	0.14	1.8	0.093	1.68	34.3	14.2	0.68	602	103.5	0.03	7.9	224	1500
G190382		5.61	19.90	0.15	2.7	0.090	3.23	27.7	17.0	1.37	483	27.7	0.04	14.4	113.5	1000



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 24-JUL-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22165573**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.01	ME-MS61 Sc ppm 0.05	ME-MS61 Se ppm 0.1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005	ME-MS61 U ppm 0.02	ME-MS61 U ppm 0.1
G190380		22.8	44.0	0.052	2.05	13.15	7.4	7	1.1	102.5	0.36	0.33	3.69	0.163	1.47	9.3	
G190381		36.0	63.1	0.103	3.91	25.1	11.4	12	1.5	79.8	0.52	0.55	5.24	0.239	3.17	14.7	
G190382		21.0	112.5	0.043	4.99	18.70	19.6	11	2.3	63.2	0.86	0.35	6.72	0.517	2.25	5.1	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: 2 - D  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 24-JUL-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22165573

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
G190380		154	3.8	21.1	278	56.2
G190381		260	6.6	27.7	496	78.1
G190382		263	1.3	24.3	308	112.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
SUITE 1900, 1055 WEST HASTINGS STREET  
VANCOUVER BC V6E 2E9

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 24-JUL-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22165573**

<b>CERTIFICATE COMMENTS</b>									
Applies to Method:	<p><b>ANALYTICAL COMMENTS</b></p> <p>REEs may not be totally soluble in this method. ME-MS61</p>								
Applies to Method:	<p><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>LOG-21</td><td>ME-MS61</td></tr><tr><td>PUL-31</td><td>SPL-21</td><td>WEI-21</td><td></td></tr></tbody></table>	Au-ICP21	CRU-31	LOG-21	ME-MS61	PUL-31	SPL-21	WEI-21	
Au-ICP21	CRU-31	LOG-21	ME-MS61						
PUL-31	SPL-21	WEI-21							



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 1  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 15-MAY-2022  
Account: ENDURA

## CERTIFICATE VA22108769

Project: Reliance Gold  
P.O. No.: Reliance-2022-001  
This report is for 37 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 27-APR-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

  
Signature: Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 15-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22108769**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
D728264		1.14	0.484	0.31	8.58	374	140	0.95	0.01	6.20	0.38	27.5	41.4	218	4.14	62.1
D728265		1.18	0.037	0.08	8.19	142.5	150	0.92	0.01	5.84	0.09	24.4	43.4	193	2.70	59.4
D728291		0.96	0.397	0.44	8.16	494	300	0.84	0.01	5.67	0.11	27.5	42.6	210	4.24	93.8
D728298		2.48	0.259	0.30	9.09	104.5	230	1.08	0.01	1.21	0.10	31.1	51.8	355	6.80	70.9
D728314		1.48	0.027	0.28	8.39	171.0	120	0.95	0.01	5.60	0.63	24.5	43.2	189	2.67	65.7
D728315		1.76	0.818	0.54	8.60	1710	100	0.81	0.01	5.27	0.18	26.8	46.4	197	2.47	88.7
D728316		1.98	0.005	0.04	8.37	21.6	90	0.81	0.01	5.63	0.12	25.6	42.5	193	1.93	98.2
D728341		0.82	0.021	0.04	8.24	45.5	230	0.90	0.03	1.49	0.13	32.4	42.1	265	3.44	56.8
D728342		0.74	0.004	0.03	8.34	30.8	170	0.89	0.01	3.12	0.10	31.9	45.8	270	6.53	64.6
D728343		1.10	0.183	0.55	8.15	371	170	0.96	0.01	3.63	0.42	26.8	46.2	286	5.37	71.3
D728344		1.82	<0.001	0.01	8.27	27.4	130	0.79	0.01	4.26	0.09	24.2	49.4	259	3.14	70.9
D728345		1.78	0.140	0.30	8.23	314	140	0.81	0.01	4.54	0.16	22.4	45.3	203	2.66	85.9
D728346		2.22	0.007	0.02	8.79	26.8	130	0.94	0.01	6.05	0.11	28.7	45.1	185	3.55	66.4
D728369		1.96	0.001	0.01	8.65	17.0	110	0.87	0.01	6.99	0.09	26.2	43.6	180	2.96	70.9
D728370		2.16	0.135	0.35	8.75	575	100	0.83	0.01	5.58	0.11	27.2	42.7	196	2.06	76.0
D728371		2.10	<0.001	0.03	8.17	15.8	130	0.73	0.01	6.36	0.07	21.3	41.2	175	2.15	58.4
D728387		0.60	0.022	0.10	8.31	53.1	310	0.98	0.04	3.47	0.18	26.2	40.1	225	2.45	53.7
D728388		1.88	0.014	0.06	8.53	80.0	300	1.02	0.03	2.19	0.11	35.4	44.6	307	6.15	60.9
D728389		2.90	0.018	0.07	7.75	69.7	190	0.74	0.01	4.50	0.11	25.7	43.7	265	4.57	61.5
D728390		0.84	0.001	0.03	8.07	15.8	90	0.95	0.01	3.49	0.09	22.9	47.4	247	3.08	61.2
D728391		1.60	0.001	0.03	7.79	14.5	90	0.86	0.01	5.79	0.11	26.6	42.1	238	3.33	66.0
D728392		1.82	0.020	0.13	8.41	232	100	0.97	0.01	4.84	0.13	25.4	51.7	258	3.74	74.8
D728393		1.48	0.002	0.07	8.49	35.7	120	1.10	0.02	4.28	0.08	27.4	45.8	228	4.15	84.3
D728394		1.80	0.007	0.04	8.00	23.0	100	0.93	0.01	4.94	0.09	27.6	44.5	226	3.99	70.4
D728395		1.88	0.032	0.04	7.13	25.5	70	0.78	0.01	6.80	0.09	26.7	36.8	229	3.04	58.7
D728396		1.86	0.630	0.13	7.89	436	100	0.92	0.01	5.56	0.10	28.2	45.8	243	4.79	63.5
D728397		1.94	0.164	0.06	8.31	177.0	100	0.85	0.01	5.48	0.09	27.2	43.3	241	3.37	64.2
D728398		2.04	0.194	0.25	7.62	459	270	0.87	0.01	6.14	0.11	28.9	43.5	236	5.39	56.1
D728399		1.84	0.003	0.02	7.47	11.4	720	0.83	0.01	4.95	0.08	27.5	44.5	257	6.56	60.4
D728406		1.88	<0.001	0.08	8.70	20.3	140	0.83	0.01	4.79	0.07	25.9	48.9	202	2.83	68.9
D728407		1.82	0.068	0.22	8.52	225	150	0.77	0.01	4.32	0.09	26.4	46.7	218	2.43	67.3
D728408		1.96	0.472	0.43	8.24	1055	160	0.72	0.01	5.79	0.25	27.3	44.5	225	2.33	74.3
D728409		2.06	<0.001	0.01	8.86	15.4	80	0.77	0.01	6.41	0.10	28.0	47.9	204	1.22	113.0
D728415		1.82	<0.001	0.01	8.32	26.1	170	0.93	0.01	5.09	0.07	25.6	43.5	229	3.10	73.6
D728416		2.00	<0.001	0.03	8.26	56.6	260	0.77	0.01	3.41	0.05	22.9	47.2	259	4.36	88.6
D728417		1.88	0.024	0.11	8.09	257	170	0.76	0.01	4.50	0.07	23.3	47.5	248	3.70	80.8
D728418		2.08	<0.001	0.03	8.90	40.9	120	0.76	0.01	5.00	0.09	27.6	54.1	285	2.26	72.2

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – B  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 15-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22108769**

Sample Description	Method Analyte Units LOD	ME-MS61														
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
D728264		7.81	19.90	0.11	3.3	0.084	1.23	11.9	26.2	1.62	1180	1.64	2.44	13.6	110.0	1360
D728265		7.28	19.85	0.10	2.9	0.079	1.26	10.3	31.3	2.01	1295	1.17	2.08	13.5	104.0	1190
D728291		7.33	19.45	0.13	2.8	0.072	1.84	13.1	32.6	1.80	1245	1.25	1.32	12.7	95.0	850
D728298		8.84	20.8	0.13	2.6	0.088	2.74	11.4	26.2	1.88	1020	0.83	1.98	19.6	142.5	930
D728314		7.36	20.4	0.10	3.1	0.080	1.13	10.1	34.1	2.09	1350	0.91	2.21	13.4	100.5	1040
D728315		7.48	20.1	0.11	2.9	0.081	0.90	11.0	40.2	2.95	1355	0.78	2.33	14.1	119.0	1050
D728316		7.48	19.60	0.11	3.1	0.074	0.63	10.5	43.7	2.77	1385	0.85	2.54	12.9	115.5	1000
D728341		7.45	18.35	0.13	3.1	0.074	1.74	13.7	34.1	2.43	1105	0.98	1.91	16.2	149.5	1010
D728342		7.84	19.35	0.13	3.1	0.081	2.06	12.5	31.4	2.24	1285	0.88	1.92	18.2	146.0	1090
D728343		8.00	20.0	0.11	3.0	0.091	1.80	9.5	37.3	2.75	1365	0.77	1.61	16.7	145.5	850
D728344		8.18	19.50	0.10	3.2	0.088	0.87	9.1	48.0	3.74	1445	0.61	2.21	14.6	154.0	1030
D728345		7.93	20.5	0.10	2.5	0.078	1.02	8.9	47.3	3.14	1515	0.81	2.05	13.6	114.0	1030
D728346		7.95	20.3	0.11	3.3	0.080	0.78	12.1	34.5	2.41	1235	1.24	2.74	13.8	108.5	1070
D728369		7.89	21.0	0.10	3.5	0.081	0.80	10.9	31.7	2.21	1325	1.44	2.68	14.0	105.5	1120
D728370		7.60	19.85	0.11	3.0	0.081	0.86	11.5	37.4	2.60	1380	1.17	2.50	13.4	107.5	1090
D728371		7.64	18.50	0.09	2.9	0.076	0.91	8.8	30.1	2.19	1265	0.76	2.67	12.5	94.0	1060
D728387		7.01	20.5	0.11	2.7	0.073	1.17	11.4	37.4	2.29	1270	1.35	2.69	13.2	121.0	1180
D728388		7.96	20.1	0.14	3.1	0.081	2.52	14.9	33.0	2.57	1085	0.89	1.35	17.4	159.0	860
D728389		7.69	17.90	0.12	2.6	0.076	1.76	9.7	36.4	2.58	1265	0.53	1.84	15.4	138.5	820
D728390		8.14	21.0	0.11	3.2	0.080	0.48	9.3	69.5	2.87	1300	0.74	2.60	14.5	137.5	1160
D728391		7.19	18.60	0.11	2.9	0.081	0.99	11.1	64.6	2.39	1410	0.67	1.83	14.0	122.0	1050
D728392		8.25	21.4	0.11	3.3	0.092	0.90	10.3	57.9	2.53	1365	0.66	2.29	15.3	133.5	1070
D728393		7.49	21.0	0.12	3.2	0.086	1.17	12.1	57.6	2.07	1220	0.72	2.21	15.2	121.5	1100
D728394		7.62	19.20	0.12	3.0	0.087	1.04	11.7	58.2	2.49	1320	0.75	1.86	14.0	117.5	1010
D728395		6.28	16.35	0.11	2.9	0.069	0.86	11.5	61.0	2.67	1460	0.87	1.31	11.9	110.5	890
D728396		7.63	18.75	0.12	3.3	0.079	1.16	11.7	43.2	2.55	1295	0.82	1.93	13.4	127.5	980
D728397		7.22	18.35	0.10	3.0	0.074	1.12	11.3	43.3	2.57	1350	0.69	1.82	13.8	130.0	1010
D728398		7.22	18.50	0.10	3.1	0.071	1.92	12.0	32.5	3.04	1220	0.77	0.95	14.2	142.5	900
D728399		7.73	18.60	0.10	3.0	0.075	2.16	10.5	27.2	3.60	1120	0.69	1.08	16.8	186.0	890
D728406		8.00	21.6	0.12	3.3	0.080	1.29	10.8	45.9	2.26	1360	0.77	2.47	14.2	112.0	1180
D728407		7.90	20.7	0.11	3.1	0.082	1.31	11.2	39.8	2.22	1360	0.80	2.34	14.1	115.0	1200
D728408		7.50	19.40	0.11	3.0	0.071	1.44	11.6	36.7	2.39	1445	0.99	1.74	13.0	116.5	1090
D728409		7.86	20.9	0.11	3.3	0.076	0.28	12.1	47.4	3.14	1765	1.04	2.69	13.6	122.5	1120
D728415		7.97	21.3	0.11	3.1	0.078	1.36	10.2	35.3	2.53	1300	1.25	1.75	13.8	108.5	860
D728416		8.08	19.65	0.11	3.1	0.083	2.37	6.8	39.7	2.51	1050	0.70	1.57	14.6	114.5	710
D728417		7.83	20.1	0.11	3.0	0.078	1.75	8.7	45.4	2.56	1235	0.94	1.56	13.9	119.0	740
D728418		8.19	20.7	0.12	3.3	0.081	0.80	11.4	43.1	2.83	1370	1.01	2.32	14.2	162.0	1060

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – C  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 15-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22108769**

Sample Description	Method	ME-MS61														
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm							
	LOD	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
D728264		27.2	33.9	<0.002	0.18	3.90	37.1	1	1.4	191.5	0.85	<0.05	0.98	1.175	0.20	0.3
D728265		1.5	27.2	<0.002	0.05	3.58	33.7	<1	1.3	182.5	0.84	<0.05	0.83	1.135	0.17	0.2
D728291		3.0	51.3	<0.002	0.68	5.67	34.3	1	1.2	168.5	0.76	<0.05	0.87	1.090	0.23	0.2
D728298		3.3	68.1	<0.002	0.09	10.40	38.2	<1	1.7	148.5	1.26	<0.05	1.08	1.385	0.34	0.3
D728314		24.8	24.7	<0.002	0.09	3.96	35.8	<1	1.3	170.0	0.82	<0.05	0.80	1.130	0.18	0.2
D728315		4.5	20.5	<0.002	0.45	6.59	38.0	1	1.4	184.0	0.85	<0.05	0.87	1.170	0.17	0.2
D728316		1.0	15.1	0.002	0.03	1.57	35.0	1	1.3	186.5	0.82	<0.05	0.85	1.115	0.10	0.3
D728341		2.1	48.9	<0.002	0.01	4.27	31.7	<1	1.3	164.5	1.01	<0.05	1.43	1.110	0.21	0.4
D728342		1.5	51.4	<0.002	0.01	3.86	33.7	1	1.5	194.5	1.15	<0.05	1.05	1.280	0.24	0.2
D728343		52.6	30.5	<0.002	0.02	4.39	34.6	1	1.5	160.5	1.03	<0.05	0.79	1.265	0.24	0.2
D728344		1.4	12.8	<0.002	0.01	2.76	35.9	<1	1.4	221	0.89	<0.05	0.81	1.245	0.14	0.3
D728345		2.5	13.5	<0.002	0.05	4.34	34.4	1	1.3	200	0.84	<0.05	0.65	1.150	0.17	0.2
D728346		1.9	25.0	<0.002	0.01	1.26	36.9	1	1.3	215	0.84	<0.05	0.98	1.170	0.13	0.3
D728369		1.1	21.8	<0.002	0.01	1.90	36.9	<1	1.4	229	0.89	<0.05	0.97	1.195	0.15	0.3
D728370		5.4	23.1	<0.002	0.21	4.40	36.5	<1	1.3	191.5	0.85	<0.05	0.92	1.170	0.15	0.2
D728371		0.9	19.2	<0.002	0.03	2.04	33.2	1	1.2	220	0.77	<0.05	0.73	1.155	0.13	0.2
D728387		5.0	21.4	<0.002	0.02	3.87	30.7	<1	1.3	268	0.84	<0.05	1.38	0.996	0.18	0.4
D728388		2.7	71.6	<0.002	0.01	3.84	35.2	<1	1.5	144.5	1.05	<0.05	1.41	1.195	0.34	0.4
D728389		2.1	33.6	<0.002	0.03	2.86	32.2	<1	1.3	194.5	0.94	<0.05	0.79	1.180	0.22	0.2
D728390		1.6	5.5	<0.002	0.01	1.44	34.6	<1	1.4	213	0.92	<0.05	0.77	1.235	0.07	0.3
D728391		2.0	22.5	<0.002	0.01	2.34	33.8	<1	1.3	170.5	0.87	<0.05	0.85	1.160	0.13	0.2
D728392		3.0	15.3	<0.002	0.09	3.36	36.9	1	1.4	199.0	0.95	<0.05	0.83	1.300	0.12	0.3
D728393		2.2	24.0	<0.002	0.03	3.35	36.5	<1	1.4	188.0	0.93	<0.05	0.85	1.290	0.18	0.3
D728394		1.3	24.1	<0.002	0.02	8.26	36.0	<1	1.4	192.5	0.88	<0.05	0.86	1.195	0.16	0.2
D728395		1.0	23.9	<0.002	0.05	10.05	31.9	1	1.2	182.0	0.74	<0.05	0.89	1.015	0.14	0.2
D728396		1.2	35.2	<0.002	0.55	21.7	35.2	<1	1.3	198.0	0.84	<0.05	1.03	1.150	0.21	0.3
D728397		1.7	28.4	<0.002	0.17	9.69	33.3	<1	1.2	208	0.85	<0.05	0.93	1.170	0.16	0.3
D728398		1.7	51.9	<0.002	1.47	28.4	31.7	1	1.2	240	0.84	<0.05	0.97	1.090	0.40	0.2
D728399		1.2	43.3	<0.002	0.03	4.03	31.6	<1	1.3	292	0.99	<0.05	0.85	1.140	0.26	0.2
D728406		0.7	30.9	<0.002	0.02	1.91	36.5	<1	1.3	213	0.84	<0.05	0.81	1.180	0.17	0.2
D728407		2.9	33.5	<0.002	0.10	4.05	37.3	<1	1.3	198.5	0.86	<0.05	0.81	1.175	0.21	0.2
D728408		7.0	36.3	<0.002	0.33	5.99	34.1	1	1.3	180.0	0.79	<0.05	0.89	1.115	0.20	0.2
D728409		0.8	7.5	<0.002	0.03	1.67	36.1	<1	1.3	218	0.81	<0.05	0.95	1.155	0.05	0.3
D728415		0.8	33.0	<0.002	0.01	1.12	35.7	<1	1.3	147.5	0.84	<0.05	0.81	1.145	0.25	0.2
D728416		0.8	42.8	<0.002	0.02	1.27	38.2	<1	1.3	167.5	0.88	<0.05	0.60	1.225	0.42	0.2
D728417		1.5	38.2	<0.002	0.03	2.49	36.9	<1	1.3	157.5	0.85	<0.05	0.65	1.150	0.28	0.2
D728418		1.0	22.4	<0.002	0.01	1.73	38.3	<1	1.3	211	0.85	<0.05	0.93	1.170	0.13	0.2

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – D  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 15-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22108769**

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728264		226	0.5	34.0	174	126.5
D728265		225	0.8	29.6	136	105.0
D728291		185	4.1	28.8	144	113.0
D728298		192	3.9	22.8	164	85.5
D728314		237	0.5	30.1	183	116.0
D728315		244	2.5	28.9	115	108.5
D728316		236	0.5	28.2	111	107.5
D728341		176	0.7	25.5	105	119.0
D728342		191	0.4	24.3	120	102.0
D728343		200	0.8	22.1	152	105.0
D728344		255	0.4	27.0	118	115.0
D728345		259	2.2	23.9	117	84.9
D728346		228	0.4	33.6	125	121.5
D728369		245	0.3	31.6	134	128.5
D728370		243	0.8	30.7	121	108.5
D728371		237	0.4	26.2	141	103.5
D728387		204	1.0	26.7	112	92.0
D728388		166	0.6	26.7	110	113.5
D728389		170	1.0	22.1	124	93.4
D728390		260	0.3	29.2	133	109.0
D728391		223	0.5	31.0	128	106.5
D728392		255	0.8	28.9	164	113.0
D728393		230	0.9	30.4	144	117.5
D728394		221	0.9	29.1	136	107.5
D728395		185	2.7	30.0	106	113.5
D728396		226	3.9	30.9	130	147.5
D728397		229	7.5	28.6	124	115.0
D728398		212	10.7	27.0	114	119.0
D728399		185	0.3	22.9	98	109.5
D728406		237	0.4	32.6	145	122.0
D728407		225	1.4	32.6	140	115.0
D728408		231	3.2	30.9	132	118.5
D728409		276	0.3	33.3	122	121.0
D728415		209	0.4	26.8	154	117.5
D728416		177	0.3	19.2	168	113.0
D728417		198	0.4	22.7	155	109.0
D728418		262	0.3	31.9	126	120.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 15-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22108769**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-ICP21	CRU-31	CRU-QC	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 1  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
This copy reported on  
27-MAY-2022  
Account: ENDURA

## CERTIFICATE VA22118136

Project: Reliance Gold

P.O. No.: Reliance-2022-004

This report is for 68 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 6-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarCode
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Sb-AA08	Sb – KCIO3/HCl digestion AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
D728708		1.44	0.434		0.31	6.75	485	820	0.78	5.56	1.63	0.09	26.2	15.2	101	2.69
D728709		1.51	0.096		0.17	4.57	476	350	0.89	1.76	4.11	0.21	14.80	49.3	1210	5.35
D728710		1.25	0.056		0.08	3.97	121.0	210	0.96	1.13	3.92	0.03	12.50	51.5	1130	6.06
D728711		2.04	0.030		0.07	5.44	91.8	940	0.91	0.33	1.68	0.04	29.8	18.9	159	2.21
D728712		2.05	0.035		0.12	5.17	115.5	1150	1.03	0.71	1.23	0.11	33.2	13.8	130	3.18
D728713		1.91	0.017		0.11	6.65	55.4	690	1.00	0.30	1.08	0.02	28.8	13.7	115	2.97
D728714		2.03	0.014		0.09	6.58	17.2	580	0.93	0.47	1.92	0.02	26.5	11.0	60	4.38
D728715		2.21	0.008		0.14	8.06	10.5	640	1.18	1.06	2.47	0.05	22.3	11.7	36	3.41
D728716		2.30	0.011		0.08	7.52	9.8	860	0.93	0.65	1.43	0.02	25.8	10.4	37	2.90
D728717		2.31	0.021		0.09	7.03	31.9	820	0.89	0.64	1.78	0.02	26.0	9.3	29	2.82
D728718		2.02	0.032		0.10	7.51	52.7	630	1.06	0.80	2.11	0.02	23.0	11.4	59	3.80
D728719		2.10	0.012		0.15	7.51	16.0	450	0.98	0.95	2.66	0.05	20.3	11.6	63	3.02
D728720		2.15	0.009		0.15	7.56	10.0	440	0.95	1.01	2.88	0.04	20.6	14.0	60	3.22
D728721		1.81	0.010		0.06	7.35	28.4	640	0.92	0.44	1.99	<0.02	25.2	12.2	100	3.74
D728722		2.37	0.013		0.12	6.86	27.8	700	0.96	0.79	3.39	0.04	22.0	9.5	72	3.80
D728723		2.19	0.411		0.21	7.25	240	790	0.85	0.65	5.50	0.04	20.6	11.8	80	5.01
D728724		2.15	0.136		0.16	7.23	228	410	0.89	0.83	4.94	0.04	18.30	16.7	98	5.65
D728725		2.04	0.025		0.15	7.55	96.7	450	0.85	1.09	4.43	0.04	16.45	19.4	114	4.49
D728726		2.09	0.048		0.13	7.79	94.5	440	0.96	0.93	4.08	0.05	15.95	19.7	117	4.23
D728727		2.15	0.006		0.12	7.51	20.9	480	0.91	1.20	4.01	0.05	13.85	12.2	37	3.33
D728728		2.10	0.010		0.10	7.90	23.0	350	0.94	1.21	4.79	0.04	17.35	16.3	100	3.92
D728729		2.19	0.011		0.13	7.76	39.4	550	0.92	1.46	4.05	0.40	20.9	14.5	80	4.00
D728730		2.36	0.006		0.10	8.16	24.9	320	0.91	1.01	3.65	0.49	21.4	17.4	108	3.93
D728731		2.96	0.021		0.13	7.88	28.4	890	0.94	1.05	3.62	0.18	21.5	11.0	61	3.80
D728732		1.97	0.154		0.17	7.31	157.0	700	1.06	0.96	3.12	0.05	23.2	12.0	76	4.53
D728733		1.99	0.016		0.11	7.21	24.5	900	0.80	0.59	2.46	0.03	22.3	8.6	40	2.76
D728734		1.77	0.045		0.15	7.11	59.3	1000	0.96	0.58	1.93	0.04	23.2	8.4	45	2.96
D728735		2.30	2.32		0.51	6.27	1810	480	1.00	1.03	2.41	0.07	25.5	10.8	67	5.08
D728736		2.24	1.790		0.50	2.90	2170	750	0.52	3.41	2.17	0.05	35.3	5.6	37	2.08
D728737		2.22	4.82		0.99	2.87	3020	680	0.52	0.22	2.27	0.04	23.9	5.5	39	1.93
D728738		2.15	>10.0	13.80	2.58	3.43	6410	580	0.62	0.81	5.05	0.06	22.0	17.6	227	2.99
D728739		2.12	>10.0	30.0	6.91	3.77	>10000	310	0.68	0.86	4.84	0.18	19.25	18.0	110	3.09
D728740		2.44	>10.0	12.80	2.74	6.00	6410	570	0.84	0.64	3.21	0.48	23.0	9.6	53	5.24
D728741		2.25	>10.0	16.10	4.11	5.81	7600	540	0.88	0.69	3.95	0.12	17.50	13.5	143	6.82
D728742		2.53	5.00		1.26	7.79	3200	710	0.98	1.76	2.38	0.06	23.3	8.9	33	7.21
D728743		2.23	2.52		0.45	2.93	1485	250	0.52	1.46	2.28	0.06	9.31	55.1	848	3.05
D728744		2.43	1.380		0.37	0.73	760	80	0.49	0.72	3.34	0.06	2.21	77.4	1330	1.18
D728745		2.53	0.813		0.39	2.94	639	140	0.71	1.11	3.41	0.03	10.10	56.9	881	1.93
D728746		2.13	0.389		0.22	8.07	215	500	0.86	0.65	3.69	0.03	22.2	19.4	127	3.28
D728747		2.67	6.56		2.05	7.33	5600	500	0.82	0.55	3.56	0.04	20.5	16.0	105	5.40

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – B  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
D728708		73.2	4.37	13.55	0.11	2.2	0.034	1.05	12.2	41.3	0.69	535	4.34	0.50	3.9	123.0
D728709		63.0	5.30	10.75	0.08	0.8	0.105	0.66	6.5	28.3	5.12	1325	3.51	0.13	2.1	760
D728710		52.8	5.02	8.91	0.08	0.9	0.043	0.59	5.3	22.6	6.07	1005	2.40	0.08	1.8	799
D728711		49.0	3.63	12.65	0.10	1.3	0.048	0.94	13.7	42.7	1.80	668	3.20	0.07	4.7	244
D728712		61.2	3.50	13.20	0.10	1.4	0.048	1.54	16.1	33.0	1.47	512	1.80	0.08	5.0	142.5
D728713		57.0	4.12	14.45	0.11	1.1	0.036	1.01	13.6	64.7	0.83	742	3.45	0.33	4.2	142.5
D728714		50.7	3.97	13.90	0.12	0.8	0.021	1.25	12.0	36.6	1.26	597	1.84	1.29	3.5	82.8
D728715		54.9	3.64	18.10	0.12	1.4	0.030	1.39	9.6	26.1	1.13	510	2.72	2.17	4.3	33.4
D728716		42.6	3.19	15.90	0.13	0.8	0.027	1.36	11.0	25.8	0.91	473	2.32	2.04	3.6	39.0
D728717		42.7	3.22	15.00	0.15	0.9	0.024	1.19	11.1	31.5	0.98	433	2.36	1.77	3.4	55.5
D728718		55.3	4.00	16.90	0.13	0.7	0.020	1.28	10.3	23.8	1.13	555	2.33	2.27	3.4	53.1
D728719		70.2	3.78	16.95	0.12	1.5	0.025	1.05	8.6	20.3	1.12	442	3.45	2.31	4.1	53.6
D728720		63.2	3.76	17.75	0.14	1.5	0.035	0.88	8.6	24.0	1.23	538	3.74	2.40	4.3	58.8
D728721		41.3	3.80	16.30	0.15	0.9	0.025	1.16	10.8	25.9	1.37	687	3.11	2.22	3.4	93.7
D728722		49.0	3.46	15.75	0.13	1.1	0.034	1.13	9.4	23.5	1.58	469	5.39	1.79	3.6	63.8
D728723		40.9	3.60	15.70	0.12	1.1	0.051	1.13	8.8	16.6	2.37	756	1.84	1.59	3.5	41.9
D728724		60.2	4.20	15.25	0.11	1.0	0.062	1.15	7.7	27.0	2.41	771	1.48	0.89	3.7	40.4
D728725		77.6	4.56	15.90	0.11	1.1	0.057	1.18	6.9	14.8	1.89	696	1.91	1.50	3.7	44.3
D728726		61.2	4.25	17.55	0.11	1.2	0.063	1.08	6.5	19.3	1.51	694	2.70	1.76	4.2	62.6
D728727		54.4	3.34	17.70	0.11	1.2	0.037	1.03	5.7	20.4	1.65	491	1.62	2.22	3.3	19.3
D728728		51.5	4.11	17.00	0.12	1.3	0.054	0.80	7.1	36.6	2.06	728	1.44	1.32	4.1	37.7
D728729		55.7	4.22	17.30	0.11	1.2	0.055	0.76	8.8	75.5	2.22	667	1.50	0.08	3.7	32.3
D728730		47.4	4.32	17.90	0.12	1.4	0.063	0.60	9.0	77.2	2.31	766	1.07	0.10	4.4	37.9
D728731		43.7	3.62	17.00	0.12	1.2	0.035	0.90	8.8	72.5	1.93	615	2.30	0.70	4.0	30.6
D728732		52.6	4.16	15.30	0.12	1.7	0.041	1.03	10.9	63.0	1.74	659	2.51	0.15	3.4	47.4
D728733		41.8	3.79	15.00	0.12	0.9	0.037	1.26	10.2	44.2	1.54	621	1.92	0.93	3.0	23.8
D728734		42.8	3.60	15.75	0.11	0.9	0.035	1.18	10.0	65.3	1.17	546	2.63	0.19	3.2	26.7
D728735		54.7	3.40	13.85	0.11	1.6	0.035	1.44	12.0	43.7	1.29	394	2.41	0.06	3.7	41.4
D728736		29.3	1.62	8.08	0.12	0.9	0.011	0.86	16.0	16.5	1.10	221	2.57	0.07	3.5	27.2
D728737		27.9	1.59	7.81	0.10	0.9	0.016	0.86	11.2	24.1	1.19	279	2.74	0.06	3.3	22.6
D728738		59.6	2.86	9.54	0.12	1.1	0.026	1.06	10.7	38.4	3.09	565	6.87	0.07	4.2	249
D728739		87.5	4.26	11.75	0.10	0.9	0.052	1.30	9.2	30.2	2.66	773	4.40	0.06	4.0	95.7
D728740		43.2	2.88	14.35	0.11	1.5	0.033	1.99	10.8	41.0	1.72	469	4.36	0.07	4.1	33.5
D728741		52.5	2.91	14.50	0.12	1.1	0.029	1.73	7.7	48.3	2.11	514	5.11	0.06	2.9	115.0
D728742		49.3	2.91	17.60	0.11	1.6	0.026	2.07	10.8	156.0	1.25	355	1.28	0.06	4.1	14.5
D728743		50.3	3.92	8.27	<0.05	0.7	0.021	0.83	4.5	28.8	9.38	844	5.60	0.05	1.9	1055
D728744		47.5	4.33	3.70	<0.05	0.1	0.019	0.17	1.1	15.8	12.15	1170	3.32	0.06	0.7	1595
D728745		77.4	4.51	9.03	<0.05	0.5	0.021	0.37	4.7	36.5	8.71	767	6.41	0.04	1.7	1055
D728746		92.5	4.43	20.5	0.06	1.3	0.027	0.73	10.0	69.8	2.75	521	33.1	0.13	4.4	62.4
D728747		79.9	3.89	17.95	0.08	1.2	0.031	1.38	9.2	53.7	2.32	516	2.55	0.05	3.9	43.2

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – C  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
D728708		570	3.0	27.7	<0.002	0.14	87.7	16.6	1	0.8	243	0.28	0.37	2.33	0.390	0.32
D728709		210	2.3	27.2	<0.002	0.28	58.7	18.0	1	1.2	116.0	0.14	0.57	0.99	0.232	0.24
D728710		130	1.5	26.4	<0.002	0.18	45.3	15.2	1	0.6	111.5	0.13	0.40	0.87	0.211	0.22
D728711		560	1.3	26.0	0.002	0.38	86.8	14.7	1	0.8	244	0.35	0.16	3.53	0.294	0.23
D728712		570	1.9	43.4	0.002	0.94	42.5	12.7	1	1.0	240	0.38	0.27	4.09	0.272	0.36
D728713		680	1.9	31.2	0.002	1.04	16.70	15.5	1	0.7	194.0	0.31	0.22	2.55	0.333	0.33
D728714		690	2.3	39.5	<0.002	1.18	7.16	16.6	1	0.6	206	0.24	0.14	1.75	0.336	0.39
D728715		800	4.2	33.4	<0.002	1.02	3.20	14.3	1	0.9	260	0.32	0.07	1.87	0.403	0.36
D728716		960	2.5	34.5	0.002	0.88	2.68	19.1	<1	0.7	205	0.26	0.09	1.97	0.373	0.35
D728717		690	2.3	33.1	<0.002	0.79	4.14	17.2	1	0.7	220	0.25	0.14	1.87	0.345	0.28
D728718		740	2.7	35.8	0.002	0.95	3.17	21.8	1	0.6	212	0.24	0.14	1.30	0.443	0.41
D728719		820	4.0	28.0	<0.002	1.18	4.75	12.6	1	0.9	348	0.30	0.09	1.51	0.392	0.40
D728720		720	3.9	23.9	<0.002	1.15	3.96	12.4	2	1.1	342	0.31	0.18	1.65	0.379	0.35
D728721		670	2.2	34.7	0.003	0.56	6.86	20.2	1	0.6	209	0.24	0.17	1.55	0.388	0.31
D728722		640	2.4	33.8	0.002	0.93	4.09	19.3	1	1.4	233	0.23	0.32	1.41	0.355	0.45
D728723		570	2.7	37.6	<0.002	0.60	14.00	16.1	<1	1.8	375	0.26	0.13	1.45	0.322	0.28
D728724		620	2.8	28.9	<0.002	0.85	16.55	16.5	1	1.8	370	0.27	0.09	1.39	0.351	0.40
D728725		610	2.8	26.9	0.002	1.41	12.85	17.3	1	2.1	390	0.26	0.15	1.31	0.364	0.39
D728726		630	3.0	20.5	0.002	1.19	16.50	17.6	1	1.9	414	0.29	0.14	1.23	0.373	0.44
D728727		670	4.5	19.9	0.002	0.96	8.20	7.1	1	1.1	427	0.24	0.08	0.81	0.365	0.30
D728728		620	3.3	14.4	<0.002	0.96	13.10	16.8	1	1.6	333	0.30	0.25	1.43	0.378	0.45
D728729		570	3.5	16.7	0.002	0.98	53.3	15.9	1	1.7	254	0.26	0.27	1.39	0.358	0.37
D728730		520	3.2	10.1	0.003	0.93	54.8	19.2	1	2.0	204	0.30	0.14	1.62	0.388	0.34
D728731		700	3.4	21.0	0.003	0.83	40.5	18.4	1	1.2	271	0.27	0.26	1.56	0.393	0.39
D728732		590	3.2	36.4	0.007	1.18	102.0	19.3	1	1.0	270	0.24	0.32	1.66	0.351	0.40
D728733		490	3.0	31.9	0.006	0.91	48.6	19.8	2	0.6	160.5	0.21	0.13	1.40	0.358	0.39
D728734		640	3.6	28.4	0.005	1.23	57.9	18.6	1	0.7	233	0.21	0.18	1.27	0.353	0.46
D728735		570	2.2	46.8	0.005	1.99	407	15.4	1	1.7	275	0.25	0.35	2.29	0.305	0.45
D728736		650	1.0	29.6	0.004	0.92	142.0	9.2	1	0.5	329	0.25	2.13	3.23	0.149	0.24
D728737		520	1.3	28.2	0.005	0.96	441	8.2	1	0.5	282	0.25	0.08	2.96	0.150	0.21
D728738		580	1.4	37.0	0.011	1.90	2250	8.1	2	0.6	375	0.30	0.22	2.83	0.195	0.35
D728739		310	2.9	45.2	0.006	3.31	1275	16.4	2	0.8	269	0.29	0.24	2.03	0.408	0.45
D728740		450	2.6	61.9	0.005	2.26	493	9.1	1	0.8	230	0.31	0.07	2.51	0.275	0.53
D728741		430	2.5	57.3	0.004	2.22	1130	9.0	1	0.9	287	0.23	0.07	1.57	0.236	0.47
D728742		580	4.9	51.5	<0.002	2.39	236	8.4	1	0.9	283	0.31	0.23	2.01	0.308	0.56
D728743		200	5.1	27.7	0.005	1.75	128.0	8.2	1	0.7	136.0	0.13	0.21	0.80	0.116	0.22
D728744		40	2.2	7.3	0.003	1.45	409	8.2	2	0.5	133.0	<0.05	0.18	0.18	0.033	0.05
D728745		150	2.3	13.9	0.003	1.71	77.7	10.0	2	0.8	162.5	0.11	0.24	0.82	0.113	0.23
D728746		420	2.8	22.5	0.023	1.43	27.1	17.8	2	1.8	154.0	0.29	0.08	1.84	0.334	0.45
D728747		490	2.9	45.5	0.002	2.23	4090	15.3	2	1.7	300	0.25	0.10	1.78	0.294	0.54

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – D  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Sb-AA08 Sb % 0.01
D728708		0.9	125	11.9	14.2	51	65.2	
D728709		0.5	93	8.2	10.9	138	39.5	
D728710		0.5	82	6.1	11.6	113	27.7	
D728711		1.0	103	12.7	9.6	56	45.6	
D728712		1.1	97	7.8	8.8	53	48.4	
D728713		0.8	95	2.3	16.3	58	47.1	
D728714		0.5	78	2.1	11.4	41	31.9	
D728715		0.7	116	2.9	11.0	38	48.6	
D728716		0.6	100	2.2	14.0	31	29.8	
D728717		0.5	88	2.4	11.9	31	33.9	
D728718		0.5	121	2.7	14.1	39	26.8	
D728719		0.7	114	3.1	11.6	41	49.1	
D728720		0.7	111	3.5	11.4	43	54.6	
D728721		0.6	105	1.8	14.2	46	32.8	
D728722		0.7	93	3.2	18.7	37	36.6	
D728723		0.7	112	6.7	14.1	48	36.5	
D728724		0.7	126	6.3	11.4	53	32.2	
D728725		0.6	134	4.9	11.1	59	33.4	
D728726		0.6	139	8.1	11.3	62	39.3	
D728727		0.4	112	6.7	6.1	38	38.2	
D728728		0.7	135	12.0	11.2	58	40.1	
D728729		0.8	122	13.6	11.3	64	37.8	
D728730		0.9	141	21.4	12.3	83	42.9	
D728731		0.7	111	11.4	14.5	56	43.5	
D728732		1.0	117	14.4	14.9	50	56.2	
D728733		0.7	112	6.3	13.9	39	35.0	
D728734		0.6	85	10.1	12.1	36	32.4	
D728735		1.0	101	20.5	12.2	43	52.1	
D728736		0.8	61	15.0	6.8	25	37.4	
D728737		0.7	54	16.4	6.8	22	34.5	
D728738		1.2	107	27.2	8.2	46	48.6	
D728739		0.7	159	105.0	11.2	58	30.2	
D728740		1.1	102	30.1	8.7	56	64.6	
D728741		0.8	77	26.8	6.4	41	40.3	
D728742		1.0	80	24.1	6.5	36	54.7	
D728743		0.4	47	11.5	3.6	72	24.6	
D728744		0.1	34	7.8	2.0	90	4.0	
D728745		0.4	68	14.4	5.0	74	17.0	
D728746		0.9	139	14.2	11.6	39	42.1	
D728747		0.8	121	25.1	9.8	39	36.4	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – A  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
D728748		2.55	4.92		1.54	4.80	3970	380	0.75	0.46	2.58	0.04	19.60	34.4	474	5.00
D728749		2.70	4.43		1.58	4.92	2890	250	0.77	0.68	2.05	0.04	37.0	11.4	53	3.53
D728750		2.23	>10.0	15.85	4.80	3.81	5900	370	0.52	1.24	3.49	0.08	10.90	8.4	73	3.06
D728751		1.81	2.07		1.12	6.69	1465	490	0.92	1.14	2.74	0.11	18.85	20.5	264	3.93
D728752		2.60	2.13		0.81	7.29	933	540	0.84	0.78	2.81	0.14	23.4	11.8	44	3.48
D728753		3.28	3.83		1.49	7.02	1710	680	0.82	0.76	2.62	0.09	18.60	16.0	116	3.04
D728754		2.42	1.305		5.75	5.20	1235	470	0.74	0.59	3.19	0.26	17.20	15.2	190	2.58
D728755		3.20	0.279		1.00	7.65	431	420	0.90	0.65	2.29	0.08	24.4	13.1	140	3.33
D728756		2.09	0.083		0.15	6.62	157.5	370	0.79	0.97	3.61	0.18	21.3	21.4	305	3.30
D728757		2.21	0.047		0.20	6.89	78.6	850	0.82	0.63	2.09	0.07	26.4	15.4	95	2.21
D728758		2.61	0.239		0.18	5.91	1110	1240	0.76	0.66	3.96	1.63	22.7	11.2	67	4.37
D728759		2.43	1.420		0.41	5.33	2130	700	0.67	0.28	3.32	0.06	20.9	10.3	67	4.24
D728760		1.48	0.039		0.15	6.70	56.9	1000	0.70	0.56	2.51	0.03	26.5	12.5	51	2.08
D728761		2.54	0.027		0.10	7.11	62.3	1300	0.83	0.58	2.03	0.03	26.3	12.1	55	3.28
D728762		2.12	0.050		0.11	6.52	102.5	560	0.83	0.22	2.27	0.02	26.1	13.8	105	3.60
D728763		2.90	0.052		0.11	7.44	51.3	820	0.85	0.34	1.67	0.02	27.0	13.0	51	3.07
D728764		1.99	0.035		0.11	6.17	35.9	390	0.70	1.56	4.06	2.12	23.4	12.6	80	3.46
D728765		2.84	0.016		0.10	4.98	44.8	490	0.58	0.47	4.00	0.32	21.4	13.2	78	3.39
D728766		2.60	0.056		0.14	6.03	378	890	0.70	0.30	2.68	0.06	25.1	12.6	63	4.43
D728767		2.45	0.108		0.17	6.15	103.5	740	0.74	0.33	1.60	0.26	25.5	13.3	100	3.19
D728768		2.24	0.028		0.13	5.50	85.8	560	0.63	0.22	2.69	0.94	22.0	16.0	170	2.72
D728769		2.19	0.183		0.15	5.22	195.0	360	0.60	0.28	5.59	0.25	17.95	14.7	151	3.13
D728770		2.52	0.025		0.07	5.31	217	230	0.73	1.04	8.63	0.80	15.65	19.6	221	2.57
D728771		2.61	0.043		0.10	5.61	123.5	210	0.74	0.88	6.13	0.63	19.60	15.1	161	2.68
D728772		2.61	0.061		0.11	5.33	110.5	350	0.59	0.78	5.11	0.27	16.80	24.4	266	2.37
D728773		2.45	0.267		0.09	5.82	298	220	0.60	0.21	6.67	0.15	19.00	21.8	165	3.08
D728774		2.94	1.735		0.56	8.09	729	270	0.61	0.22	6.03	0.63	10.35	27.7	240	7.30
D728775		2.28	0.047		0.08	8.72	58.0	310	0.99	0.12	5.59	0.29	27.3	29.6	139	6.52



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – B  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
D728748		74.4	3.98	12.60	0.07	1.0	0.021	1.45	9.2	34.6	5.17	555	8.29	0.04	3.5	518
D728749		60.2	3.02	16.10	0.08	1.4	0.017	1.72	17.1	24.3	1.22	268	6.49	0.06	6.5	39.8
D728750		48.9	2.80	11.20	0.09	0.8	0.035	1.13	5.1	48.4	1.83	494	2.99	0.07	1.9	49.3
D728751		76.1	4.35	16.45	0.07	1.6	0.158	1.30	8.9	63.1	2.10	857	1.66	0.05	2.9	200
D728752		76.7	4.16	18.00	0.09	2.3	0.042	1.34	10.9	65.4	1.76	673	4.00	0.07	3.9	33.9
D728753		56.2	4.19	18.65	0.08	1.8	0.033	1.19	8.4	58.9	2.35	729	2.61	0.11	3.5	120.0
D728754		56.4	2.99	13.35	0.15	0.5	0.038	0.79	8.5	49.9	2.10	644	2.22	0.06	3.0	200
D728755		48.0	3.52	19.20	0.17	2.1	0.052	1.06	11.1	66.9	1.76	698	2.56	0.31	3.6	114.0
D728756		58.8	4.17	17.35	0.09	1.8	0.149	0.66	9.9	65.4	2.55	1140	4.55	0.22	3.5	265
D728757		51.0	3.36	17.10	0.09	1.8	0.054	0.72	11.5	88.3	1.39	645	2.13	0.04	4.0	89.1
D728758		43.8	3.62	15.15	0.09	0.9	0.254	1.23	9.8	62.8	1.94	1200	2.16	0.05	3.5	51.6
D728759		39.5	3.25	14.05	0.08	0.9	0.048	1.34	8.8	59.4	1.73	881	1.91	0.05	3.2	52.2
D728760		60.2	3.46	15.65	0.08	1.9	0.027	0.57	11.3	103.5	1.41	550	2.12	0.04	3.9	50.3
D728761		39.0	3.95	17.85	0.08	2.1	0.040	1.16	11.0	93.8	1.41	930	1.82	0.05	3.9	42.3
D728762		38.4	3.88	16.65	0.09	1.6	0.048	1.01	11.2	87.7	1.51	1135	1.64	0.05	3.8	67.7
D728763		41.9	4.03	18.65	0.10	1.6	0.042	1.36	11.4	74.2	1.34	1220	1.70	0.39	4.0	42.9
D728764		46.7	4.11	16.45	0.08	1.6	0.332	0.94	9.9	64.7	1.97	1670	1.72	0.11	3.8	69.1
D728765		57.5	3.22	12.55	0.08	1.3	0.100	0.97	9.1	54.3	2.00	1055	1.70	0.05	3.2	57.5
D728766		50.4	3.75	15.85	0.09	1.4	0.042	1.49	11.0	69.0	1.59	886	2.09	0.07	4.1	48.2
D728767		57.0	3.50	15.55	0.07	1.5	0.045	1.06	11.1	73.8	1.24	892	2.49	0.06	4.2	68.9
D728768		56.7	3.92	13.75	0.09	1.4	0.083	0.69	9.5	69.2	2.28	1120	2.32	0.08	3.4	127.0
D728769		36.5	3.77	12.45	0.07	1.4	0.067	0.86	7.9	42.7	3.22	1110	3.02	0.31	3.2	114.5
D728770		34.8	3.87	12.45	0.05	1.4	0.222	0.45	8.1	46.8	3.35	2670	2.27	0.42	2.5	191.5
D728771		49.6	3.82	13.55	0.05	1.7	0.122	0.53	9.3	48.0	2.40	1720	4.33	0.45	3.1	113.0
D728772		46.5	3.83	12.60	0.06	1.5	0.044	0.49	7.8	57.4	3.35	868	3.28	0.10	4.0	286
D728773		31.7	4.55	13.00	0.06	1.5	0.060	0.59	8.7	44.7	3.43	1560	2.07	0.35	7.9	114.0
D728774		41.9	4.43	16.70	0.09	1.2	0.045	1.47	4.3	42.6	2.59	761	1.32	1.44	6.3	186.5
D728775		57.0	6.13	21.0	0.09	2.4	0.069	1.37	11.3	33.5	1.59	947	1.55	2.17	17.5	68.7



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – C  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method	ME-MS61														
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	%	ppm							
	LOD	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
D728748		340	2.2	50.4	0.009	2.42	3070	12.4	2	1.1	253	0.23	0.14	2.40	0.193	0.52
D728749		520	2.0	52.7	0.010	2.48	211	12.0	2	0.8	276	0.46	0.13	5.59	0.255	0.47
D728750		540	4.2	34.2	0.003	2.39	7050	7.3	1	0.9	295	0.12	0.27	0.71	0.185	0.33
D728751		470	4.6	43.3	0.003	1.93	2140	19.2	2	2.0	194.5	0.19	0.31	1.36	0.337	0.49
D728752		490	3.5	44.5	0.006	1.73	474	19.4	2	1.4	171.0	0.25	0.13	1.92	0.364	0.56
D728753		570	3.6	34.4	0.003	1.42	224	12.6	1	1.2	278	0.24	0.12	1.38	0.335	0.35
D728754		520	8.6	25.9	0.004	2.16	>10000	13.4	5	1.0	240	0.13	<0.05	1.00	0.261	0.28
D728755		550	3.8	34.6	0.006	1.10	4930	18.3	1	1.5	160.0	0.21	0.14	1.57	0.374	0.47
D728756		540	2.3	23.4	0.005	0.67	85.6	18.2	1	2.5	132.0	0.22	0.32	1.62	0.341	0.44
D728757		660	2.8	20.3	0.003	0.91	625	16.6	1	1.2	192.5	0.26	0.20	2.29	0.344	0.36
D728758		960	2.7	38.2	0.004	1.14	201	14.4	1	1.6	500	0.22	0.21	1.64	0.314	0.35
D728759		920	2.2	41.1	0.003	1.43	83.6	13.4	1	1.0	551	0.20	0.12	1.44	0.281	0.40
D728760		810	2.7	17.1	0.002	1.24	101.0	15.4	1	1.2	341	0.25	0.21	2.02	0.343	0.30
D728761		900	3.3	31.6	0.002	0.83	32.9	17.8	1	1.0	318	0.25	0.19	1.97	0.423	0.32
D728762		670	2.8	33.5	0.003	0.83	19.05	16.6	1	1.1	139.5	0.24	0.11	1.93	0.361	0.44
D728763		650	3.2	36.3	0.003	0.72	33.9	18.2	1	1.0	143.0	0.25	0.10	1.91	0.425	0.38
D728764		550	2.6	29.7	0.002	0.99	22.0	15.6	1	2.3	137.5	0.25	0.54	1.90	0.332	0.35
D728765		560	1.9	30.2	0.002	0.67	21.1	13.2	1	1.3	263	0.19	0.17	1.56	0.273	0.32
D728766		710	2.5	48.1	0.003	1.19	48.6	15.0	1	1.1	430	0.26	0.13	1.92	0.333	0.46
D728767		670	3.1	34.7	0.004	0.96	27.4	14.9	1	1.1	273	0.27	0.17	2.12	0.349	0.43
D728768		580	2.3	23.2	0.003	0.63	12.25	15.5	1	1.1	349	0.22	0.15	1.48	0.310	0.38
D728769		410	2.1	27.4	0.004	0.75	40.9	14.0	1	1.0	299	0.20	0.12	1.36	0.290	0.26
D728770		530	2.3	12.8	0.003	0.31	48.8	15.2	1	1.4	248	0.15	0.32	1.00	0.262	0.11
D728771		570	2.9	15.5	0.004	0.63	14.95	14.9	1	1.2	232	0.19	0.34	1.44	0.289	0.28
D728772		470	2.4	15.7	0.004	0.56	121.5	15.2	1	0.9	355	0.25	0.35	1.06	0.347	0.32
D728773		680	2.2	15.7	0.003	0.24	64.7	19.0	1	1.0	283	0.48	0.11	1.03	0.599	0.17
D728774		520	3.1	21.0	<0.002	0.65	99.8	19.1	<1	0.7	281	0.37	0.07	0.42	0.523	0.38
D728775		1460	3.2	31.6	<0.002	0.38	28.9	27.8	1	1.5	257	1.09	<0.05	1.02	1.020	0.21



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – D  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Sb-AA08 Sb % 0.01
D728748		0.8	96	22.4	7.3	49	38.5	
D728749		1.3	110	24.2	10.0	22	53.0	
D728750		0.3	52	26.7	6.0	23	25.2	
D728751		0.6	111	53.6	16.2	74	55.9	
D728752		1.1	115	40.4	20.7	45	87.0	
D728753		0.9	103	37.0	12.2	60	67.6	
D728754		0.4	68	16.7	9.9	57	18.6	3.44
D728755		0.9	93	47.0	19.2	70	67.7	
D728756		0.9	102	28.2	18.8	106	49.7	
D728757		0.8	91	11.7	16.0	44	61.0	
D728758		0.6	84	27.2	10.8	160	49.6	
D728759		0.5	77	31.3	10.1	41	29.5	
D728760		0.7	85	13.5	16.0	30	70.5	
D728761		0.7	103	28.3	19.0	44	67.7	
D728762		0.7	93	8.9	25.2	51	56.1	
D728763		0.7	105	7.0	15.9	44	58.7	
D728764		0.8	86	11.1	24.8	232	52.2	
D728765		0.6	77	14.1	13.0	65	43.1	
D728766		1.4	89	50.9	12.4	46	49.4	
D728767		0.8	91	17.8	13.6	80	52.2	
D728768		0.6	95	5.6	15.0	147	44.7	
D728769		0.7	84	11.2	15.3	75	45.3	
D728770		1.0	86	17.3	18.8	151	48.8	
D728771		1.1	93	16.0	19.7	126	59.0	
D728772		0.5	100	16.0	15.6	72	56.1	
D728773		0.4	151	8.8	17.5	66	53.4	
D728774		0.1	110	13.0	12.4	74	39.4	
D728775		0.2	173	5.1	24.3	92	78.7	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118136**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td></tr><tr><td>LOG-21</td><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td></tr><tr><td>Sb-AA08</td><td>SPL-21</td><td>WEI-21</td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	Sb-AA08	SPL-21	WEI-21	
Au-GRA21	Au-ICP21	CRU-31	CRU-QC										
LOG-21	ME-MS61	PUL-31	PUL-QC										
Sb-AA08	SPL-21	WEI-21											



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 1  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 22-MAY-2022  
This copy reported on  
27-MAY-2022  
Account: ENDURA

## CERTIFICATE VA22118138

Project: Reliance Gold  
P.O. No.: Reliance-2022-005  
This report is for 31 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 6-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

  
Signature: Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – A  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 22-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118138**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
D728776		0.44	0.364	0.36	6.62	292	700	0.97	1.48	1.11	0.25	28.9	29.4	131	3.80	104.0
D728777		2.32	0.975	0.37	7.17	485	770	0.84	0.81	0.72	0.04	22.7	10.8	99	3.21	56.1
D728778		1.40	0.045	0.16	7.50	111.5	1300	0.92	0.89	0.29	0.05	30.2	13.3	120	1.76	85.2
D728779		1.14	0.050	0.12	6.73	76.1	1020	0.63	0.68	0.91	0.04	31.1	8.8	35	1.55	63.7
D728780		1.26	0.107	0.24	7.13	922	990	0.81	1.28	1.69	0.04	29.0	8.7	40	2.28	68.7
D728781		1.96	0.025	0.12	6.34	102.0	650	0.98	1.14	3.03	0.02	22.2	25.8	412	6.37	60.3
D728782		2.24	0.017	0.05	7.11	36.7	760	0.86	0.34	2.09	0.02	24.8	18.1	161	3.51	38.0
D728783		2.00	0.019	0.08	5.91	23.5	600	0.97	0.36	1.29	0.03	34.4	10.1	54	2.19	64.6
D728812		1.90	0.024	0.15	7.74	10.8	780	0.92	1.25	1.65	0.04	21.9	10.0	28	3.43	66.1
D728813		2.38	0.133	0.13	8.11	197.5	1550	0.92	0.65	1.61	0.02	21.5	7.5	26	2.56	48.7
D728814		2.36	0.034	0.21	7.88	7.3	1220	0.82	1.95	1.66	0.03	21.2	9.2	22	2.49	61.4
D728821		1.94	0.008	0.17	7.27	30.4	550	0.76	0.87	2.31	0.25	16.85	11.9	68	2.50	67.1
D728822		1.70	0.016	0.08	4.62	1055	350	0.62	1.33	4.08	0.05	10.50	55.8	922	7.92	38.2
D728823		2.64	0.012	0.08	5.71	553	320	0.56	0.83	2.97	0.09	12.20	26.2	394	6.38	17.2
D728824		2.10	0.005	0.14	5.84	235	520	0.65	0.35	2.34	0.81	15.65	17.8	241	4.36	37.3
D728825		2.06	0.086	0.13	6.14	229	620	0.77	0.31	2.16	0.12	22.7	12.6	84	3.22	48.8
D728832		2.18	0.042	0.08	5.35	57.8	310	0.73	1.25	4.68	2.06	18.85	14.2	128	3.39	49.9
D728833		2.04	0.043	0.12	5.88	340	470	0.72	0.33	1.89	0.11	23.9	12.1	67	2.23	47.1
D728834		2.12	0.005	0.08	5.67	113.5	440	0.80	0.55	4.79	3.52	17.40	19.8	250	3.73	36.2
D728835		1.84	0.009	0.09	5.96	146.5	390	0.57	0.47	5.06	0.09	16.70	23.2	263	4.48	44.3
D728836		1.98	0.005	0.08	5.52	40.2	330	0.50	0.34	7.07	0.24	15.15	16.1	185	3.25	45.7
D728837		2.02	0.004	0.07	5.39	59.0	280	0.44	0.67	8.35	0.78	13.85	14.6	170	2.85	33.1
D728838		1.90	0.004	0.05	5.81	143.5	280	0.46	0.85	7.73	0.47	14.50	17.9	215	2.50	34.3
D728839		1.74	0.024	0.13	5.90	127.0	260	0.56	0.50	5.13	0.14	20.3	13.9	156	3.27	50.9
D728840		1.88	3.36	0.62	4.86	2290	390	0.63	0.13	6.90	0.09	19.40	33.6	365	6.13	38.1
D728841		1.96	1.730	0.36	6.80	1080	350	0.58	0.08	6.32	0.13	22.0	31.4	98	6.77	61.4
D728842		2.36	0.014	0.15	7.16	60.3	250	0.56	0.14	6.16	0.12	21.9	34.2	95	7.54	62.5
D728843		1.72	0.048	0.16	7.03	43.9	180	0.59	0.52	6.52	1.56	22.0	34.5	94	5.13	72.2
D728844		2.02	0.751	0.25	7.43	309	160	0.73	0.06	5.83	0.16	33.3	30.2	107	3.12	51.1
D728845		1.90	0.013	0.21	7.35	111.0	180	0.76	0.14	6.50	1.03	34.5	30.0	100	2.67	58.3
D728846		2.20	0.001	0.23	8.19	32.1	310	0.96	0.18	5.34	3.83	39.2	31.7	114	5.08	77.4



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – B  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 22-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118138**

Sample Description	Method Analyte Units LOD	ME-MS61														
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
D728776		5.90	17.80	0.07	1.5	0.071	0.95	12.2	32.7	0.47	910	9.33	0.72	5.4	210	620
D728777		3.34	15.95	0.09	1.9	0.018	1.18	9.7	62.6	0.41	298	4.71	0.12	3.0	85.7	520
D728778		4.19	18.35	0.11	1.4	0.045	1.83	12.4	50.6	0.25	332	3.95	0.13	3.6	101.0	610
D728779		2.98	14.85	0.12	2.0	0.021	1.55	12.4	35.1	0.51	215	3.04	0.65	3.7	45.1	470
D728780		2.94	16.35	0.12	1.3	0.014	1.59	11.7	35.2	0.91	216	2.53	0.84	3.9	36.9	440
D728781		4.35	15.10	0.07	1.0	0.041	0.88	9.3	35.4	3.30	793	2.00	0.47	3.2	372	340
D728782		4.17	14.15	0.08	1.0	0.041	1.02	9.7	30.3	2.64	887	3.04	1.62	3.5	195.5	380
D728783		3.33	14.40	0.09	1.5	0.033	0.96	15.5	41.5	1.00	558	3.27	0.78	5.6	66.4	400
D728812		4.19	16.95	0.10	1.1	0.042	1.24	9.6	57.7	0.88	557	2.46	1.03	3.1	15.5	670
D728813		3.68	17.45	0.10	0.9	0.034	1.84	9.1	45.7	0.84	557	5.24	0.46	3.0	14.1	600
D728814		3.70	18.10	0.09	1.0	0.024	1.16	8.5	50.7	0.87	465	2.09	1.22	3.4	14.4	630
D728821		3.92	17.10	0.08	1.4	0.018	0.95	7.9	25.7	1.51	562	2.58	1.86	3.1	58.9	560
D728822		5.10	12.40	0.08	1.0	0.178	0.91	5.1	44.5	4.82	1710	3.81	0.25	1.6	1075	220
D728823		4.26	12.20	0.08	1.7	0.086	0.80	5.6	25.7	4.54	1355	5.26	0.73	2.2	448	230
D728824		3.74	12.55	0.08	1.4	0.106	0.77	6.9	21.7	2.93	984	16.15	1.25	2.6	246	380
D728825		3.60	13.95	0.10	1.4	0.027	0.88	9.0	21.7	1.56	727	6.37	1.61	3.5	70.7	650
D728832		4.24	11.95	0.09	1.4	0.319	0.67	8.2	22.1	1.76	2630	3.10	0.99	2.6	89.9	500
D728833		3.24	12.65	0.08	1.5	0.029	0.69	9.4	40.3	1.34	671	2.68	1.18	3.3	66.2	560
D728834		4.11	12.85	0.08	1.2	0.165	0.63	7.6	22.2	2.73	1465	2.72	1.39	2.6	214	440
D728835		4.24	11.75	0.06	1.0	0.091	0.84	7.7	9.5	2.64	1300	2.78	1.74	2.7	249	500
D728836		3.63	10.50	0.05	1.2	0.092	0.66	6.9	12.0	2.85	1460	2.21	1.75	2.2	146.5	520
D728837		3.54	9.80	0.05	1.3	0.112	0.70	7.2	9.3	3.01	1745	2.10	1.71	1.9	123.0	540
D728838		3.77	10.65	<0.05	1.1	0.149	0.63	7.1	16.8	2.99	2180	1.78	1.58	2.1	173.5	490
D728839		3.71	11.70	0.07	1.1	0.099	0.68	10.3	17.4	2.48	1035	3.46	1.55	2.7	134.5	640
D728840		5.12	10.80	0.05	1.4	0.055	0.99	9.0	24.0	4.56	1115	2.46	0.14	8.0	397	670
D728841		6.74	14.80	0.06	2.1	0.066	0.67	9.1	28.1	3.17	1175	3.05	2.03	10.1	40.4	860
D728842		6.85	14.70	0.07	2.3	0.068	0.57	8.8	22.2	3.02	1155	4.19	2.51	10.0	38.4	910
D728843		7.15	14.70	0.07	2.3	0.085	0.69	8.8	19.0	3.04	1275	2.39	2.20	9.9	37.4	910
D728844		6.59	15.85	0.08	2.1	0.069	0.78	14.5	18.4	2.05	1270	1.30	1.88	19.8	39.5	1450
D728845		6.27	16.15	0.08	2.1	0.079	0.71	15.1	18.0	2.27	1400	1.66	1.89	20.4	46.4	1500
D728846		7.19	17.65	0.09	2.9	0.096	0.92	17.1	14.8	1.42	1170	1.30	2.52	22.4	46.9	1880

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – C  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 22-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118138**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
D728776		3.6	30.3	<0.002	0.24	69.9	26.5	1	1.6	208	0.31	0.26	2.50	0.594	0.34	0.9
D728777		2.4	34.9	<0.002	0.34	356	16.2	1	0.9	149.0	0.19	0.25	1.82	0.338	0.58	1.0
D728778		2.2	37.7	<0.002	0.80	91.9	19.8	3	1.6	157.0	0.20	0.23	2.26	0.322	0.57	0.8
D728779		2.0	33.4	<0.002	1.03	53.7	14.5	1	1.1	121.0	0.24	0.15	2.82	0.261	0.37	0.9
D728780		3.3	37.2	<0.002	1.41	37.9	14.8	1	1.6	172.0	0.25	0.38	2.39	0.281	0.40	0.8
D728781		2.0	31.9	<0.002	0.78	12.45	17.0	1	1.4	148.5	0.18	0.36	1.52	0.297	0.36	0.6
D728782		2.1	24.9	<0.002	0.73	6.31	16.1	1	1.0	150.0	0.21	0.15	1.72	0.349	0.22	0.6
D728783		2.4	24.9	0.003	1.09	7.19	12.7	2	1.1	124.5	0.36	0.21	3.61	0.293	0.33	1.1
D728812		3.0	32.0	0.005	1.79	3.47	19.8	2	1.4	173.5	0.17	0.43	1.26	0.403	0.51	0.6
D728813		3.2	34.4	0.005	1.50	9.78	19.4	2	0.8	194.5	0.17	0.18	1.10	0.392	0.52	0.6
D728814		3.9	20.6	0.004	1.56	4.29	13.7	1	0.8	251	0.21	0.40	1.24	0.354	0.39	0.5
D728821		3.8	24.5	0.002	1.46	2.93	11.6	1	1.4	302	0.19	0.11	1.16	0.338	0.38	0.7
D728822		1.6	33.3	0.003	0.53	6.14	14.1	2	2.0	136.5	0.09	0.34	0.73	0.202	0.14	0.5
D728823		1.6	30.6	0.003	0.08	6.31	15.3	1	1.2	158.0	0.13	0.19	0.96	0.258	0.10	0.7
D728824		2.2	27.5	0.007	0.11	2.75	16.2	<1	1.3	206	0.14	0.10	1.13	0.289	0.12	0.6
D728825		2.2	32.2	0.003	0.81	5.90	15.3	2	1.1	292	0.20	0.08	1.78	0.333	0.45	0.8
D728832		2.7	19.2	0.002	0.77	8.77	13.6	1	2.1	202	0.15	0.25	1.42	0.261	0.15	0.9
D728833		2.6	17.5	0.004	0.92	1.73	13.6	1	1.1	174.0	0.20	0.26	1.90	0.296	0.30	0.7
D728834		1.7	19.2	0.003	0.48	1.74	16.6	1	1.2	241	0.16	0.24	1.20	0.284	0.18	0.7
D728835		3.7	26.8	0.003	0.57	2.80	16.8	1	1.0	270	0.17	0.28	0.99	0.319	0.24	0.6
D728836		2.2	19.2	0.003	0.48	3.96	15.0	1	0.8	259	0.14	0.17	0.85	0.278	0.17	0.7
D728837		2.1	16.4	0.003	0.40	3.53	14.0	1	0.8	317	0.12	0.32	0.86	0.264	0.08	1.1
D728838		2.2	14.6	0.003	0.42	3.94	14.8	1	1.1	200	0.13	0.37	0.82	0.287	0.11	0.8
D728839		2.6	19.8	0.004	0.99	25.4	13.9	2	1.1	314	0.18	0.25	1.31	0.298	0.35	0.9
D728840		1.8	32.4	0.003	1.76	228	17.9	1	0.9	396	0.48	0.09	1.12	0.542	0.35	0.5
D728841		2.2	22.1	0.004	0.70	60.4	30.4	<1	1.1	310	0.64	<0.05	0.66	0.976	0.19	0.2
D728842		2.3	19.1	<0.002	0.20	23.3	34.9	<1	1.1	342	0.63	<0.05	0.65	1.050	0.14	0.2
D728843		2.2	21.2	0.002	0.22	51.9	34.4	1	1.1	287	0.61	0.12	0.65	1.025	0.15	0.2
D728844		3.3	24.7	<0.002	0.53	69.0	27.8	<1	1.5	228	1.12	<0.05	1.03	1.155	0.20	0.3
D728845		5.0	20.0	<0.002	0.26	5.27	26.6	<1	1.7	236	1.17	<0.05	1.08	1.115	0.10	0.3
D728846		4.1	30.9	<0.002	0.31	4.90	31.1	1	1.7	222	1.30	<0.05	1.48	1.290	0.16	0.3



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – D  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 22-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118138**

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728776		212	13.9	21.1	82	52.8
D728777		115	16.7	14.5	61	73.0
D728778		118	7.8	12.8	48	55.9
D728779		75	7.0	11.8	27	79.0
D728780		80	10.6	10.1	29	50.1
D728781		98	6.5	10.0	88	39.2
D728782		90	9.0	10.8	57	37.1
D728783		93	5.5	11.2	46	62.0
D728812		110	5.2	15.0	45	43.4
D728813		107	8.3	11.2	40	32.8
D728814		92	7.1	10.1	43	40.4
D728821		100	7.1	10.7	64	52.7
D728822		86	3.2	9.9	231	30.8
D728823		88	5.8	13.3	164	66.0
D728824		91	4.7	14.3	145	48.5
D728825		89	7.1	18.1	72	70.7
D728832		80	5.2	17.4	250	46.4
D728833		76	3.4	15.2	56	58.5
D728834		96	2.1	17.9	304	51.5
D728835		108	1.5	18.7	87	34.5
D728836		90	4.8	18.4	98	40.9
D728837		87	8.6	18.4	199	42.0
D728838		98	4.1	17.7	135	40.3
D728839		92	2.9	17.6	75	41.9
D728840		141	24.4	15.6	82	51.0
D728841		243	11.7	22.7	79	73.7
D728842		267	2.0	23.8	84	79.5
D728843		264	4.3	24.1	145	78.4
D728844		245	6.7	25.4	100	73.4
D728845		199	1.6	26.2	176	70.0
D728846		232	1.3	28.4	414	109.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 22-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118138**

<b>CERTIFICATE COMMENTS</b>									
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>								
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>LOG-21</td><td>ME-MS61</td></tr><tr><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td><td>WEI-21</td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21
Au-ICP21	CRU-31	LOG-21	ME-MS61						
PUL-31	PUL-QC	SPL-21	WEI-21						



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 1  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
This copy reported on  
27-MAY-2022  
Account: ENDURA

## CERTIFICATE VA22118142

Project: Reliance Gold  
P.O. No.: Reliance-2022-003  
This report is for 30 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 6-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

### SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

### ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118142**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
D728669		2.26	0.011		0.07	7.11	29.6	690	0.88	1.68	1.27	0.07	26.3	13.6	74	3.53
D728670		1.88	0.044		0.12	7.01	138.0	700	0.84	1.40	1.38	0.10	26.5	13.8	102	3.70
D728671		2.60	0.094		0.31	6.26	69.1	660	0.73	44.7	1.37	0.16	24.9	13.4	106	3.69
D728672		2.64	0.006		0.09	6.72	39.0	860	0.84	1.21	1.18	0.09	26.8	12.9	77	3.22
D728673		2.62	0.006		0.08	5.21	20.5	700	0.67	0.82	1.82	0.06	26.5	11.9	56	2.44
D728674		2.28	0.008		0.14	7.01	55.9	720	0.85	18.75	1.12	0.10	26.1	13.5	89	4.10
D728675		2.42	0.017		0.08	6.83	65.8	790	0.82	1.08	1.28	0.61	26.6	13.5	83	3.95
D728676		2.08	0.391		0.29	7.91	339	340	0.82	1.52	4.86	0.06	20.8	15.4	101	6.83
D728677		2.64	0.011		0.13	7.95	26.4	480	0.76	8.09	4.24	0.06	19.40	15.9	94	7.19
D728678		2.14	0.024		0.09	7.51	105.0	440	0.79	1.35	3.90	0.06	18.05	14.5	94	6.14
D728679		2.56	>10.0	10.55	1.85	5.96	3700	870	0.80	0.65	2.58	0.04	21.1	10.6	52	4.96
D728680		1.64	8.82		2.32	6.35	5440	460	0.81	6.60	2.04	0.19	23.1	12.2	60	6.66
D728681		2.38	0.062		0.08	7.58	80.7	760	0.91	0.46	0.93	0.05	28.1	13.4	66	5.12
D728682		3.12	0.068		0.13	6.78	133.0	710	0.87	1.13	2.31	0.08	20.1	16.5	126	5.68
D728683		2.58	0.062		0.13	7.31	312	580	0.76	4.47	2.27	0.55	21.0	15.3	133	6.46
D728684		2.76	0.025		0.11	7.41	106.0	610	0.97	0.67	2.05	0.08	21.6	13.3	54	5.74
D728685		2.36	0.029		0.05	5.42	250	260	0.65	1.07	3.42	0.03	14.70	41.6	823	14.10
D728686		2.64	0.009		0.11	5.49	35.7	250	0.62	3.61	2.83	0.04	15.55	27.0	289	15.75
D728687		2.44	0.016		0.09	7.05	38.2	670	0.84	1.04	1.64	0.04	24.0	15.4	125	6.48
D728688		2.22	0.006		0.08	2.67	14.4	420	0.44	0.56	1.03	0.04	19.40	7.2	49	1.46
D728689		2.30	0.014		0.12	6.51	11.2	830	0.93	2.53	1.64	0.08	26.8	13.1	67	3.65
D728690		2.38	0.038		0.13	6.81	160.0	750	0.86	0.86	2.01	0.05	22.8	11.8	44	3.44
D728691		1.74	0.227		0.20	6.52	453	470	0.88	0.85	2.26	0.16	18.70	14.3	137	3.68
D728692		2.62	6.91		1.63	5.89	4630	360	0.80	2.30	3.10	0.25	20.5	9.0	58	4.73
D728693		1.46	6.93		1.61	6.47	3070	300	0.97	0.71	3.96	0.73	28.0	13.0	118	7.85
D728694		0.92	0.111		0.04	7.13	175.0	230	1.10	0.07	5.27	0.13	41.3	26.3	96	13.25
D728695		1.68	0.041		0.05	7.15	60.6	430	1.31	0.74	5.29	0.12	44.4	31.0	93	21.0
D728696		1.26	0.028		0.03	6.93	39.6	280	1.45	0.04	5.95	0.12	50.8	31.0	83	18.40
D728697		2.38	0.005		0.03	7.14	17.9	260	1.42	0.04	6.10	0.12	54.3	30.9	79	17.05
D728698		1.88	0.015		0.04	6.98	22.7	240	1.17	0.72	6.04	0.12	49.2	30.3	88	16.70



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – B  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118142**

Sample Description	Method	ME-MS61														
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOD	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
D728669		35.2	3.78	18.00	0.12	2.1	0.043	1.27	11.3	37.7	1.33	1215	1.71	1.71	4.3	60.6
D728670		46.2	3.93	18.05	0.11	1.8	0.043	1.30	11.4	39.7	1.02	1060	1.61	1.05	4.4	76.9
D728671		54.9	3.97	13.05	0.10	1.4	0.066	1.19	10.7	50.5	1.32	1105	1.27	0.87	3.6	77.7
D728672		37.6	3.61	14.05	0.10	1.8	0.046	1.09	11.3	58.2	1.19	1065	1.68	1.31	3.8	62.1
D728673		47.0	3.33	11.00	0.08	1.3	0.043	0.70	10.8	53.5	1.36	1040	1.50	0.64	3.1	49.6
D728674		42.8	3.94	14.30	0.10	1.5	0.066	1.29	11.3	46.4	1.20	1480	1.58	1.44	3.7	78.0
D728675		47.4	4.00	14.05	0.10	1.1	0.061	1.31	11.7	33.1	1.06	1205	1.96	1.49	3.5	69.9
D728676		51.3	3.92	16.20	0.10	1.3	0.091	1.21	9.3	18.3	2.36	911	1.16	1.52	4.3	37.3
D728677		57.8	4.13	16.25	0.09	1.4	0.097	1.02	8.3	21.8	2.18	875	1.27	1.77	4.4	34.1
D728678		54.4	4.04	15.75	0.09	1.2	0.072	0.99	7.6	22.2	1.79	877	1.42	1.76	4.1	36.4
D728679		41.3	3.08	13.20	0.10	0.7	0.048	1.73	8.6	30.8	1.48	853	1.51	0.76	3.1	34.4
D728680		53.4	3.60	13.80	0.09	0.9	0.053	1.95	9.8	22.6	1.15	751	1.33	0.43	3.3	39.6
D728681		40.1	3.84	15.35	0.10	1.0	0.051	1.44	12.2	49.0	1.16	1080	1.30	1.64	3.9	52.1
D728682		58.7	4.04	14.10	0.12	1.1	0.051	1.31	8.8	33.0	1.51	697	2.94	1.42	3.4	131.0
D728683		58.5	4.58	14.75	0.10	1.0	0.098	1.38	9.8	35.6	1.84	935	2.27	1.57	3.2	122.0
D728684		73.0	4.35	15.20	0.11	1.1	0.075	1.30	9.3	26.3	1.64	743	2.24	2.22	3.3	65.0
D728685		40.8	4.69	11.20	0.10	1.3	0.112	1.11	6.7	24.0	5.05	1260	2.46	0.63	2.1	770
D728686		54.6	4.55	11.10	0.09	1.6	0.070	1.00	7.1	41.4	5.21	1010	4.38	0.56	2.6	395
D728687		51.4	4.11	13.95	0.11	1.1	0.047	1.18	10.2	42.5	1.93	773	1.89	1.47	3.4	126.0
D728688		36.0	1.73	6.83	0.08	0.9	0.025	0.67	8.1	24.9	0.67	290	2.93	0.04	3.0	28.0
D728689		57.2	3.80	14.05	0.11	1.4	0.048	1.05	11.3	58.7	1.33	781	1.82	0.61	3.7	52.3
D728690		56.7	3.89	14.30	0.10	2.4	0.037	0.95	9.7	74.4	1.61	656	3.82	0.58	3.2	36.0
D728691		47.4	4.14	13.05	0.10	1.3	0.057	0.88	8.7	75.1	2.15	839	1.54	0.06	2.6	122.0
D728692		35.5	3.23	12.80	0.12	1.4	0.055	1.61	9.6	58.8	1.92	702	1.71	0.06	2.9	48.3
D728693		45.9	4.07	14.45	0.12	1.5	0.080	1.65	12.3	40.2	2.30	733	1.93	0.38	7.5	107.0
D728694		46.2	6.67	15.70	0.13	2.8	0.075	0.92	18.6	39.5	3.35	1110	1.43	2.06	24.7	50.3
D728695		48.5	6.77	16.25	0.13	3.0	0.076	0.58	20.0	60.2	3.37	1070	1.63	2.42	26.1	49.3
D728696		52.8	7.14	17.75	0.12	3.4	0.087	0.45	23.5	43.6	3.16	1155	1.87	2.41	30.4	33.0
D728697		53.9	7.26	18.10	0.13	3.7	0.092	0.49	25.1	32.1	3.06	1205	1.85	2.52	31.3	26.1
D728698		51.9	6.86	16.55	0.10	3.3	0.088	0.79	22.0	44.8	3.15	1135	1.64	2.23	28.1	31.8



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – C  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118142**

Sample Description	Method Analyte Units LOD	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005
D728669		680	3.8	38.7	0.002	0.36	25.2	17.8	1	1.0	176.5	0.26	0.21	2.13	0.377	0.33
D728670		630	3.5	41.3	<0.002	0.45	174.0	17.8	1	1.1	269	0.28	0.27	2.28	0.377	0.40
D728671		620	6.2	36.2	0.002	0.82	77.3	15.9	2	1.1	172.0	0.24	0.86	1.75	0.346	0.41
D728672		650	4.4	29.3	0.002	0.48	28.7	17.5	1	0.8	154.0	0.25	0.17	2.18	0.371	0.25
D728673		700	3.5	21.1	<0.002	0.48	21.0	13.8	1	0.7	180.0	0.20	0.24	1.61	0.287	0.26
D728674		780	5.6	40.1	0.002	0.41	43.5	18.0	1	1.0	132.5	0.25	0.31	1.84	0.395	0.39
D728675		880	4.2	40.7	0.002	0.65	67.9	16.9	1	1.0	183.5	0.23	0.28	1.60	0.373	0.51
D728676		620	3.2	36.5	<0.002	0.80	48.4	17.9	1	1.7	417	0.28	0.49	1.63	0.376	0.30
D728677		640	3.8	24.7	<0.002	0.92	9.17	16.8	1	1.9	469	0.30	0.41	1.51	0.378	0.32
D728678		660	3.3	21.6	<0.002	0.94	10.30	16.2	1	1.8	399	0.27	0.40	1.34	0.377	0.44
D728679		580	2.8	43.6	0.002	0.84	424	14.6	1	0.8	201	0.21	0.13	1.33	0.345	0.46
D728680		590	3.0	58.1	0.003	2.78	249	16.2	1	0.8	146.5	0.20	0.30	1.46	0.344	0.53
D728681		700	3.1	40.1	0.003	0.66	16.85	18.0	1	0.9	150.0	0.26	0.18	1.86	0.394	0.34
D728682		610	2.7	39.4	0.003	0.97	35.7	19.1	2	1.1	175.0	0.22	0.47	1.26	0.364	0.56
D728683		670	2.5	42.4	0.005	1.10	27.6	21.6	2	1.2	132.0	0.20	0.25	1.07	0.397	0.58
D728684		740	2.2	38.9	0.005	1.08	37.0	20.4	2	1.2	175.5	0.21	0.25	1.18	0.388	0.51
D728685		380	1.5	44.0	0.003	0.46	19.85	17.3	1	1.2	120.5	0.14	0.34	0.99	0.267	0.27
D728686		440	3.1	39.4	0.006	0.94	8.13	17.3	2	1.2	117.5	0.16	0.25	1.07	0.298	0.25
D728687		590	2.8	34.5	0.005	0.97	15.50	18.8	2	1.1	135.0	0.21	0.18	1.48	0.384	0.31
D728688		410	1.4	17.6	0.002	0.39	3.22	7.9	1	0.7	98.0	0.20	0.13	2.21	0.153	0.17
D728689		670	2.5	28.3	0.002	1.34	5.19	16.8	1	1.2	184.0	0.24	0.22	1.84	0.364	0.48
D728690		600	2.7	26.3	0.004	1.20	15.90	19.1	1	1.1	166.0	0.21	0.26	1.68	0.341	0.53
D728691		520	3.5	26.5	0.005	0.72	645	18.0	1	0.9	206	0.17	0.20	1.17	0.331	0.29
D728692		520	6.6	49.3	0.003	1.84	928	14.4	2	0.9	273	0.19	0.18	1.43	0.291	0.46
D728693		740	3.7	54.2	0.002	2.39	361	18.5	2	1.1	329	0.47	0.24	1.23	0.519	0.54
D728694		1470	1.8	32.0	<0.002	0.18	216	28.2	1	1.4	256	1.50	<0.05	1.37	1.300	0.16
D728695		1580	1.9	26.1	<0.002	0.16	110.5	29.4	1	1.5	297	1.57	<0.05	1.46	1.385	0.10
D728696		1760	2.0	19.9	<0.002	0.17	45.7	33.6	1	1.7	251	1.80	<0.05	1.57	1.565	0.09
D728697		1880	1.9	17.6	0.003	0.12	21.2	33.5	1	1.9	254	1.91	<0.05	1.72	1.640	0.08
D728698		1680	2.1	26.1	0.002	0.17	46.7	29.9	1	1.6	276	1.71	<0.05	1.56	1.455	0.14



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – D  
Total # Pages: 2 (A – D)  
Plus Appendix Pages  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118142**

Sample Description	Method Analyte Units LOD	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728669		0.9	96	2.1	18.0	61	80.0
D728670		0.9	104	12.0	19.6	66	68.1
D728671		0.7	93	7.2	13.2	80	49.1
D728672		0.8	96	1.6	16.9	66	66.4
D728673		0.6	71	2.5	15.5	60	50.3
D728674		0.8	96	1.6	17.0	86	54.3
D728675		0.6	95	1.8	16.2	122	41.0
D728676		0.8	132	16.0	12.9	70	42.6
D728677		0.7	131	4.7	11.5	68	42.6
D728678		0.6	127	3.8	11.8	67	39.6
D728679		0.5	84	30.3	11.7	46	27.2
D728680		0.5	86	43.4	13.1	67	32.0
D728681		0.6	96	8.2	12.8	68	36.7
D728682		0.6	107	2.9	16.3	63	36.3
D728683		0.8	121	3.0	18.5	126	34.5
D728684		0.7	117	2.7	18.8	72	39.8
D728685		0.8	99	1.8	17.9	141	47.3
D728686		0.9	100	2.0	19.8	111	54.0
D728687		0.7	113	2.7	16.1	68	40.6
D728688		0.9	38	4.2	7.5	21	40.0
D728689		0.7	91	3.9	11.3	57	46.3
D728690		1.1	92	2.6	15.3	51	76.2
D728691		0.7	100	5.2	11.9	95	43.2
D728692		0.8	84	25.5	11.6	74	50.0
D728693		0.5	97	18.8	15.3	101	55.4
D728694		0.4	228	2.7	22.4	80	95.0
D728695		0.4	242	1.3	24.9	82	106.5
D728696		0.5	273	0.7	28.4	88	129.0
D728697		0.9	284	0.6	30.3	89	135.0
D728698		0.6	253	0.8	25.6	79	121.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 23-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118142**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-GRA21</td><td>Au-ICP21</td><td>CRU-31</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-GRA21	Au-ICP21	CRU-31	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-GRA21	Au-ICP21	CRU-31	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 1  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
This copy reported on  
27-MAY-2022  
Account: ENDURA

## CERTIFICATE VA22118144

Project: Reliance Gold  
P.O. No.: Reliance-2022-002  
This report is for 42 samples of Percussion submitted to our lab in Vancouver, BC, Canada on 6-MAY-2022.

The following have access to data associated with this certificate:

ROBERT BOYD

TERESA CHENG

DARREN OBIEN

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

  
Signature: Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118144**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS61 Ag	ME-MS61 Al	ME-MS61 As	ME-MS61 Ba	ME-MS61 Be	ME-MS61 Bi	ME-MS61 Ca	ME-MS61 Cd	ME-MS61 Ce	ME-MS61 Co	ME-MS61 Cr	ME-MS61 Cs	ME-MS61 Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
D728435		2.22	0.003	0.05	8.15	36.5	110	1.10	0.01	5.10	0.09	26.3	47.4	268	1.98	56.9
D728436		3.76	0.016	0.48	7.87	172.5	180	0.93	0.01	3.73	0.09	21.3	49.6	267	2.05	64.7
D728437		0.80	0.002	0.07	8.03	27.3	140	0.92	0.01	5.04	0.08	25.5	47.9	253	2.64	60.2
D728438		0.96	0.001	0.03	8.13	17.6	150	0.98	0.01	4.36	0.06	25.9	48.8	269	1.89	74.0
D728460		2.84	<0.001	0.01	7.81	5.7	160	0.87	0.01	5.40	0.07	19.85	52.5	314	4.71	104.5
D728461		2.74	0.001	0.02	7.96	13.4	180	0.94	0.01	5.75	0.07	22.4	52.8	293	4.67	72.9
D728462		2.34	1.125	1.35	7.42	1865	230	0.89	0.01	5.61	0.74	23.0	46.3	285	4.56	82.6
D728463		2.74	3.55	1.17	7.33	2420	200	0.83	0.01	5.27	0.12	24.3	44.2	289	5.21	71.2
D728464		2.34	0.724	0.49	7.82	747	200	0.79	0.01	4.86	0.13	25.8	45.4	302	5.03	58.3
D728465		2.28	0.014	0.03	7.67	19.7	430	0.74	0.01	5.83	0.09	23.4	45.1	285	5.16	66.7
D728466		2.50	0.053	0.07	7.51	36.3	310	0.72	0.01	5.72	0.09	21.9	47.6	286	5.62	89.2
D728467		2.04	0.589	0.70	7.09	848	310	0.75	0.01	6.11	0.08	21.0	43.1	260	4.99	60.2
D728468		2.44	0.010	0.05	7.55	16.0	190	0.75	0.01	6.19	0.05	22.1	50.5	283	6.07	39.8
D728469		2.42	0.004	0.01	7.83	7.6	120	0.68	0.01	5.69	0.06	20.7	50.3	290	6.42	60.3
D728495		2.56	0.002	0.01	8.49	20.7	170	1.14	0.02	4.49	0.09	21.3	50.3	254	2.37	87.3
D728496		1.94	0.002	0.02	8.67	14.8	150	1.02	0.01	5.15	0.09	22.3	49.8	245	2.69	70.9
D728497		1.62	0.001	0.01	8.09	14.3	80	0.93	0.01	5.83	0.07	21.4	49.3	245	1.61	71.7
D728498		1.90	<0.001	0.02	8.79	10.9	120	0.90	0.01	3.52	0.09	25.6	55.2	333	1.36	57.7
D728499		2.10	0.002	0.03	8.03	15.9	130	0.63	0.01	4.13	0.09	22.1	47.3	278	1.11	76.5
D728500		2.04	0.001	0.02	8.70	16.5	120	0.76	0.01	5.45	0.07	23.6	44.7	234	2.08	59.6
D728501		2.50	0.165	0.35	8.15	875	120	0.78	0.01	5.84	0.48	24.7	44.5	229	2.14	63.8
D728502		2.66	0.046	0.33	8.33	133.5	170	0.83	0.01	5.08	0.11	24.7	44.9	264	2.25	67.8
D728503		2.84	0.001	0.02	7.77	11.2	120	0.71	0.01	6.08	0.11	23.1	43.3	272	1.91	75.6
D728528		2.08	0.065	0.05	7.46	36.5	100	0.66	0.01	6.36	0.11	20.5	46.9	280	4.25	62.2
D728529		2.50	0.001	0.01	7.87	5.1	140	0.68	0.01	5.84	0.07	23.2	43.9	247	4.26	50.5
D728530		2.98	0.001	0.02	7.09	39.6	130	0.72	0.01	6.64	0.11	25.2	41.5	198	4.35	66.0
D728531		2.82	0.215	0.41	8.47	523	220	0.80	0.01	5.08	0.11	21.7	43.9	321	4.81	71.1
D728532		3.26	0.004	0.02	8.11	15.7	160	0.72	0.01	5.59	0.07	18.50	50.5	323	3.94	65.0
D728555		2.38	0.003	0.03	9.07	9.3	120	0.77	0.01	2.83	0.08	24.7	50.0	233	3.21	93.6
D728556		2.80	0.008	0.04	9.37	23.6	140	0.84	0.01	0.51	0.04	22.5	40.8	317	3.94	79.9
D728557		3.50	0.780	0.16	8.80	435	180	0.88	0.01	1.52	0.06	24.0	48.6	317	5.62	91.3
D728558		2.04	0.160	0.15	9.19	368	290	0.93	0.01	1.45	0.10	24.8	46.6	258	4.92	80.6
D728559		1.16	0.018	0.09	8.14	70.4	300	0.87	0.01	5.33	0.07	24.9	38.8	200	7.13	64.8
D728560		1.08	0.011	0.03	8.06	19.3	130	0.80	0.01	6.29	0.09	22.9	41.6	171	5.42	72.2
D728605		2.90	0.003	0.01	7.74	12.7	90	0.68	0.01	6.82	0.12	19.65	43.6	257	1.03	54.5
D728606		2.66	0.069	0.33	7.75	384	170	0.68	0.01	6.31	0.14	18.60	44.6	293	1.68	68.0
D728607		2.62	0.001	0.02	7.51	5.3	110	0.56	0.01	6.99	0.15	20.7	42.7	262	1.82	61.3
D728625		2.06	0.003	0.11	8.16	4.6	1000	0.76	<0.01	4.93	0.06	21.6	45.1	299	6.57	83.0
D728626		3.70	2.08	2.78	7.21	2630	440	0.70	0.01	6.93	0.21	19.50	39.1	283	5.34	61.9
D728627		2.72	0.719	1.02	7.70	1390	330	0.72	<0.01	5.42	0.18	19.20	44.2	293	6.11	57.5

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – B  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118144**

Sample Description	Method Analyte Units LOD	ME-MS61														
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
D728435		8.01	20.1	0.11	3.2	0.086	0.66	11.0	28.7	2.16	1330	1.33	2.64	14.2	130.0	1070
D728436		8.01	19.70	0.10	2.8	0.081	0.78	7.4	35.9	2.64	1570	0.93	2.53	13.8	131.5	990
D728437		7.56	17.85	0.12	2.4	0.077	1.01	10.9	39.0	2.10	1220	0.75	2.19	13.2	123.0	1020
D728438		8.04	18.85	0.12	2.6	0.083	1.70	12.3	35.2	2.06	1260	0.74	1.70	13.2	123.0	1050
D728460		8.03	18.70	0.11	2.8	0.081	1.35	7.7	23.3	3.03	1260	1.18	2.09	9.4	141.5	800
D728461		7.89	19.35	0.12	2.7	0.083	0.98	10.3	21.9	2.63	1925	1.05	2.45	9.5	141.0	880
D728462		7.15	16.35	0.11	2.6	0.080	1.54	9.9	35.5	2.49	2250	1.28	1.44	8.7	129.5	820
D728463		7.07	15.70	0.11	2.3	0.074	2.01	9.5	30.3	2.93	1255	0.85	1.23	9.8	146.0	840
D728464		7.76	17.25	0.11	3.0	0.071	1.49	10.6	34.2	3.22	1195	0.77	1.79	10.9	141.5	930
D728465		7.55	16.85	0.12	2.6	0.077	1.34	8.9	30.1	3.24	1495	0.83	2.08	10.7	145.5	850
D728466		6.95	15.80	0.13	2.4	0.068	1.91	7.7	28.3	3.11	1165	0.81	1.44	8.7	143.0	730
D728467		6.73	15.90	0.12	1.8	0.073	2.51	8.3	26.2	3.10	1080	0.68	0.55	8.0	120.5	670
D728468		7.24	17.25	0.13	2.8	0.069	1.53	8.2	26.4	3.02	1210	0.86	1.85	8.5	133.0	850
D728469		7.35	16.55	0.11	2.3	0.071	1.82	7.1	28.1	3.27	1255	0.60	1.68	8.5	147.0	760
D728495		8.19	18.95	0.13	3.5	0.085	1.19	8.7	28.9	1.63	1705	1.20	2.69	14.4	129.0	1050
D728496		8.17	18.40	0.13	3.4	0.088	1.23	8.7	20.9	1.72	1220	0.86	2.88	13.2	120.5	1120
D728497		8.29	19.50	0.12	3.1	0.088	0.55	9.1	25.2	2.23	1335	1.63	2.44	12.6	155.0	1120
D728498		8.95	19.05	0.11	2.9	0.088	0.71	10.4	44.6	3.17	1590	0.90	2.32	13.2	174.0	1220
D728499		8.16	16.70	0.12	1.9	0.076	0.77	9.3	50.0	3.18	1640	0.81	2.35	11.7	158.5	1090
D728500		8.51	17.05	0.10	2.6	0.083	1.06	11.2	35.0	2.11	1395	0.65	2.62	11.7	115.5	1200
D728501		8.09	17.70	0.10	2.8	0.089	0.97	12.0	30.7	2.00	1460	0.72	2.44	11.9	109.0	1050
D728502		8.01	17.90	0.12	2.5	0.087	1.84	12.2	33.1	2.13	1330	0.51	1.65	12.0	117.5	1030
D728503		7.82	17.20	0.10	2.7	0.081	1.08	9.5	37.8	3.04	1345	0.62	1.87	11.3	143.0	940
D728528		7.30	15.80	0.09	2.5	0.079	1.00	8.1	36.6	3.04	1295	0.69	1.79	10.2	154.0	920
D728529		7.84	17.40	0.08	2.8	0.081	0.65	9.9	32.8	3.07	1285	0.84	2.40	12.5	128.5	1110
D728530		7.20	16.25	0.10	2.5	0.084	1.00	10.7	40.0	3.42	1300	0.91	1.32	12.0	117.0	960
D728531		7.87	17.30	0.09	2.3	0.082	1.95	10.0	32.9	2.89	1355	0.53	1.39	9.4	132.5	940
D728532		7.91	17.20	0.08	2.6	0.084	1.13	7.3	27.0	3.16	1375	0.63	2.17	9.5	145.0	970
D728555		8.52	19.75	0.11	3.1	0.094	0.94	10.0	28.9	2.97	1480	0.67	2.93	13.9	128.5	1210
D728556		8.86	19.45	0.11	2.7	0.086	2.16	10.6	25.5	2.08	1015	0.59	2.24	13.2	106.5	1140
D728557		8.36	18.80	0.10	2.2	0.093	1.84	10.8	31.9	2.26	1110	0.64	2.36	12.5	145.0	1220
D728558		8.31	19.30	0.13	2.5	0.085	1.99	9.6	32.6	2.09	1205	0.72	2.08	15.2	129.0	1190
D728559		7.75	17.15	0.12	2.8	0.073	1.89	11.0	20.9	1.85	1090	0.44	1.71	12.0	99.6	990
D728560		7.64	17.40	0.13	2.8	0.084	1.38	10.2	19.9	2.30	1045	0.72	2.39	12.1	100.5	1120
D728605		7.35	16.70	0.10	2.7	0.080	0.31	8.0	30.3	3.53	1280	0.78	2.48	9.0	169.5	970
D728606		7.86	17.00	0.10	2.3	0.081	0.87	7.3	42.3	3.72	1360	0.70	2.01	9.7	156.0	980
D728607		7.32	15.75	0.08	2.8	0.075	0.53	7.8	40.4	4.28	1320	0.65	1.87	8.9	175.5	870
D728625		7.76	15.65	0.08	2.4	0.081	3.01	9.2	20.8	3.00	1190	0.38	0.86	8.9	127.5	780
D728626		7.15	15.85	0.06	1.8	0.071	2.97	8.7	19.8	3.02	1620	0.61	0.37	7.9	109.0	800
D728627		7.63	15.75	0.05	2.0	0.076	2.48	8.5	14.6	2.44	1300	0.43	1.13	8.1	119.0	820

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – C  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118144**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
D728435		1.3	12.1	<0.002	0.01	4.80	36.2	1	1.4	189.5	0.76	<0.05	0.84	1.155	0.13	0.2
D728436		3.1	9.3	<0.002	0.02	5.10	34.3	1	1.4	187.0	0.75	<0.05	0.63	1.155	0.15	0.2
D728437		1.4	23.7	<0.002	0.01	3.47	33.8	1	1.3	181.0	0.71	<0.05	0.73	1.095	0.16	0.2
D728438		1.0	38.2	<0.002	0.01	1.48	33.9	1	1.2	168.5	0.74	<0.05	0.65	1.105	0.20	0.2
D728460		0.9	24.8	<0.002	0.02	0.80	36.1	<1	1.2	210	0.56	<0.05	0.52	1.070	0.19	0.2
D728461		1.0	20.8	<0.002	0.01	1.48	34.1	<1	1.2	242	0.56	<0.05	0.57	1.035	0.14	0.2
D728462		28.9	45.1	<0.002	0.96	43.4	31.7	1	1.2	208	0.54	<0.05	0.63	0.993	0.34	0.2
D728463		3.1	60.7	<0.002	1.57	220	32.1	1	1.2	197.5	0.57	<0.05	0.64	1.015	0.47	0.2
D728464		2.6	47.6	<0.002	0.60	49.5	33.5	1	1.2	223	0.62	<0.05	0.74	1.075	0.30	0.2
D728465		1.1	38.1	<0.002	0.01	4.61	32.8	1	1.2	250	0.60	<0.05	0.65	1.070	0.23	0.2
D728466		0.7	60.7	<0.002	0.17	14.20	32.9	1	1.1	234	0.51	<0.05	0.59	0.983	0.34	0.2
D728467		2.4	76.1	<0.002	1.71	54.5	30.7	1	1.0	208	0.48	<0.05	0.55	0.897	0.54	0.1
D728468		1.1	46.4	<0.002	0.31	7.24	32.0	<1	1.1	239	0.50	<0.05	0.60	0.953	0.26	0.1
D728469		0.7	49.6	<0.002	0.02	2.69	32.3	1	1.1	208	0.51	<0.05	0.55	0.997	0.24	0.2
D728495		1.3	18.2	<0.002	<0.01	1.44	37.4	1	1.3	207	0.83	<0.05	0.84	1.235	0.20	0.3
D728496		0.9	20.2	<0.002	0.01	1.68	38.7	1	1.4	219	0.82	<0.05	0.75	1.280	0.22	0.2
D728497		0.9	6.6	<0.002	0.01	2.07	36.4	1	1.3	167.5	0.77	<0.05	0.73	1.190	0.09	0.2
D728498		0.7	8.9	<0.002	<0.01	1.33	39.8	1	1.3	188.5	0.82	<0.05	0.75	1.260	0.09	0.2
D728499		0.5	9.7	<0.002	<0.01	1.42	33.1	1	1.2	236	0.74	<0.05	0.60	1.145	0.11	0.2
D728500		0.7	23.7	<0.002	0.01	2.24	34.7	<1	1.2	214	0.75	<0.05	0.73	1.210	0.14	0.2
D728501		14.5	18.8	<0.002	0.08	4.36	34.6	1	1.2	213	0.73	<0.05	0.73	1.155	0.16	0.2
D728502		4.1	46.1	<0.002	0.05	2.43	35.1	1	1.2	172.5	0.74	<0.05	0.67	1.130	0.24	0.2
D728503		0.7	17.2	<0.002	0.02	1.52	35.5	1	1.2	212	0.72	<0.05	0.69	1.155	0.15	0.2
D728528		1.0	17.8	<0.002	0.02	1.66	32.2	1	1.2	247	0.63	<0.05	0.59	1.090	0.14	0.2
D728529		0.6	10.4	<0.002	0.01	2.34	34.1	1	1.3	280	0.80	<0.05	0.76	1.180	0.10	0.2
D728530		0.6	26.8	0.002	0.02	4.92	32.4	1	1.2	254	0.73	<0.05	0.80	1.070	0.19	0.2
D728531		4.3	46.7	<0.002	0.52	14.55	36.0	1	1.2	240	0.58	<0.05	0.57	1.105	0.31	0.2
D728532		0.7	14.2	<0.002	0.02	3.37	35.0	<1	1.2	278	0.60	<0.05	0.50	1.110	0.17	0.2
D728555		0.9	14.0	<0.002	<0.01	3.87	38.3	1	1.4	194.0	0.87	<0.05	0.81	1.310	0.11	0.3
D728556		0.7	46.5	<0.002	0.01	22.7	37.8	1	1.4	103.0	0.84	<0.05	0.71	1.315	0.21	0.3
D728557		1.0	42.4	<0.002	0.05	65.7	36.2	1	1.3	176.0	0.77	<0.05	0.78	1.220	0.26	0.3
D728558		1.1	42.8	<0.002	0.07	40.6	37.2	<1	1.3	154.5	0.86	<0.05	0.81	1.330	0.32	0.3
D728559		1.3	50.6	<0.002	0.60	24.1	34.1	<1	1.2	195.5	0.74	<0.05	0.88	1.155	0.38	0.2
D728560		0.7	30.9	<0.002	0.04	8.61	33.1	<1	1.3	241	0.75	<0.05	0.75	1.170	0.18	0.2
D728605		0.5	3.2	<0.002	0.02	0.98	32.8	<1	1.2	280	0.56	<0.05	0.56	1.070	0.06	0.2
D728606		1.8	9.5	<0.002	0.08	2.11	33.0	1	1.3	276	0.59	<0.05	0.44	1.140	0.16	0.2
D728607		0.5	11.2	<0.002	0.03	1.38	32.3	<1	1.2	237	0.56	<0.05	0.58	1.050	0.10	0.2
D728625		0.8	83.2	<0.002	0.21	7.75	34.9	<1	1.1	230	0.58	<0.05	0.56	1.095	0.53	0.2
D728626		9.2	79.5	<0.002	2.08	84.0	30.9	1	1.1	261	0.49	<0.05	0.47	0.939	0.60	0.1
D728627		3.2	65.1	<0.002	1.49	49.7	31.9	<1	1.1	222	0.54	<0.05	0.54	1.005	0.46	0.2

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 2 – D  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118144**

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728435		254	0.3	33.3	142	126.0
D728436		263	0.7	28.2	149	108.0
D728437		236	0.2	29.8	140	93.2
D728438		220	0.3	30.5	164	97.5
D728460		230	0.2	27.1	163	104.5
D728461		216	0.3	27.6	168	101.5
D728462		195	4.0	26.2	223	111.0
D728463		226	5.5	27.6	111	91.5
D728464		236	2.4	28.2	130	117.5
D728465		226	0.2	27.6	124	107.0
D728466		215	1.0	24.5	118	99.8
D728467		195	6.5	22.3	133	96.2
D728468		236	0.9	28.8	148	107.5
D728469		227	0.4	25.8	139	84.7
D728495		224	0.3	29.9	152	137.5
D728496		297	1.1	30.4	152	134.0
D728497		249	0.5	30.5	156	121.5
D728498		275	0.4	32.3	158	103.5
D728499		242	2.4	25.2	128	61.5
D728500		224	0.3	29.3	162	97.1
D728501		221	0.4	30.1	195	106.5
D728502		215	0.5	26.9	165	84.9
D728503		233	0.3	27.6	134	99.8
D728528		234	0.3	26.1	120	94.0
D728529		256	0.3	28.3	135	103.0
D728530		224	0.4	31.5	105	99.0
D728531		226	1.2	25.0	179	90.5
D728532		246	0.2	25.6	147	95.5
D728555		292	0.5	31.3	145	109.0
D728556		252	1.1	23.6	186	98.1
D728557		263	3.9	28.1	170	81.3
D728558		275	2.6	24.5	154	90.1
D728559		232	0.8	26.1	139	107.0
D728560		246	0.3	28.9	158	104.0
D728605		255	0.2	28.0	107	93.5
D728606		254	0.9	26.8	132	84.9
D728607		234	0.2	27.7	90	96.6
D728625		211	0.3	20.9	152	95.6
D728626		209	6.8	20.0	151	58.2
D728627		209	4.7	19.2	178	93.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – A  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22118144

Sample Description	Method Analyte Units LOD	WEI-21 Revd Wt. kg	Au-ICP21 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
D728628		2.58	0.006	0.01	7.88	10.3	190	0.70	0.01	6.24	0.07	19.65	48.2	309	6.50	72.0
D728629		2.38	0.007	0.02	8.34	14.5	140	0.85	0.01	4.58	0.07	20.0	48.8	334	4.73	78.9



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – B  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22118144

Sample Description	Method Analyte Units LOD	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
D728628		7.59	17.05	0.08	1.8	0.080	2.09	8.7	17.2	2.52	1390	0.47	2.02	9.0	129.0	910
D728629		7.80	17.35	0.09	2.5	0.085	1.56	8.8	19.4	2.78	1230	0.48	2.33	9.7	139.5	940



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – C  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118144**

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S %	ME-MS61 Sb ppm 0.01	ME-MS61 Sc ppm 0.05	ME-MS61 Se ppm 0.1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti %	ME-MS61 Tl ppm 0.005	ME-MS61 U ppm 0.02	ME-MS61 U ppm 0.1
D728628		0.7	38.7	<0.002	0.01	7.44	33.2	1	1.2	262	0.54	<0.05	0.46	1.080	0.27	0.2	
D728629		0.6	24.3	<0.002	0.01	2.83	33.6	<1	1.2	248	0.59	<0.05	0.46	1.125	0.17	0.2	



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: 3 – D  
Total # Pages: 3 (A – D)  
Plus Appendix Pages  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

CERTIFICATE OF ANALYSIS VA22118144

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
D728628		232	0.2	23.4	173	71.7
D728629		223	0.3	24.0	165	91.8



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
[www.alsglobal.com/geochemistry](http://www.alsglobal.com/geochemistry)

To: ENDURANCE GOLD CORP  
520 – 800 W. PENDER ST.  
VANCOUVER BC V6C 2V6

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 21-MAY-2022  
Account: ENDURA

Project: Reliance Gold

**CERTIFICATE OF ANALYSIS VA22118144**

<b>CERTIFICATE COMMENTS</b>													
Applies to Method:	<p>REEs may not be totally soluble in this method. ME-MS61</p> <p><b>ANALYTICAL COMMENTS</b></p>												
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>LOG-21</td></tr><tr><td>ME-MS61</td><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></tbody></table> <p><b>LABORATORY ADDRESSES</b></p>	Au-ICP21	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
Au-ICP21	CRU-31	CRU-QC	LOG-21										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													

## **APPENDIX E**

### **ANALYTICAL PROCEDURE AND METHOD DESCRIPTIONS**



## Sample Preparation Package

### PREP-31

### Standard Sample Preparation: Dry, Crush, Split and Pulverize

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

The sample is logged in the tracking system, weighed, dried and finely crushed to better than 70 % passing a 2 mm (Tyler 9 mesh, US Std. No.10) screen. A split of up to 250 g is taken and pulverized to better than 85 % passing a 75 micron (Tyler 200 mesh, US Std. No. 200) screen. This method is appropriate for rock chip or drill samples.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
CRU-31	Fine crushing of rock chip and drill samples to better than 70 % of the sample passing 2 mm.
SPL-21	Split sample using riffle splitter.
PUL-31	A sample split of up to 250 g is pulverized to better than 85 % of the sample passing 75 microns.

Revision 03.03  
March 29, 2012


RIGHT SOLUTIONS RIGHT PARTNER



## Sample Preparation Package

### Flow Chart -

### Sample Preparation Package – PREP-31 Standard Sample Preparation: Dry, Crush, Split and Pulverize



Revision 03.03  
March 29, 2012

## Au-ICP21/Au-ICP22 – Fire Assay Fusion – ICP-AES Finish

### Sample Decomposition:

Fire Assay Fusion (FA-FUSPG1 & FA-FUSPG2)

### Analytical Method:

Inductively Couple Plasma – Atomic Emission Spectrometry

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested in 0.5 mL dilute nitric acid in the microwave oven. 0.5 mL concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 mL with de-mineralized water, and analyzed by inductively coupled plasma atomic emission spectrometry against matrix-matched standards.

Method Code	Element	Symbol	Units	Sample Weight (g)	Lower Limit	Upper Limit	Default Overlimit Method
Au-ICP21	Gold	Au	ppm	30	0.001	10	Au-GRA21
Au-ICP22	Gold	Au	ppm	50	0.001	10	Au-GRA22

## **Ag-GRA21, Ag-GRA22, Au-GRA21 and Au-GRA22** **Precious Metals Gravimetric Analysis Methods**

### **Sample Decomposition:**

Fire Assay Fusion (FA-FUSAG1, FA-FUSAG2, FA-FUSGV1 and FA-FUSGV2)

### **Analytical Method:**

Gravimetric

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents in order to produce a lead button. The lead button containing the precious metals is cupelled to remove the lead. The remaining gold and silver bead is parted in dilute nitric acid, annealed and weighed as gold. Silver, if requested, is then determined by the difference in weights.

Method Code	Element	Symbol	Units	Sample Weight (g)	Detection Limit	Upper Limit
Ag-GRA21	Silver	Ag	ppm	30	5	10,000
Ag-GRA22	Silver	Ag	ppm	50	5	10,000
Au-GRA21	Gold	Au	ppm	30	0.05	10,000
Au-GRA22	Gold	Au	ppm	50	0.05	10,000

## ME-MS61: Ultra-Trace Level Method Using ICP MS and ICP-AES

### Sample Decomposition:

HF-HNO<sub>3</sub>-HClO<sub>4</sub> acid digestion, HCl leach (GEO-4A01)

### Analytical Method:

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)  
 Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

The ME-MS61 Ultra Trace method combines a four-acid digestion with ICP-MS instrumentation. A four acid digestion quantitatively dissolves nearly all minerals in the majority of geological materials.

A prepared sample (0.25 g) is digested with perchloric, nitric and hydrofluoric acids. The residue is leached with dilute hydrochloric acid and diluted to volume.

The final solution is then analyzed by inductively coupled plasma-atomic emission spectrometry and inductively coupled plasma-mass spectrometry. Results are corrected for spectral inter-element interferences.

### List of Reportable Analytes:

Analyte	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	0.01	100
Aluminum	Al	%	0.01	50
Arsenic	As	ppm	0.2	10000
Barium	Ba	ppm	10	10000
Beryllium	Be	ppm	0.05	1000
Bismuth	Bi	ppm	0.01	10000
Calcium	Ca	%	0.01	50
Cadmium	Cd	ppm	0.02	1000
Cerium	Ce	ppm	0.01	500
Cobalt	Co	ppm	0.1	10000
Chromium	Cr	ppm	1	10000
Cesium	Cs	ppm	0.05	500
Copper	Cu	ppm	0.2	10000
Iron	Fe	%	0.01	50
Gallium	Ga	ppm	0.05	10000
Germanium	Ge	ppm	0.05	500
Hafnium	Hf	ppm	0.1	500
Indium	In	ppm	0.005	500
Potassium	K	%	0.01	10
Lanthanum	La	ppm	0.5	10000
Lithium	Li	ppm	0.2	10000
Magnesium	Mg	%	0.01	50
Manganese	Mn	ppm	5	100000
Molybdenum	Mo	ppm	0.05	10000
Sodium	Na	%	0.01	10
Niobium	Nb	ppm	0.1	500
Nickel	Ni	ppm	0.2	10000

Analyte	Symbol	Units	Lower Limit	Upper Limit
Phosphorous	P	ppm	10	10000
Lead	Pb	ppm	0.5	10000
Rubidium	Rb	ppm	0.1	10000
Rhenium	Re	ppm	0.002	50
Sulphur	S	%	0.01	10
Antimony	Sb	ppm	0.05	10000
Scandium	Sc	ppm	0.1	10000
Selenium	Se	ppm	1	1000
Tin	Sn	ppm	0.2	500
Strontium	Sr	ppm	0.2	10000
Tantalum	Ta	ppm	0.05	100
Tellurium	Te	ppm	0.05	500
Thorium	Th	ppm	0.01	10000
Titanium	Ti	%	0.005	10
Thallium	Tl	ppm	0.02	10000
Uranium	U	ppm	0.1	10000
Vanadium	V	ppm	1	10000
Tungsten	W	ppm	0.1	10000
Yttrium	Y	ppm	0.1	500
Zinc	Zn	ppm	2	10000
Zirconium	Zr	ppm	0.5	500

**NOTE:** Four acid digestions are able to dissolve most minerals. However, depending on the sample matrix, not all elements are quantitatively extracted. For example:

- This digestion may not be complete for minerals such as corundum ( $\text{Al}_2\text{O}_3$ ), kyanite ( $\text{Al}_2\text{SiO}_5$ ) and more complex silicates such as garnet, staurolite, topaz and tourmaline.
- Potassium may bias low due to the formation of the insoluble perchlorate, which may not be completely decomposed during the leaching process.
- Low recoveries of Al and Ca may occur if their insoluble fluorides are not completely decomposed during the leaching process.
- Scandium may not be fully solubilized and may show lower recovery by this digestion. Sc-ICP06 (Lithium Metaborate Fusion, ICP-AES Finish), a method developed for Scandium, can be used as an alternative for this analyte.
- Four acid digestions can also volatilize certain exploration pathfinder elements, in particular mercury. Mercury is better analyzed by an aqua regia digestion and can be added as a package to this analysis (Package: ME-MS61m).



## Assay Procedure

### Sb- AA08

#### Sample Decomposition:

Hydrochloric Acid – Potassium Chlorate Digestion

#### Analytical Method:

Atomic absorption spectrometry (AAS)

A prepared sample (0.2 to 0.4g) is digested with concentrated hydrochloric acid and potassium chlorate on low heat. Tartaric acid, and water are added and the resulting solution is diluted to volume (100 ml) with demineralized water, mixed and then analyzed by atomic absorption spectrometry against matrix-matched standards.

Element	Symbol	Lower Reporting Limit	Upper Reporting Limit	Units
Antimony	Sb	0.01	100	%

Apr 03, 2003

RIGHT SOLUTIONS RIGHT PARTNER

[www.alsglobal.com](http://www.alsglobal.com)

## **APPENDIX F**

## **DRILLHOLE PLANS AND SECTIONS**


## Surface Plan Maps (1:2000 Scale)


## RC Section Locations

<u>Bona Zone Vertical Section (1:500 Scale)</u>	<u>Drill Holes</u>
5636360N	RC22-053 to RC22-056


Vista Zone Vertical Sections (1:500 Scale)	Drill Holes
5636225N	RC22-057, RC22-058
5636165N	RC22-059, RC22-060

<u>Eagle Zone Vertical Sections (1:500 Scale)</u>	<u>Drill Holes</u>
S5635740N	RC22-061, RC22-075
S5635715N	RC22-068, RC22-069, RC22-076
S5635690N	RC22-067, RC22-070, RC22-074, RC22-076
S5635666N	RC22-064, RC22-073
S5635641N	RC22-062, RC22-064 to RC22-066
S5635616N	RC22-062 to RC22-0666, RC22-071
S5635591N-1	RC22-062, RC22-071
S5635591N-2	RC22-063, RC22-071
S5635591N-3	RC22-064, RC22-071
S5635584N	RC22-071, RC22-072, RC22-072A, RC22-081, RC22-082, RC22-084
S5635559N	RC22-072, RC22-072A, RC22-077, RC22-079, RC22-080
S5635534N	RC22-078, RC22-080, RC22-083
S515486E	RC22-065, RC22-066, RC22-069 to RC22-075





**HOLES PLOTTED**  
**TOTAL 2**



**10m Contours**

**Roads**

**COLLARS**                    **LABEL**

**NUMBER BANDS**    **L/R**    **COL**    **RANGE**

Au g/t	R		15 10 5 3 1 0.5 0.1
--------	---	--	---------------------------------------

**ASSAYS**                    **L/R**    **TEXT**

Au g/t                    R        -----



**SECTION SPECS:**

EF. PT. E, N                    515065 m    5636360 m

XTENTS                    479.5 m    288.3 m

EXTENTS	479.5 m	288.3 m
SECTION TOP, BOT	903.8 m	615.6 m
TOLERANCE +/-	50 m	

NAD83 / UTM zone 10N




**HOLES PLOTTED**  
**TOTAL 2**




**ENDURANCE GOLD**  
EQUUS EDITION



# Endurance Gold Reliance Property 2022 RC Au Results Vista Zone S5636225N


HOLES PLOTTED  
TOTAL 2  
RC22-059 RC22-060







HOLES PLOTTED  
TOTAL 3  
RC22-068 RC22-069 RC22-076





DDH21-022










HOLES PLOTTED  
TOTAL 7  
DDH21-016 DDH21-017 DDH21-022 RC22-062  
DDH21-022 RC22-064 RC22-065 RC22-066





Endurance Gold  
Reliance Property  
2022 RC Au Results  
Eagle Zone S5635641N















HOLMES PLOTTED  
TOTAL 8  
DDH21-014 DDH21-015 RC22-071 RC22-072  
RC22-072A RC22-081 RC22-082 RC22-083








HOLES PLOTTED  
TOTAL 3  
RC22-078 RC22-080 RC22-083



Endurance Gold  
Reliance Property  
2022 RC Au Results  
Eagle Zone S5635534N





## **APPENDIX G**

### **pXRF ANALYSIS RESULTS**

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	
RC22-053	4.57	6.1	D728251	0	4601	20	0	0	0	17268	0	171	82	116	50752	0	3804	886647	12617	783	0	8	87	394	9	46	0	0	0	15935	0	182	43	5989	11	184	0	27	104	119	
RC22-053	6.1	7.62	D728252	0	3450	16	0	0	0	26519	0	272	109	59	47770	0	3104	891809	8581	843	7	8	122	312	7	38	0	0	0	0	11007	0	192	32	5325	12	166	0	29	89	123
RC22-053	7.62	9.14	D728253	0	0	9	0	0	0	0	0	239	156	46	54404	0	0	938009	0	927	5	10	138	0	6	46	0	0	0	0	0	0	186	19	5332	8	149	0	38	128	144
RC22-053	9.14	10.67	D728254	0	0	24	0	0	0	0	0	257	179	57	51753	0	0	940762	0	950	7	10	151	0	5	48	0	0	0	0	0	0	198	21	5098	9	163	0	35	127	144
RC22-053	10.67	12.19	D728255	0	6308	8	0	0	0	26483	0	314	155	78	56192	5	4537	867502	14950	864	7	8	142	275	6	51	0	0	0	0	16369	0	164	24	5158	8	137	0	27	96	133
RC22-053	12.19	13.72	D728256	0	11929	8	0	0	0	17330	0	236	111	71	54557	0	6995	857877	14413	1059	5	10	127	361	6	69	0	0	0	0	28495	0	111	20	5783	7	166	0	18	109	128
RC22-053	13.72	15.24	D728257	0	8129	11	0	0	0	22854	0	249	145	73	52387	0	5677	871015	11758	947	6	8	107	314	6	63	0	0	0	0	19492	22	124	24	6104	9	209	0	24	106	137
RC22-053	15.24	16.76	D728258	0	9993	7	0	0	0	23628	0	270	150	62	54985	5	3622	861225	13672	964	10	6	121	353	4	31	0	0	0	0	24793	0	124	28	5476	10	173	0	27	129	130
RC22-053	16.76	18.29	D728259	0	6380	6	0	0	0	21966	0	228	128	74	57262	0	1786	877814	9723	969	8	7	121	330	7	16	0	0	0	0	17162	0	138	26	5364	9	196	0	31	124	127
RC22-053	18.29	19.81	D728260	0	9882	18	0	0	0	22562	0	271	113	61	56855	5	1655	865002	13191	969	7	8	103	334	6	15	0	0	0	0	22629	0	146	30	5649	10	188	0	31	139	121
RC22-053	19.81	21.34	D728261	0	10245	7	0	0	0	19163	0	275	158	41	60427	0	2867	858674	15124	932	10	8	112	364	6	24	0	0	0	0	25004	0	155	19	5909	9	174	0	30	135	126
RC22-053	21.34	22.86	D728262	0	4549	7	0	0	0	17751	0	250	168	43	51037	0	1465	889936	14435	838	9	5	115	317	5	16	0	0	0	0	13261	25	161	25	5154	8	176	0	26	107	111
RC22-053	22.86	24.38	D728263	0	13199	8	0	0	0	26130	0	189	89	43	55015	5	1656	852482	15263	905	7	5	85	423	5	18	0	0	0	0	28814	0	168	22	5018	8	146	0	29	156	112
RC22-053	24.38	25.91	D728264	0	3800	195	0	0	0	24714	0	256	112	37	56142	6	2944	885617	9188	794	6	6	97	387	16	29	0	0	0	0	9852	0	138	17	5116	8	169	0	28	211	117
RC22-053	25.91	27.43	D728265	0	5346	132	0	0	0	27326	0	230	118	41	50519	0	2672	886583	7691	831	5	5	79	383	5	29	0	0	0	0	12225	0	142	24	5183	8	141	0	27	142	113
RC22-053	27.43	28.96	D728266	0	6549	7	0	0	0	24634	0	280	112	72	53871	0	2501	879037	11076	770	7	9	85	366	6	29	0	0	0	0	14222	0	166	18	5665	9	185	0	32	155	137
RC22-053	28.96	30.48	D728267	0	7256	5	0	0	0	28396	0	257	108	63	47130	0	1217	881480	11363	811	0	7	91	334	3	13	0	0	0	0	15839	18	224	13	4914	7	182	0	27	127	115
RC22-053	30.48	32	D728268	0	9569	4	0	0	0	31271	0	277	99	45	50679	4	2017	867719	11890	833	6	6	94	362	6	25	0	0	0	0	19516	0	160	13	4939	6	162	0	24	154	117
RC22-053	32	33.53	D728269	0	7750	3	0	0	0	30093	0	185	173	53	52968	0	1698	872406	11123	905	7	6	104	361	6	22	0	0	0	0	16452	0	161	10	5044	7	173	0	25	155	110
RC22-053	33.53	35.05	D728270	0	8097	13	0	0	0	18836	0	137	166	62	56105	5	1731	876110	13609	906	7	6	109	402	4	17	0	0	0	0	17012	21	164	19	5997	7	168	0	28	143	123
RC22-053	35.05	36.58	D728271	0	4966	3	0	0	0	33445	0	226	104	62	57512	5	812	875594	9552	875	9	6	90	348	6	11	0	0	0	0	10757	0	171	15	4964	8	156	0	26	159	118
RC22-053	36.58	38.1	D728272	0	8775	5	0	0	0	21840	0	102	78	36	51019	0	1040	875306	16344	798	0	9	72	453	5	15	0	0	0	0	18710	0	154	17	4768	9	152	0	35	138	120
RC22-053	38.1	39.62	D728273	0	10430	5	0	0	0	30359	0	209	91	59	56006	0	1053	863295	10495	924	5	5	87	400	6	12	0	0	0	0	20862	0	168	23	5000	8	200	0	29	153	117
RC22-053	39.62	41.15	D728274	0	4070	5	0	0	0	29501	0	202	94	60	56084	0	1503	879176	11731	917	4	5	87	367	4	20	0	0	0	0	10605	0	183	10	4891	7	175	0	27	153	118
RC22-053	41.15	42.67	D728275	0	8601	9	0	0	0	27313	0	163	98	59	52509	0	2175	872847	11263	868	6	7	80	347	7	31	0	0	0	0	17495	0	161	21	5442	8	191	0	27	144	128
RC22-053	42.67	44.2	D728276	0	10311	5	0	0	0	15841	0	117	91	56	60125	5	1785	873036	12600	882	4	7	81	393	3	19	0	0	0	0	19567	25	130	11	4408	7	165	0	30	160	109
RC22-053	44.2	45.72	D728277	0	8585	3	0	0	0	13102	0	150	150	52	54857	0	3807	885259	10680	830	7	7	88	349	4	39	0	0	0	0	15729	0	100	14	5735	6	138	0	29	160	122
RC22-053	45.72	47.24	D728278	0	8516	4	0	0	0	12282	0	178	120	80	58860	0	2850	880499	11828	858	7	5	93	392	5	32	0	0	0	0	16598	0	119	17	6125	7	214	0	26	160	126
RC22-053	47.24	48.77	D728279	0	6735	5	0	0	0	25066	0	218	96	70	54297	6	1957	8																							

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-054	39.62	41.15	D728321	0	7881	4	0	0	0	24179	16	215	124	39	52510	5	1898	885886	9109	846	7	8	105	367	5	21	0	0	0	10574	0	199	18	5500	6	171	0	28	160	117
RC22-054	41.15	42.67	D728322	0	10029	4	0	0	0	32681	0	210	115	59	54355	0	3039	870494	6080	832	6	7	103	367	5	30	0	0	0	15004	0	174	16	5871	10	189	0	30	165	122
RC22-054	42.67	44.2	D728323	0	8735	0	0	0	0	29330	0	249	91	56	54133	0	2979	877032	6864	856	5	6	96	376	5	31	0	0	0	13060	23	161	15	5364	8	192	0	27	183	122
RC22-054	44.2	45.72	D728324	0	8982	0	0	0	0	32863	15	186	145	63	52609	0	1483	873797	9959	819	7	6	106	366	5	16	0	0	0	12862	0	198	23	5004	10	181	0	28	152	116
RC22-054	45.72	47.24	D728325	0	9368	0	0	0	0	20731	0	182	198	53	52226	5	1678	882659	11484	835	6	6	113	450	5	19	0	0	0	13979	0	161	14	5301	7	207	0	24	172	116
RC22-054	47.24	48.77	D728326	0	7772	7	0	0	0	22908	0	188	113	115	55870	4	1979	886220	6773	928	6	5	93	381	4	19	0	0	0	10783	0	137	16	5144	8	196	0	29	179	121
RC22-054	48.77	50.29	D728327	13	7772	14	0	0	0	21575	0	210	175	90	54878	0	2128	886973	8263	881	7	5	105	379	4	26	0	0	0	10729	0	119	15	5148	9	166	0	25	173	119
RC22-054	50.29	51.82	D728328	0	9425	0	0	0	0	33094	0	211	250	80	54343	5	2156	869121	10214	1360	7	8	135	362	6	20	0	0	0	13610	19	149	15	4919	7	179	0	25	169	112
RC22-054	51.82	53.34	D728329	0	5895	4	0	0	0	30385	0	256	153	55	49090	0	2806	890291	6543	843	7	6	108	376	4	34	0	0	0	7926	0	161	19	4528	9	201	0	21	175	104
RC22-054	53.34	54.86	D728330	0	7022	3	0	0	0	24267	14	168	186	43	54408	0	1042	889078	7254	1023	7	5	145	412	5	10	0	0	0	9302	0	173	25	4883	9	212	0	28	166	109
RC22-054	54.86	56.39	D728331	0	9650	8	0	0	0	24171	0	246	218	40	54679	0	1768	878523	10022	810	8	8	129	406	6	20	0	0	0	13590	24	155	14	4986	9	184	0	28	179	117
RC22-054	56.39	57.91	D728332	0	7899	4	0	0	0	25032	0	262	116	45	53265	0	2495	884230	9305	965	6	8	110	424	6	29	0	0	0	9770	0	176	17	5340	9	165	0	26	175	124
RC22-054	57.91	59.44	D728333	0	13521	3	0	0	0	26626	0	240	130	65	53373	5	1938	863056	13183	867	5	7	99	386	6	22	0	0	0	20116	0	200	17	5636	6	168	0	27	171	125
RC22-054	59.44	60.96	D728334	0	10023	11	0	0	0	29105	0	245	118	87	51475	5	2740	873379	10869	907	0	5	105	391	8	29	0	0	0	14545	20	176	24	5257	9	162	0	26	163	114
RC22-054	60.96	62.48	D728335	0	15242	61	0	0	0	28477	0	235	131	58	51670	5	3836	859299	10625	974	5	7	102	394	6	38	0	0	0	22598	0	160	17	5580	9	164	0	25	169	114
RC22-054	62.48	64.01	D728336	0	8789	6	0	0	0	26536	0	254	192	48	57047	5	2731	874982	8783	901	9	8	110	378	7	26	0	0	0	13169	0	164	14	5332	7	176	0	32	176	121
RC22-054	64.01	65.53	D728337	0	8397	3	0	0	0	23010	0	214	124	52	54569	6	2769	884043	7590	857	4	6	90	353	5	28	0	0	0	12440	0	147	20	4777	7	166	0	28	183	114
RC22-054	65.53	67.06	D728338	0	8131	7	0	0	0	15360	0	205	127	52	60003	0	4012	883924	9391	857	5	7	94	406	5	38	0	0	0	10656	0	140	15	6019	8	181	0	28	195	133
RC22-054	67.06	68.58	D728339	0	6434	5	0	0	0	23275	0	200	98	38	54237	0	2731	890948	6618	800	6	9	91	394	5	24	0	0	0	8210	19	151	15	5165	6	198	0	26	176	122
RC22-054	68.58	69.71	D728340	0	5636	7	0	0	0	24879	0	230	76	41	53269	0	1947	893626	5575	833	7	7	89	329	4	17	0	0	0	7370	19	151	24	5379	11	135	0	30	186	124
RC22-055	1.52	3.05	D728341	0	6257	73	0	0	0	3607	0	231	165	82	54499	0	5233	903123	10234	931	5	11	146	418	6	39	0	0	0	8536	0	102	18	5793	8	166	0	23	157	105
RC22-055	3.05	4.57	D728342	0	5710	45	0	0	0	12460	0	207	182	92	57564	0	5170	893109	8783	1070	7	10	119	435	4	51	0	0	0	7356	0	129	14	6914	6	196	0	24	167	148
RC22-055	4.57	6.1	D728343	0	3592	473	0	0	0	15471	0	261	159	69	55654	0	4746	902700	5340	961	6	8	110	350	58	46	0	0	0	3347	0	111	15	5999	8	160	0	23	183	149
RC22-055	6.1	7.62	D728344	0	6299	30	0	0	0	21551	0	235	173	59	56195	0	2119	892599	5552	972	0	7	114	354	6	19	0	0	0	7260	0	150	16	5806	8	170	0	27	152	125
RC22-055	7.62	9.14	D728345	0	6073	362	0	0	0	18333	0	235	98	70	55045	0	2116	892483	9857	1056	6	7	102	312	7	22	0	0	0	7492	18	143	11	5617	6	196	0	27	151	124
RC22-055	9.14	10.67	D728346	0	7729	30	0	0	0	19992	0	179	90	200	76584	0	1758	868844	7276	1079	12	7	126	434	7	12	0	0	0	10746	28	124	24	4185	11	150	0	26	245	105
RC22-055	10.67	12.19	D728347	0	5427	12	0	0	0	23897	0	204	112	100	50533	0	3970	895440	6750	705	4	6	98	388	5	40	0	0	0	6391	0	170	23	5237	9	171	0	28	163	115
RC22-055	12.19	13.72	D728348	0	6835	10	0	0	0	24389	0	227	119	48	52552	0	1636	888848	8687	836	7	6	96	390	6	15	0	0	0	9132	0	185	17	5446	6	162	0	30	194	120
RC22-055	13.72	15.24	D728349	0	5736	15	0	0	0	22767	0	225	114	76	53837	0	2422	892618	7939	794	4	7	92	363	7	27	0	0	0	6901	0	167	23	5338						

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-056	7.62	9.14	D728391	0	4271	20	0	0	0	23913	0	153	158	52	50471	5	2150	901916	4994	926	6	6	94	317	5	18	0	0	0	3694	0	124	18	6163	6	207	0	30	164	120
RC22-056	9.14	10.67	D728392	0	4925	184	0	0	0	19906	18	288	126	65	53816	0	2174	899770	6247	857	6	8	94	319	7	21	0	0	0	4493	0	145	19	5974	8	178	0	30	192	130
RC22-056	10.67	12.19	D728393	0	4065	25	0	0	0	14612	0	224	115	50	53166	0	2558	897126	10475	752	5	7	92	357	5	28	0	0	0	8848	0	131	17	6841	7	176	0	30	152	138
RC22-056	12.19	13.72	D728394	0	6150	12	0	0	0	20329	0	177	143	47	52617	0	2561	885545	10884	896	0	5	94	373	5	22	0	0	0	12684	0	163	20	6754	9	218	0	29	134	129
RC22-056	13.72	15.24	D728395	0	8643	14	0	0	0	22069	0	240	144	45	40418	0	2300	890494	11510	773	6	6	79	308	4	20	0	0	0	16361	0	117	20	5993	7	182	0	26	108	113
RC22-056	15.24	16.76	D728396	0	6442	103	0	0	0	18896	0	254	141	38	52041	5	3004	888686	11205	772	8	7	102	296	4	32	0	0	0	11231	0	134	16	5918	6	192	0	25	141	120
RC22-056	16.76	18.29	D728397	0	5065	124	0	0	0	18944	0	224	154	51	49127	6	2801	892224	12080	752	4	8	105	332	5	28	0	0	0	10511	0	139	18	6784	9	211	0	27	128	142
RC22-056	18.29	19.81	D728398	0	3856	174	0	0	0	20129	0	250	126	37	43878	0	4422	901706	9059	677	8	7	95	355	7	47	0	27	0	8961	0	170	25	5523	7	178	0	26	131	121
RC22-056	19.81	21.34	D728399	0	4073	13	0	418	0	17296	0	323	168	39	51468	5	5413	893162	10607	676	6	9	148	350	4	54	0	0	0	9381	0	180	18	5747	7	161	0	20	118	136
RC22-056	21.34	22.86	D728400	0	4635	4	0	0	0	23083	0	198	101	79	50500	0	1542	893436	8809	886	8	6	96	347	6	16	0	0	0	10283	0	209	13	5254	6	183	0	31	151	117
RC22-056	22.86	24.38	D728401	0	6677	8	0	0	0	19827	0	252	134	59	56173	0	1986	890073	8016	838	6	8	114	383	6	17	0	0	0	8898	0	188	16	5780	9	187	0	30	186	129
RC22-056	24.38	25.91	D728402	0	5541	9	0	0	0	19719	0	215	124	36	55906	0	1494	89813	4731	902	7	7	113	370	4	12	0	0	0	6092	0	202	17	5749	8	181	0	31	191	127
RC22-056	25.91	27.43	D728403	0	7164	6	0	0	0	17202	0	169	131	43	57638	0	2003	889699	9559	905	7	6	108	421	5	21	0	0	0	9173	0	190	15	5016	7	177	0	28	198	109
RC22-056	27.43	28.96	D728404	0	3479	8	0	0	0	22608	0	208	120	56	54554	0	1490	901553	5277	983	6	7	113	384	4	14	0	0	0	2707	0	194	23	5731	8	177	0	29	176	143
RC22-056	28.96	30.48	D728405	0	5659	4	0	0	0	23732	0	217	116	37	59325	0	1632	886124	8402	1017	6	5	94	330	6	15	0	33	0	7124	0	167	21	5420	9	162	0	32	191	120
RC22-056	30.48	32	D728406	0	3601	12	0	0	0	22477	0	224	103	52	58492	0	2741	897936	3739	927	6	6	92	338	3	28	0	33	0	3362	31	151	17	5117	9	150	0	31	192	128
RC22-056	32	33.53	D728407	0	7345	50	0	0	0	16901	0	119	123	42	58310	0	2145	891800	6330	931	6	6	89	452	6	25	0	0	0	8599	27	137	22	5988	10	184	0	31	174	150
RC22-056	33.53	35.05	D728408	0	4918	173	0	0	0	21117	0	196	100	37	53555	0	2825	889241	9884	893	5	5	88	305	5	28	0	0	0	10569	19	113	14	5472	6	163	0	25	134	112
RC22-056	35.05	36.58	D728409	0	3132	11	0	0	0	27074	0	230	120	135	51965	4	422	892666	9399	1080	5	7	99	299	4	4	0	0	0	7495	0	177	20	5171	8	199	0	27	130	118
RC22-056	36.58	38.1	D728410	0	7052	13	0	0	0	27856	0	288	112	47	51846	0	743	881881	8901	1108	6	5	98	373	6	6	0	0	0	14198	0	140	17	4813	8	186	0	30	153	116
RC22-056	38.1	39.62	D728411	0	4516	14	0	0	0	16103	0	202	80	18	49914	7	1553	902370	9122	805	8	8	83	387	5	18	0	0	0	9141	0	146	21	4978	10	174	0	32	166	119
RC22-056	39.62	41.15	D728412	0	4432	9	0	0	0	21145	0	190	95	30	53708	0	1022	891437	10647	875	7	6	96	341	5	14	0	0	0	9794	0	197	18	5459	8	164	0	30	152	120
RC22-056	41.15	42.67	D728413	0	8360	5	0	0	0	11606	0	284	201	52	54610	0	8631	881896	10766	629	5	9	91	296	7	81	0	0	0	16606	21	104	16	5261	8	114	0	17	185	138
RC22-056	42.67	44.2	D728414	0	4124	5	0	0	0	15283	0	215	183	54	56905	0	4676	894985	8421	726	5	9	96	310	6	51	0	0	0	8331	20	141	19	4919	8	181	0	22	172	135
RC22-056	44.2	45.72	D728415	0	3872	11	0	0	0	17027	0	213	129	35	52834	0	2987	901047	7383	775	5	6	83	284	4	29	0	0	0	8294	0	109	21	4399	9	148	0	26	157	117
RC22-056	45.72	47.24	D728416	0	5152	32	0	0	0	16576	0	186	170	57	60707	5	6774	878781	12620	749	7	8	91	334	4	59	0	0	0	11656	18	128	17	5363	6	149	0	21	183	145
RC22-056	47.24	48.77	D728417	0	5709	133	0	0	0	19366	0	219	165	78	55765	0	5858	881251	11110	772	6	8	93	339	3	55	0	0	0	13163	0	112	19	5298	9	145	0	21	159	144
RC22-056	48.77	50.29	D728418	0	9152	22	0	0	0	18383	0	227	142	42	54481	0	1714	879373	11342	851	5	5	120	352	4	14	0	0	0	18321	0	170	16	4769	5	216	0	27	128	118
RC22-056	50.29	51.82	D728419	0	9349	20	0	0	0	26454	0	79	131	46	52106	0	2266	881847	7925	881	4	5	89	393	4	22	0	0	0	12991	0	138	7	4808	6	14				

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-057	41.15	42.67	D728461	0	5739	3	0	0	0	21203	0	190	176	66	53343	0	2064	894886	8647	1392	6	3	114	411	5	24	0	0	0	6216	0	201	14	4769	6	158	21	201	116	
RC22-057	42.67	44.2	D728462	0	3611	1927	86	0	0	18202	15	243	150	67	43910	0	5571	908702	6862	1103	0	5	116	392	29	52	0	71	0	3154	0	143	12	4939	7	193	0	23	303	111
RC22-057	44.2	45.72	D728463	0	6717	2013	100	0	0	19048	0	209	214	53	44473	0	5180	898370	8368	800	5	4	112	399	5	43	145	192	0	7785	0	163	24	5144	8	151	0	25	141	109
RC22-057	45.72	47.24	D728464	0	6260	351	0	0	0	16468	0	238	192	53	53409	0	4171	896014	7960	711	7	6	117	404	6	40	0	30	0	7166	0	171	13	5719	7	168	0	28	169	123
RC22-057	47.24	48.77	D728465	0	3333	16	0	0	0	22555	0	212	203	53	51617	0	2741	902446	6051	940	6	4	130	376	3	29	0	0	0	3079	0	200	15	5472	6	190	16	27	164	116
RC22-057	48.77	50.29	D728466	0	3250	17	0	0	0	18830	0	258	180	69	48403	0	5861	907343	6008	679	6	4	120	388	4	59	0	47	0	2715	0	146	18	5109	7	152	21	23	169	114
RC22-057	50.29	51.82	D728467	0	4641	167	0	0	0	20278	0	129	168	43	35952	0	6479	914373	5737	586	5	0	84	406	3	56	0	64	0	5557	0	130	18	4754	8	105	19	20	133	85
RC22-057	51.82	53.34	D728468	0	4374	5	0	0	0	18046	0	190	176	49	46528	0	2771	911183	6057	823	9	0	105	520	9	29	0	0	0	3909	0	186	33	4497	14	156	0	22	215	94
RC22-057	53.34	54.86	D728469	0	4989	9	0	0	0	25277	0	206	187	62	48947	0	4504	897288	6678	824	8	4	119	369	4	41	0	0	0	4985	0	169	16	4828	7	155	16	27	179	102
RC22-057	54.86	56.39	D728470	0	5974	3	0	0	0	23037	0	229	214	69	53221	0	2038	896754	4264	882	10	4	124	354	7	23	0	0	0	6895	0	196	27	5140	10	167	19	29	199	112
RC22-057	56.39	57.91	D728471	0	4047	0	0	0	0	16570	0	232	179	62	56386	0	2921	902140	6803	878	5	5	136	419	8	31	0	0	0	3645	21	159	31	4803	12	143	0	27	218	119
RC22-057	57.91	59.44	D728472	0	4107	3	0	0	0	20407	0	157	170	57	50523	0	1335	903568	9109	855	8	4	128	440	6	13	0	0	0	3681	0	157	27	4750	10	154	20	27	171	112
RC22-057	59.44	60.96	D728473	0	3735	0	0	0	0	14734	0	181	203	63	51965	0	3704	910543	4630	799	4	6	143	398	6	47	0	0	0	3372	0	167	16	4774	7	162	13	28	178	121
RC22-057	60.96	62.48	D728474	0	4226	0	0	0	0	31861	0	247	196	44	48827	5	868	892990	9629	875	9	3	146	380	6	7	0	0	0	4393	20	206	18	4570	7	175	15	27	151	100
RC22-057	62.48	64.01	D728475	0	7233	0	0	0	0	21090	0	209	209	74	50459	0	3746	893078	7893	808	6	5	142	421	4	33	0	0	0	8951	0	162	17	4978	9	156	21	26	154	116
RC22-057	64.01	65.53	D728476	0	4271	2	0	0	0	21500	0	228	179	35	50059	0	3083	903636	6158	794	0	4	136	342	5	29	0	0	0	4040	0	137	17	4838	8	175	20	26	167	111
RC22-057	65.53	67.06	D728477	0	3910	0	0	0	0	22381	0	261	204	43	54009	5	2920	899581	5711	796	6	5	136	391	7	27	0	0	0	4003	0	167	22	4907	9	177	12	27	171	113
RC22-057	67.06	68.58	D728478	0	6185	0	0	0	0	29455	0	181	198	41	46678	0	1161	892899	8034	934	6	4	143	441	6	9	0	0	0	8219	0	208	11	4699	8	194	16	27	137	107
RC22-057	68.58	70.1	D728479	0	3385	0	0	0	0	27654	0	187	170	57	51841	0	1708	896780	7725	838	5	4	138	363	6	22	0	0	0	3303	0	173	27	5103	10	179	12	28	169	112
RC22-057	70.1	71.63	D728480	0	4882	0	0	0	0	24436	0	201	181	44	49562	0	838	902067	6370	861	6	0	161	402	5	6	0	0	0	4655	19	207	17	4610	8	181	15	28	135	104
RC22-057	71.63	73.15	D728481	0	4548	0	0	0	0	24715	0	213	160	42	48879	0	1887	904013	4863	860	5	6	138	391	5	18	0	0	0	4014	0	183	23	4584	9	152	15	28	140	111
RC22-057	73.15	74.68	D728482	0	5614	0	0	0	0	23125	0	119	193	134	50500	0	2794	894844	9073	695	6	4	128	450	5	27	0	0	0	6335	0	136	26	5245	9	193	0	21	168	115
RC22-057	74.68	76.2	D728483	0	2946	2	0	0	0	31099	0	190	137	36	49001	0	654	900554	5813	807	5	3	114	368	4	7	0	0	0	2956	0	432	20	4383	5	180	0	27	155	103
RC22-057	76.2	77.72	D728484	0	5508	0	0	0	0	20082	0	189	160	43	54329	0	1564	899802	6252	831	5	5	139	383	5	20	0	0	0	5835	0	196	13	4203	6	132	10	25	158	106
RC22-057	77.72	79.25	D728485	0	6389	4	0	0	0	24330	0	178	180	55	60420	0	1900	884443	8883	901	9	0	155	378	7	20	0	0	0	7108	0	160	22	3984	9	164	17	23	162	100
RC22-057	79.25	80.77	D728486	0	6617	0	0	0	0	28574	0	193	189	105	54930	0	2357	883893	8580	914	6	3	126	401	6	20	0	0	0	7484	22	163	19	4940	10	152	0	26	171	100
RC22-057	80.77	82.3	D728487	0	4761	0	0	0	0	30504	0	196	197	37	51009	0	1223	891550	8600	826	5	3	130	387	6	13	0	0	0	5088	0	164	24	4768	10	179	23	25	167	105
RC22-057	82.3	83.82	D728488	0	4209	0	0	0	0	21475	0	197	207	67	50782	0	2417	903741	5578	725	7	4	120	410	5	24	0	0	0	4280	0	169	24	5011	9	201	15	28	178	116
RC22-057	83.82	85.34	D728489	0	6549	0	0	0	0	22887	0	290	198	50	55057	0	2749	890351	7687	762	5	5	121	391	7	28	0	0	0	7488	0	192	20	4621</td						

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	
RC22-058	57.91	59.44	D728531	0	4991	796	0	0	0	17558	0	196	204	49	50503	0	5087	898342	8965	809	8	4	98	350	11	36	0	47	0	6002	21	178	26	5258	10	140	0	27	178	107	
RC22-058	59.44	60.96	D728532	0	6702	7	0	0	0	17595	0	130	188	157	59967	0	2853	885772	11242	871	4	0	124	457	5	27	0	0	0	0	7957	0	170	17	5229	7	161	14	26	198	120
RC22-058	60.96	62.48	D728533	0	5011	4	0	0	0	20489	0	155	197	53	58498	0	1858	894261	6955	989	9	0	156	439	6	14	0	0	0	0	5214	21	187	39	4971	8	159	0	30	164	113
RC22-058	62.48	64.01	D728534	0	7193	0	0	0	0	21187	0	197	195	71	58147	0	1945	885252	8572	965	7	6	153	434	6	14	0	0	0	0	9533	25	196	19	5339	5	207	14	31	165	123
RC22-058	64.01	65.53	D728535	0	4630	0	0	0	0	18377	0	222	195	65	54374	0	3265	900196	6077	849	10	5	139	405	7	33	0	0	0	0	5224	21	159	36	5205	10	155	15	26	181	117
RC22-058	65.53	67.06	D728536	0	7657	2	0	0	0	15300	0	189	217	40	52912	0	5171	893975	7528	818	7	5	126	435	3	58	0	0	0	0	9832	24	138	16	5027	7	162	19	24	181	127
RC22-058	67.06	68.58	D728537	0	3975	3	0	0	0	16871	0	192	169	40	58371	0	2364	900198	7042	686	7	4	120	368	5	26	0	0	0	0	3878	0	183	18	4959	8	170	13	29	185	115
RC22-058	68.58	70.1	D728538	0	4732	0	0	0	0	19295	0	277	197	77	53831	0	4286	895487	8932	741	8	5	127	375	7	36	0	0	0	0	5367	0	175	19	5454	6	206	17	26	188	128
RC22-058	70.1	71.63	D728539	0	4662	2	0	0	0	34092	0	205	154	48	47947	0	2012	892186	7707	783	9	0	125	351	5	17	0	0	0	0	4631	21	157	24	4411	8	159	11	26	150	98
RC22-058	71.63	73.15	D728540	0	5132	0	0	0	0	22138	0	179	166	65	51327	0	3276	898763	6992	787	7	3	126	423	5	32	0	0	0	0	5033	0	155	21	4918	6	143	17	25	152	108
RC22-058	73.15	74.68	D728541	0	5605	0	0	0	0	21430	0	247	170	66	52215	0	2513	896756	7652	835	5	3	140	399	8	23	0	0	0	0	6623	0	124	29	4684	10	166	0	27	161	110
RC22-058	74.68	76.2	D728542	0	4188	0	0	0	0	27938	0	183	169	45	48161	0	1889	897526	8745	756	6	0	129	427	7	17	0	0	0	0	4076	22	150	33	5063	8	159	17	27	149	108
RC22-058	76.2	77.72	D728543	0	5596	0	0	0	0	20921	0	210	207	91	51255	0	3172	896306	9018	962	0	5	165	404	5	29	0	0	0	0	6340	0	173	19	4648	9	174	16	23	141	108
RC22-058	77.72	79.25	D728544	0	7291	0	0	0	0	16258	0	159	186	26	54592	0	2552	894406	9090	923	7	4	147	638	8	23	0	0	0	0	8498	0	119	36	4548	9	152	0	26	193	99
RC22-058	79.25	80.77	D728545	0	6786	0	0	0	0	25892	0	174	169	49	50199	0	887	892904	8407	856	7	4	140	423	5	6	0	0	0	0	8003	0	194	15	4426	9	170	14	27	130	106
RC22-058	80.77	82.3	D728546	0	6022	0	0	0	0	20064	0	147	176	52	49498	0	584	899586	9245	937	7	6	124	497	4	21	0	0	0	0	7611	0	230	17	4730	9	163	15	27	133	114
RC22-058	82.3	83.82	D728547	0	6977	0	0	0	0	18477	16	184	160	56	53037	0	1716	897167	7172	1056	7	3	154	440	6	20	0	0	0	0	8131	0	194	22	4530	7	174	15	25	148	106
RC22-058	83.82	85.34	D728548	0	7441	0	0	0	0	25829	0	189	164	39	48911	0	1028	889631	10817	1060	6	4	114	433	5	8	0	0	0	0	8694	20	190	24	4960	10	117	19	29	153	107
RC22-058	85.34	86.87	D728549	0	7418	0	0	0	0	21724	0	179	235	49	51892	0	376	893304	9648	1033	7	0	217	445	6	0	0	0	0	0	9010	0	188	35	3837	11	141	0	21	133	90
RC22-058	86.87	88.39	D728550	0	5386	0	0	0	0	18146	0	201	214	45	52702	0	389	901988	8258	1027	6	0	208	419	7	21	0	0	0	0	6384	0	160	35	4026	8	146	0	23	127	91
RC22-058	88.39	89.92	D728551	0	5273	0	0	0	0	33670	0	192	193	39	48721	0	300	887666	11321	865	7	0	143	411	6	4	0	0	0	0	5971	0	207	34	4507	9	180	16	24	148	93
RC22-058	89.92	91.44	D728552	0	6075	3	0	0	0	26135	0	141	174	34	54073	0	488	891203	8461	871	5	4	141	436	5	5	0	0	0	0	7022	0	165	21	4075	9	163	13	26	154	97
RC22-058	91.44	92.96	D728553	0	8867	0	0	0	0	22838	0	154	221	42	53304	0	1561	885772	8599	858	9	4	149	469	5	14	0	0	32	0	11532	23	186	18	4845	7	154	19	27	172	118
RC22-058	92.96	94.49	D728554	0	7465	2	0	0	0	27724	0	215	149	39	53930	0	1337	883302	10040	868	6	0	119	406	5	12	0	0	0	0	9395	23	184	17	4290	6	164	0	25	173	101
RC22-059	1.52	3.05	D728555	0	6659	19	0	0	0	5671	0	129	111	138	54290	0	2025	906279	9556	1449	4	6	94	486	0	20	0	0	0	0	7784	0	115	20	4637	8	147	18	29	188	119
RC22-059	3.05	4.57	D728556	0	7714	13	0	0	0	2104	0	164	99	96	63954	0	3226	892054	12360	1228	7	6	73	457	4	32	0	0	0	0	10471	0	66	16	5342	7	149	14	26	200	118
RC22-059	4.57	6.1	D728557	0	6748	490	0	0	0	3512	0	194	141	83	62620	0	3039	899100	7887	1126	7	6	104	377	0	40	0	0	87	0	8724	0	121	17	5042	6	159	18	30	195	126
RC22-059	6.1	7.62	D728558	0	5967	596	0	0	0	5043	0	93	101	85	58426	0	3479	901649	9799	1151	5	8	100	411	6	41	0	0	63	0	6782	20	109	16	5515	7	204	0	30	175	138
RC22-059	7.62	9.14	D728559	0	5908	45	0	0	0	15337	0	241	88	61																											

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	
RC22-060	18.29	19.81	D728601	0	4687	0	0	0	0	15501	0	184	158	47	58773	0	3120	888601	12180	898	6	3	134	385	6	41	0	0	0	10616	0	111	17	4084	7	123	14	26	160	117	
RC22-060	19.81	21.34	D728602	0	10373	0	0	0	0	17606	0	138	151	56	55815	0	1853	874768	13985	819	7	3	104	404	5	29	81	0	0	0	19182	0	154	18	3985	8	144	14	24	169	105
RC22-060	21.34	22.86	D728603	0	4507	0	0	0	0	20469	0	228	173	88	61514	0	2327	885950	8316	969	8	6	125	344	5	29	0	0	0	9644	0	137	17	4667	9	139	0	28	176	127	
RC22-060	22.86	24.38	D728604	0	6504	2	0	0	0	21737	0	156	164	41	54249	0	1327	883218	12082	931	6	4	122	396	4	16	0	0	0	13823	0	144	18	4579	8	164	16	29	147	113	
RC22-060	24.38	25.91	D728605	0	5753	5	0	0	0	25183	0	184	172	39	50629	0	573	885653	13466	853	5	0	136	399	3	5	0	27	0	11405	21	223	22	4799	9	171	0	26	127	111	
RC22-060	25.91	27.43	D728606	0	7184	105	0	0	0	21974	0	268	182	38	52146	0	2270	879669	13710	818	11	6	119	409	7	28	0	0	0	15294	21	166	21	5038	10	212	0	28	148	118	
RC22-060	27.43	28.95	D728607	0	4892	3	0	0	0	27907	0	176	171	48	54131	0	1092	883139	11387	909	7	3	153	366	4	12	0	0	0	10541	0	171	17	4457	8	155	17	26	108	101	
RC22-060	28.95	30.48	D728608	0	5637	11	0	0	0	26913	0	171	154	41	51561	0	1437	884493	10487	799	7	5	119	373	4	13	0	0	0	12339	21	196	26	4721	8	167	21	33	134	108	
RC22-060	30.48	32	D728609	0	6403	3	0	0	0	20559	0	169	181	63	53506	0	1459	886261	12189	782	7	5	138	391	5	11	0	0	0	12630	0	238	21	4497	8	204	16	26	114	113	
RC22-060	32	33.53	D728610	0	6126	0	0	0	0	19748	0	197	204	68	54459	5	3916	891061	9140	745	8	5	124	385	5	36	0	0	0	7370	0	134	25	5718	9	177	12	25	178	120	
RC22-060	33.53	35.05	D728611	0	5957	0	0	0	0	23460	14	239	185	49	57364	0	2654	887854	9450	829	6	4	134	392	5	19	0	0	0	5911	22	214	15	4745	7	167	19	25	162	98	
RC22-060	35.05	36.58	D728612	0	7345	0	0	0	0	19042	0	178	191	47	51292	0	4468	892349	9647	711	5	3	112	349	5	39	0	0	0	8176	21	156	27	5309	10	186	16	26	176	117	
RC22-060	36.58	38.1	D728613	0	8137	0	0	0	0	23341	0	196	183	72	54049	0	3881	882367	10980	861	7	3	120	386	5	42	0	0	0	9699	0	187	20	4934	6	180	17	25	186	118	
RC22-060	38.1	39.62	D728614	0	5487	0	0	0	0	16400	0	240	198	56	57612	0	3386	895552	7981	815	9	4	123	420	6	31	0	0	0	5868	22	200	22	5028	8	163	13	30	200	126	
RC22-060	39.62	41.15	D728615	0	6011	0	0	0	0	14596	0	166	215	69	61884	0	3745	890988	8903	932	0	5	123	380	4	35	0	0	0	5835	34	195	20	5298	8	186	0	29	203	138	
RC22-060	41.15	42.67	D728616	0	5183	0	0	0	0	16140	0	195	211	62	54653	0	3546	898654	8753	749	7	5	109	384	7	35	0	0	0	5600	0	171	17	4963	7	186	17	24	198	125	
RC22-060	42.67	44.2	D728617	0	6266	0	0	0	0	19919	0	177	190	56	53880	0	4774	892422	8324	963	5	3	114	408	6	58	0	0	0	7075	0	143	21	4699	5	155	15	19	193	109	
RC22-060	44.2	45.72	D728618	0	7016	3	0	0	0	17651	0	207	198	25	54254	0	2664	894464	7858	892	8	5	121	483	6	25	0	0	0	8065	0	199	25	5274	9	168	23	28	209	119	
RC22-060	45.72	47.24	D728619	0	6352	0	0	0	0	20778	0	216	205	74	55846	0	5968	887035	8380	1063	7	3	114	391	9	50	0	0	0	7615	0	196	28	5126	11	166	14	25	213	115	
RC22-060	47.24	48.77	D728620	0	5362	0	0	0	0	15486	0	179	200	34	54625	0	4800	899407	6963	893	6	5	97	393	6	48	0	0	0	5511	0	198	18	5207	8	184	20	27	207	118	
RC22-060	48.77	50.29	D728621	0	10010	0	0	0	0	11266	0	167	231	100	62186	0	7119	878073	11386	904	7	7	119	491	7	80	0	0	0	12184	0	98	22	4934	5	197	15	217	158		
RC22-060	50.29	51.82	D728622	0	4054	0	0	0	0	19150	0	202	170	59	57552	0	3191	897409	7033	938	0	0	110	328	7	33	0	0	0	3871	22	181	25	4924	7	179	16	24	197	119	
RC22-060	51.82	53.34	D728623	0	6769	0	0	0	0	15153	0	133	203	83	57391	0	3207	893870	8775	798	5	3	116	428	4	39	0	0	0	7514	0	151	14	4876	6	142	14	23	178	105	
RC22-060	53.34	54.86	D728624	0	7989	0	0	0	0	21354	16	252	194	55	51104	0	4829	889593	8207	712	7	3	108	420	4	43	0	0	0	9536	19	179	23	4846	7	157	11	25	199	108	
RC22-060	54.86	56.39	D728625	0	6190	0	0	794	0	14446	0	194	200	62	47118	0	7269	902054	7995	631	6	4	98	418	5	74	0	31	0	6773	0	151	20	4998	8	139	12	21	174	115	
RC22-060	56.39	57.91	D728626	0	7162	1435	44	0	0	24020	0	234	188	67	42919	0	7585	889680	10308	913	5	3	91	390	12	66	72	81	0	9066	0	195	28	4961	11	172	0	20	174	100	
RC22-060	57.91	59.44	D728627	0	8500	806	0	0	0	21147	0	243	191	52	49296	0	6888	885831	9293	746	6	4	97	435	7	58	0	48	0	10513	0	177	20	5103	5	180	0	20	218	113	
RC22-060	59.44	60.96	D728628	0	6134	6	0	0	0	28751	0	168	156	54	51919	0	3420	886058	9256	1059	6	4	108	382	5	39	0	0	0	7490	0	200	15	4280	5	154	0	25	204	102	
RC22-060	60.96	62.48	D728629	0	7302	3	0	0	0	22928	0	209	201	118	58681	0	3267	883170	8879	946	4	4	129	429	6	34	0	0	0	8097											

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-061	25.91	27.43	D728671	0	6427	68	0	0	0	5867	0	115	78	43	29888	0	2734	927229	10100	844	5	0	58	382	7	30	0	473	0	13204	0	154	25	1965	9	69	20	20	110	78
RC22-061	27.43	28.96	D728672	0	4689	36	0	0	0	5513	0	0	26	31	27287	0	2108	937054	8696	892	7	0	37	352	6	22	0	0	0	10735	0	109	25	2084	9	74	16	20	87	83
RC22-061	28.96	30.48	D728673	0	4539	11	0	491	0	9175	0	39	26	49	26455	0	1581	931317	12009	816	9	0	37	380	5	15	0	29	0	10849	20	159	22	1698	10	67	16	21	79	78
RC22-061	30.48	32	D728674	0	6424	36	0	0	0	5980	0	0	44	34	30607	0	2811	925277	11619	1260	7	0	56	434	8	31	0	36	0	12651	0	109	40	2223	11	69	14	20	108	90
RC22-061	32	33.53	D728675	0	5120	73	0	458	0	6833	0	82	90	37	32233	0	2721	925941	10412	1129	5	0	58	367	7	32	0	0	9	11529	0	193	19	2206	8	67	19	26	140	100
RC22-061	33.53	35.05	D728676	0	5188	280	0	0	0	17409	0	108	80	31	27808	6	3509	924968	6029	625	6	0	23	328	7	33	0	57	0	10457	19	313	23	2390	7	122	17	11	84	62
RC22-061	35.05	36.58	D728677	0	6822	21	0	0	0	14752	0	95	69	35	29285	0	2872	916050	11804	615	4	0	20	362	4	30	0	0	0	14634	0	345	14	1897	8	88	17	12	86	58
RC22-061	36.58	38.1	D728678	0	4623	97	0	0	0	15720	0	78	75	41	32579	0	2638	918692	10067	685	7	0	20	344	6	28	0	0	0	10905	0	324	17	2738	7	126	22	11	88	61
RC22-061	38.1	39.62	D728679	0	4594	2469	79	465	0	9693	0	43	67	40	28718	6	3486	923528	11447	834	8	0	40	360	5	42	128	721	0	10838	0	156	20	1970	7	72	0	19	71	76
RC22-061	39.62	41.15	D728680	0	4706	4150	180	0	0	8957	0	156	57	52	25172	0	5531	923652	11404	490	4	0	33	408	6	48	550	273	0	11546	0	134	31	2161	10	70	0	21	115	83
RC22-061	41.15	42.67	D728681	0	6564	77	0	471	0	4816	0	107	45	33	28792	0	3573	926382	11137	799	6	0	39	415	4	32	0	32	0	13881	0	128	16	2343	9	71	24	84	99	99
RC22-061	42.67	44.2	D728682	0	5677	145	0	366	0	10939	0	0	109	46	30938	0	3337	919927	12804	602	7	0	109	395	6	37	119	51	0	11549	0	143	23	2337	10	99	13	27	92	92
RC22-061	44.2	45.72	D728683	0	4751	138	0	0	0	10678	0	72	148	37	34914	0	3562	918985	11084	754	10	0	114	397	5	37	108	46	0	11446	0	101	18	2217	7	89	23	27	138	93
RC22-061	45.72	47.24	D728684	0	7502	132	0	0	0	7957	0	61	52	39	30161	0	3011	930110	6649	604	7	0	49	419	4	29	111	41	0	10243	0	134	18	1926	9	61	0	24	100	94
RC22-061	47.24	48.77	D728685	0	7074	134	0	0	0	14625	0	78	570	44	36735	0	3648	907648	10571	901	6	0	383	386	3	32	113	0	0	15205	0	110	16	1425	9	62	13	20	126	64
RC22-061	48.77	50.29	D728686	0	9393	23	0	0	0	11610	0	108	414	31	34172	0	3574	906483	10758	796	8	0	334	401	5	33	94	38	0	19588	18	115	17	1651	8	85	16	22	128	79
RC22-061	50.29	51.82	D728687	0	7314	33	0	360	0	8444	0	83	151	38	31224	0	3694	918251	9573	600	8	0	132	372	5	30	207	47	0	16705	0	109	19	2300	7	80	17	23	84	90
RC22-061	51.82	53.34	D728688	0	4979	7	0	0	0	5291	0	31	45	26	13546	0	2630	945111	12688	216	5	0	15	416	3	17	0	0	0	13487	0	89	16	1247	8	0	20	11	38	56
RC22-061	53.34	54.86	D728689	0	8470	6	0	429	0	9135	0	131	60	36	27163	0	3100	917394	12458	624	0	0	31	392	4	26	208	0	0	17537	0	131	22	2325	9	78	24	27	74	107
RC22-061	54.86	56.39	D728690	0	11644	112	0	631	0	10869	0	99	33	48	29053	0	2728	902238	13526	497	9	0	25	414	4	22	345	0	0	25223	0	153	16	2041	9	58	11	26	71	94
RC22-061	56.39	57.91	D728691	0	11261	223	0	0	0	10846	0	92	248	34	34790	0	2480	899333	11556	711	6	0	131	371	6	22	81	295	0	25073	0	156	17	1902	8	99	13	22	146	77
RC22-061	57.91	59.44	D728692	0	5563	3175	131	0	0	10612	0	131	46	24	20236	0	4852	928448	9400	376	5	0	46	382	7	45	356	561	0	12938	0	238	19	2143	8	69	0	20	83	85
RC22-061	59.44	60.96	D728693	0	7492	2218	103	0	0	10908	0	109	75	45	23694	0	5398	919883	9072	357	0	0	73	410	6	57	180	298	0	14668	0	273	19	4295	8	115	0	28	92	123
RC22-061	60.96	62.48	D728694	0	4907	90	0	0	0	11934	0	190	39	29	42611	0	2723	906114	11281	594	5	18	38	346	6	27	0	225	0	11234	0	195	12	6893	7	191	10	26	93	162
RC22-061	62.48	64.01	D728695	0	12131	35	0	0	0	16069	0	188	28	41	47316	0	1954	88917	7305	663	6	16	37	349	5	21	0	124	0	15895	0	229	19	7238	7	190	12	26	110	169
RC22-061	64.01	65.53	D728696	0	6700	22	0	0	0	16419	0	153	26	37	49411	0	1174	900666	7700	707	5	18	27	351	3	17	0	61	0	8038	18	184	18	7648	7	242	16	29	116	184
RC22-061	65.53	67.06	D728697	0	6264	11	0	0	0	21220	0	173	28	42	53334	0	1435	896436	4774	765	5	22	32	353	4	14	0	34	0	6857	0	189	17	7421	9	208	16	29	112	196
RC22-061	67.06	68.58	D728698	0	4774	14	0	0	0	16574	0	212	41	43	45543	0	2228	918151	4189	661	5	19	26	366	6	22	0	53	0	4935	0	216	9	7630	7	247	11	14	178	178
RC22-061	68.58	70.1	D728699	0	6695	15	0	365	0	18868	0	168	57	42	49348	0	1793	900188	6089	742	8	17	45	411	5	16	0	0	0	7916	0</td									

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-062	53.34	54.86	D728741	0	6901	4606	241	866	0	12507	0	118	70	29	14810	0	8489	918635	11858	237	7	0	32	394	7	50	666	685	0	16615	0	315	16	1669	7	53	0	7	55	55
RC22-062	54.86	56.39	D728742	0	9318	1822	75	456	0	7463	0	118	0	36	15170	6	9872	918278	13350	193	6	0	12	435	7	65	573	146	0	20390	0	231	17	1729	8	75	0	8	54	87
RC22-062	56.39	57.91	D728743	0	10138	697	0	0	0	10463	0	127	939	38	30733	6	3464	911321	10315	691	7	0	917	365	5	22	742	142	0	17916	0	106	15	706	6	0	0	3	90	28
RC22-062	57.91	59.44	D728744	0	10291	497	0	0	0	14353	0	164	1196	35	33919	0	865	904096	12257	833	6	0	1280	348	3	4	751	420	0	18035	0	109	20	368	6	36	0	0	99	9
RC22-062	59.44	60.96	D728745	0	10291	406	0	0	0	15708	0	136	597	88	30829	0	2009	904177	14653	477	8	0	532	384	4	15	456	62	1	17464	0	169	18	1295	8	60	20	5	91	36
RC22-062	60.96	62.48	D728746	0	11693	20	0	364	0	13077	0	106	122	58	28333	0	1931	907704	13163	385	10	0	33	371	4	18	214	0	0	19366	0	124	10	2603	9	118	27	11	60	63
RC22-062	62.48	64.01	D728747	0	7829	3859	244	0	0	14761	0	137	53	53	21746	0	5489	91929	7882	325	7	0	25	382	6	44	433	5751	0	9579	0	259	18	1640	6	86	0	8	88	62
RC22-062	64.01	65.53	D728748	0	14620	2928	87	0	0	12199	0	143	638	53	26392	0	3883	899888	10094	407	12	0	483	374	5	33	807	4980	0	20263	0	235	17	1210	7	83	0	7	101	51
RC22-062	65.53	67.06	D728749	0	14571	2704	125	772	0	10203	0	136	44	49	20050	0	5653	910234	11619	172	7	3	30	423	6	43	1026	204	0	19202	0	237	18	2214	7	68	0	16	71	90
RC22-062	67.06	68.58	D728750	0	20228	3701	202	527	0	12963	0	83	0	28	17758	0	4576	884291	13116	268	6	0	19	467	6	33	1347	1505	0	36792	0	267	24	1655	8	0	0	12	72	48
RC22-062	68.58	70.1	D728751	0	11096	1142	55	0	0	11775	0	130	234	44	28828	7	3844	914642	9329	623	6	0	127	409	7	36	435	1460	0	13141	0	173	14	2119	7	89	17	21	116	75
RC22-062	70.1	71.63	D728752	0	11293	785	0	330	0	12161	0	97	45	59	29082	0	3705	917332	6887	480	8	0	43	414	7	35	379	450	0	13747	0	125	14	2205	8	71	36	25	81	98
RC22-062	71.63	73.15	D728753	0	12057	1420	40	549	0	10579	16	158	95	40	28764	7	4660	907316	11254	487	7	0	103	384	6	29	274	158	0	19051	0	335	23	1955	8	54	0	14	86	70
RC22-062	73.15	74.68	D728754	0	7772	1063	0	0	0	25296	0	55	42	72	17057	0	914	857064	8778	374	10	0	39	364	15	13	747	65374	7	14563	0	113	17	0	9	103	28	11	65	36
RC22-062	74.68	76.2	D728755	0	8186	428	0	0	0	10584	0	145	139	45	30633	6	2470	913150	9884	552	8	0	86	421	7	25	342	3541	0	16455	0	135	26	2357	10	105	38	30	93	100
RC22-062	76.2	77.72	D728756	0	6702	83	0	0	0	15112	0	111	314	39	30703	0	1747	918899	9515	807	8	0	173	334	6	17	0	98	0	12664	0	116	24	2169	10	72	37	25	126	90
RC22-062	77.72	79.25	D728757	0	10176	56	0	649	0	7956	0	84	75	30	22976	0	2455	922239	10457	437	8	0	54	391	5	17	283	73	0	18650	0	189	18	2394	7	79	28	29	65	119
RC22-062	79.25	80.77	D728758	0	14559	614	0	902	0	13244	0	104	81	26	23001	0	3821	901927	12496	715	4	0	44	389	5	31	355	122	0	24412	0	415	16	2372	9	70	19	21	137	89
RC22-062	80.77	82.3	D728759	0	10521	1692	50	743	0	12683	0	106	47	25	20963	5	3863	914814	12283	538	0	0	45	404	4	33	286	119	0	18289	0	421	13	1837	7	50	0	19	65	74
RC22-062	82.3	83.82	D728760	0	16007	70	0	620	0	10743	0	67	33	47	22491	0	2155	902757	14142	398	4	0	29	431	3	11	349	29	0	26728	0	266	10	2320	8	74	28	24	52	103
RC22-062	83.82	85.34	D728761	0	12902	72	0	742	0	8530	0	97	34	34	29669	0	3554	913137	7790	708	7	0	31	435	6	27	405	0	0	18297	0	274	14	2885	9	97	42	24	80	99
RC22-062	85.34	86.87	D728762	0	9093	64	0	396	0	11273	0	80	59	24	29483	0	2710	925577	5363	878	6	0	41	379	5	28	195	35	0	11703	0	121	24	2223	8	0	24	24	85	97
RC22-062	86.87	88.39	D728763	0	13807	90	0	519	0	9199	0	122	60	37	31670	0	3498	909189	9095	871	6	0	42	389	5	28	394	60	0	18087	0	121	19	2370	8	70	22	23	105	93
RC22-062	88.39	89.92	D728764	0	14504	29	0	0	0	15575	0	84	53	33	28164	0	2866	903020	9276	1054	4	0	36	426	4	27	284	0	0	21835	0	149	14	2175	8	65	26	21	171	96
RC22-062	89.92	91.44	D728765	0	14348	33	0	0	0	18236	0	60	48	44	21046	0	3167	909649	8921	561	4	0	34	389	3	24	200	32	0	21107	0	181	13	1637	8	55	32	16	84	68
RC22-062	91.44	92.96	D728766	0	12946	272	0	362	0	16072	0	99	48	34	27301	5	4138	906730	7803	658	6	0	35	413	5	38	463	65	0	19898	0	342	29	1940	7	63	47	21	76	83
RC22-062	92.96	94.49	D728767	0	7106	115	0	627	0	7999	0	99	119	48	26262	0	3094	921066	12966	630	6	0	60	392	5	31	179	51	0	16460	0	227	17	2074	9	52	30	21	171	86
RC22-062	94.49	96.01	D728768	0	12421	54	0	349	0	11499	0	146	150	49	32994	0	2080	900515	12094	884	8	0	100	379	5	21	148	0	0	23343	0	311	19	1991	7	76	15	21	243	77
RC22-062	96.01	97.54	D728769	0	8411	111	0	0	0	23967	0	122	154	30	29702	0	2003	905665	96																					

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-063	53.34	54.86	D728811	0	19047	10	0	0	0	9003	0	118	0	38	30653	0	3729	892640	9350	475	8	0	13	448	5	30	592	0	0	30839	0	118	13	2570	10	65	20	30	76	102
RC22-063	54.86	56.39	D728812	0	15027	8	0	437	0	8125	0	132	0	43	29842	0	3810	906888	6837	386	9	0	14	398	4	30	593	0	0	24428	0	144	16	2481	8	120	19	30	74	96
RC22-063	56.39	57.91	D728813	0	9486	233	0	1081	0	7785	0	60	0	18	23038	0	5223	926332	6649	349	7	0	9	422	4	40	297	24	0	15721	0	150	19	2729	9	84	21	30	65	113
RC22-063	57.91	59.44	D728814	0	19576	5	0	536	0	5653	0	86	25	23	24968	0	3342	898465	8562	351	5	0	11	455	4	23	469	0	0	34141	0	170	17	2808	7	55	19	32	66	127
RC22-063	59.44	60.96	D728815	0	16646	6	0	1049	0	12253	0	182	0	73	25841	0	5184	901275	7121	297	5	0	0	434	8	27	449	0	0	26345	0	293	23	2216	7	100	30	8	71	56
RC22-063	60.96	62.48	D728816	0	15907	15	0	397	0	8470	0	142	44	63	28282	0	2519	908542	8358	347	9	0	32	428	6	24	247	0	0	23397	0	170	19	2223	7	49	17	28	165	92
RC22-063	62.48	64.01	D728817	0	17977	2	0	524	0	10654	0	77	64	22	24732	0	2747	898471	10595	399	7	0	42	417	4	27	279	0	0	30401	0	145	16	2145	9	0	17	31	94	101
RC22-063	64.01	65.53	D728818	0	12183	2	0	361	0	9866	0	121	68	27	28217	0	2784	916781	8020	427	6	0	49	431	5	30	191	0	0	17841	0	152	20	2115	8	77	16	27	81	92
RC22-063	65.53	67.06	D728819	0	14524	0	0	0	0	13102	0	117	66	24	25092	0	2930	910008	8229	396	7	0	47	424	6	30	137	0	0	22479	0	137	27	1987	11	0	13	30	86	91
RC22-063	67.06	68.58	D728820	0	15030	12	0	0	0	10437	0	126	96	34	29513	0	2670	905258	8300	507	9	0	56	424	44	25	318	0	0	24385	0	170	16	2239	8	91	10	21	114	86
RC22-063	68.58	70.1	D728821	0	23236	14	0	375	0	11304	0	79	37	31	27624	0	3422	876950	10229	458	6	0	33	450	6	22	890	0	0	42323	0	275	17	1956	8	60	21	13	90	72
RC22-063	70.1	71.63	D728822	0	16808	745	0	0	0	16725	0	128	946	24	40229	0	3218	878627	9796	1172	6	0	812	362	5	31	239	0	0	28233	21	111	22	1355	8	55	0	13	259	52
RC22-063	71.63	73.15	D728823	0	13633	277	0	0	0	12895	0	140	306	15	31425	0	2082	899635	12417	814	10	0	259	356	4	22	169	0	0	23559	0	144	19	1509	7	55	13	188	80	
RC22-063	73.15	74.68	D728824	0	14757	239	0	362	0	9030	0	86	291	29	30320	0	2198	903904	9573	706	17	0	292	406	4	25	78	0	0	25121	0	177	19	2033	8	48	15	16	177	70
RC22-063	74.68	76.2	D728825	0	18348	51	0	473	0	9394	0	0	71	20	24033	0	2211	89466	9291	468	6	0	32	436	4	24	346	0	0	32707	0	267	11	2096	8	0	26	22	88	101
RC22-063	76.2	77.72	D728826	0	12817	37	0	0	0	24701	0	0	157	27	26650	0	1967	893838	10106	1349	5	0	88	422	4	17	103	0	0	24979	0	207	22	1816	9	59	22	19	59	69
RC22-063	77.72	79.25	D728827	0	14627	48	0	0	0	35546	0	0	176	0	33478	0	1707	862264	13325	2830	8	0	103	450	3	14	104	0	0	33233	0	183	19	1457	7	63	14	20	266	54
RC22-063	79.25	80.77	D728828	0	16075	49	0	0	0	26555	16	0	188	21	28360	0	1746	878665	13521	2179	5	0	93	578	6	9	0	0	0	29862	34	204	28	1379	11	62	15	17	257	63
RC22-063	80.77	82.3	D728829	0	7166	26	0	0	0	28747	0	0	141	21	25494	0	1454	916395	7448	1627	11	0	70	384	7	14	0	0	0	8928	0	221	35	1564	10	0	13	16	141	66
RC22-063	82.3	83.82	D728830	0	11188	60	0	0	0	30626	0	0	291	20	28166	0	1911	892141	11073	2140	9	0	85	403	7	15	0	0	0	19674	0	186	19	1651	9	62	14	19	173	58
RC22-063	83.82	85.34	D728831	0	16996	59	0	0	0	33027	0	55	205	29	30490	0	2400	872717	12629	2082	4	0	62	443	4	19	102	0	0	26626	0	164	14	1461	11	55	15	253	61	
RC22-063	85.34	86.87	D728832	0	21738	32	0	0	0	21032	0	61	131	32	31132	0	2568	863125	13732	1867	7	0	56	434	4	17	376	0	0	41149	0	167	23	1940	9	77	16	182	74	
RC22-063	86.87	88.39	D728833	0	12067	220	0	0	0	9629	0	75	60	30	23444	0	2369	920168	10555	463	6	0	38	431	6	16	300	0	0	18012	0	142	25	1725	9	0	0	22	78	107
RC22-063	88.39	89.92	D728834	0	12373	61	0	0	0	21101	0	77	221	31	37063	0	1420	891659	10255	1347	6	0	146	401	6	15	0	0	0	21749	0	167	26	1471	7	61	18	254	49	
RC22-063	89.92	91.44	D728835	0	9557	136	0	0	0	20962	0	45	311	22	29988	0	2444	909935	6931	912	4	0	221	369	6	22	0	0	0	15637	0	224	14	1944	9	66	14	20	135	72
RC22-063	91.44	92.96	D728836	0	18430	46	0	0	0	33032	0	102	234	39	26936	0	2084	870882	12382	1056	8	0	131	393	5	15	140	25	0	31740	0	202	16	1793	9	65	19	184	63	
RC22-063	92.96	94.49	D728837	0	19079	36	0	0	0	31933	0	86	193	25	21755	0	2233	875256	10147	1014	11	0	86	385	6	13	220	0	0	35312	0	238	32	1619	10	0	28	15	215	55
RC22-063	94.49	96.01	D728838	0	18174	129	0	0	0	35886	0	100	304	28	28707	0	2373	866567	13106	1529	4	0	156	377	6	13	229	0	0	30690	0	180	13	1983	7	84	16	154	66	
RC22-063	96.01	97.54	D728839	0	18019	90	0	0	0	25190	0	94	145	34	27690	0	2226	880105	11099	780	6	0	97	439	5	16	395	26	0	30754	0	243	16	2210	8					

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-064	54.86	56.39	D728881	0	14332	42	0	552	0	12386	0	103	0	46	24560	0	4677	892420	8989	314	4	0	9	433	6	28	983	0	0	37626	0	334	16	1956	8	0	21	7	71	78
RC22-064	56.39	57.91	D728882	0	20564	93	0	670	0	13603	0	121	42	29	22757	0	4771	878560	10440	339	7	0	17	418	5	30	1018	0	0	43762	0	318	20	2157	7	65	18	7	88	73
RC22-064	57.91	59.44	D728883	0	15821	9	0	575	0	7396	0	60	44	39	20517	0	3904	896972	10964	198	8	4	25	475	5	28	893	0	0	39347	0	240	19	2142	9	94	26	20	70	99
RC22-064	59.44	60.96	D728884	0	13323	49	0	583	0	6518	0	93	51	61	28137	0	4092	905884	8204	196	6	4	25	405	5	28	825	0	1	29190	0	94	19	1878	11	107	24	18	71	98
RC22-064	60.96	62.48	D728885	0	21668	66	0	843	0	5102	0	105	50	41	21455	0	3702	850044	11303	187	4	4	30	419	3	22	1257	22	1	80982	16	109	14	2214	7	122	25	17	68	98
RC22-064	62.48	64.01	D728886	0	15799	58	0	879	0	4318	0	56	67	47	24155	0	4378	882139	9505	213	6	4	29	418	5	30	852	0	2	54673	0	68	14	1999	9	82	25	16	68	84
RC22-064	64.01	65.53	D728887	0	16943	68	0	948	0	5520	0	42	64	37	25078	0	4860	883361	11426	280	5	3	28	448	4	35	904	0	0	47413	0	76	23	2137	8	54	44	20	63	109
RC22-064	65.53	67.06	D728888	0	12283	39	0	1162	0	3397	0	32	0	24	11905	0	2938	911431	9517	83	5	0	10	473	4	16	711	0	0	44571	0	60	16	1162	9	0	30	11	56	55
RC22-064	67.06	68.58	D728889	0	18420	500	0	906	0	5785	0	36	0	44	11856	0	2875	898562	9318	150	7	0	11	522	4	16	1250	36	0	48585	0	67	17	904	7	0	23	9	50	42
RC22-064	68.58	70.1	D728890	0	12753	175	0	936	0	4284	0	73	0	45	15672	0	2817	896124	9233	105	8	0	11	460	6	18	1149	40	0	54870	0	72	17	977	9	0	30	12	59	47
RC22-064	70.1	71.63	D728891	0	18581	132	0	517	0	4108	0	78	31	81	15156	0	2617	888021	11548	137	7	0	14	482	3	17	1052	43	0	56287	0	41	17	866	9	0	36	10	60	51
RC22-064	71.63	73.15	D728892	0	15183	83	0	397	0	3140	0	47	42	36	16965	0	2378	886472	8414	153	9	0	16	453	3	13	1057	37	0	64106	0	57	19	763	9	0	40	11	53	42
RC22-064	73.15	74.68	D728893	0	14058	142	0	348	0	3895	0	71	0	37	12809	0	1869	899181	9225	104	8	0	13	500	3	11	1110	0	0	55866	0	50	11	545	7	0	45	9	53	31
RC22-064	74.68	76.2	D728894	0	17716	118	0	624	0	4876	0	70	35	47	14587	0	2639	892676	11295	84	10	0	17	497	3	15	987	24	0	52517	0	96	15	894	7	0	39	13	58	43
RC22-064	76.2	77.72	D728895	0	16283	8	0	0	0	6193	0	135	0	48	22045	0	4550	889308	7005	152	8	0	9	466	6	33	1037	0	0	50520	0	101	18	1776	8	62	28	26	59	117
RC22-064	77.72	79.25	D728896	0	13911	0	0	544	0	8333	0	111	32	52	28210	0	4138	903013	7569	259	8	0	17	417	4	30	732	0	0	30296	0	127	18	1891	9	58	25	44	104	
RC22-064	79.25	80.77	D728897	0	13656	3	0	366	0	8561	0	40	27	23	27779	0	3984	891974	7436	389	5	0	12	412	4	33	687	23	0	42054	0	119	16	2107	8	54	15	27	69	115
RC22-064	80.77	82.3	D728898	0	13363	124	0	502	0	7006	0	99	50	40	24647	0	4630	910121	6092	259	7	0	22	424	5	37	644	0	0	28859	16	121	15	1780	7	0	24	28	61	117
RC22-064	82.3	83.82	D728899	0	13786	3	0	0	0	8288	0	105	49	50	27191	0	4144	905651	7813	203	14	0	20	425	4	30	710	0	0	29285	0	130	21	1806	9	64	24	21	60	94
RC22-064	83.82	85.34	D728900	0	11721	12	0	0	0	9631	0	70	152	49	28283	0	3748	906494	7511	311	7	0	51	427	6	37	621	26	0	28024	0	153	22	2317	8	90	27	92	93	
RC22-064	85.34	86.87	D728901	0	13174	34	0	775	0	8850	0	79	51	40	25524	0	4597	902876	8958	217	9	0	32	387	4	30	619	38	0	31183	0	207	21	2053	8	0	23	30	64	115
RC22-064	86.87	88.39	D728902	0	12633	13	0	705	0	6430	0	121	46	47	27555	0	5955	909177	7152	188	7	0	23	419	5	39	635	0	0	26111	0	147	20	2208	9	90	19	27	65	116
RC22-064	88.39	89.92	D728903	0	21083	6	0	667	0	8436	0	98	35	51	28720	0	4591	877834	9551	242	10	0	14	424	5	32	1044	0	0	44605	0	160	20	2091	8	53	24	66	105	
RC22-064	89.92	91.44	D728904	0	12676	3	0	543	0	6321	0	69	45	35	27891	0	5018	908465	8351	341	6	0	24	439	4	38	790	0	0	26509	21	132	23	1906	10	86	29	29	70	124
RC22-064	91.44	92.96	D728905	0	18400	12	0	424	0	6569	0	71	0	42	25164	0	3303	897112	7545	306	8	0	11	413	5	26	1322	0	0	37471	0	98	22	1442	8	0	23	23	72	106
RC22-064	92.96	94.49	D728906	0	11023	0	0	575	0	6884	0	49	0	30	25618	0	3940	920227	5593	345	6	0	17	401	5	26	486	0	0	22491	0	131	24	1853	8	59	21	22	67	98
RC22-064	94.49	96.01	D728907	0	16992	327	0	0	0	5701	0	88	0	25	18801	0	3332	917929	6983	304	11	0	18	377	3	34	678	73	0	26239	0	170	15	1641	8	72	16	15	62	88
RC22-064	96.01	97.54	D728908	0	16460	1460	54	471	0	8666	0	68	36	42	19010	0	4309	890919	10098	275	10	0	23	458	4	26	1182	71	0	36075	0	122	15	1815	8	85	0	14	63	62
RC22-064	97.54	99.06	D728909	0	9993	3498	220	530	0	8342	0	121	54	38	20055	0	5399	920747	8506	261	8	0	51	439	5	28	738	150	0	17956	17	213	14	2316	5	71				

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-065	59.44	60.96	D728951	0	17340	4	0	741	0	5933	0	51	35	37	25680	0	4260	898056	9385	313	6	0	24	411	5	31	734	0	0	34279	0	104	23	2248	9	71	18	25	68	110
RC22-065	60.96	62.48	D728952	0	17278	3	0	371	0	6871	0	69	0	41	17917	0	2870	915386	6688	197	7	0	19	412	3	22	796	0	0	29366	0	68	18	1378	8	52	18	14	62	64
RC22-065	62.48	64.01	D728953	0	9718	891	0	0	0	7582	0	162	158	64	34025	0	3198	920606	6504	303	8	0	72	441	6	32	405	0	0	13151	0	112	19	2199	11	74	0	27	140	93
RC22-065	64.01	65.53	D728954	0	8741	16	0	0	0	6693	0	48	51	39	25231	0	2663	933209	7613	260	8	0	27	436	4	32	102	0	0	12099	0	124	23	2221	10	104	17	22	121	88
RC22-066	0	3.05	D728955	0	15915	44	0	647	0	4113	0	84	26	43	30705	0	3338	900770	7856	504	7	0	42	440	9	30	228	0	0	33083	20	248	19	1548	7	68	13	18	82	95
RC22-066	3.05	4.57	D728956	0	21252	11	0	910	0	2271	0	0	62	55	39274	0	3471	868293	12247	655	10	0	86	511	5	38	689	0	0	47556	0	145	34	2121	10	67	0	29	94	102
RC22-066	4.57	6.1	D728957	0	13828	4	0	852	0	663	0	0	0	82	39401	0	4961	903627	9009	395	7	0	43	378	3	50	158	0	0	24006	0	87	15	2119	7	73	21	28	82	102
RC22-066	6.1	7.62	D728958	0	22552	3	0	846	0	2207	0	137	0	118	46652	0	4424	860529	9174	362	8	0	33	412	6	41	1013	0	2	49032	18	102	12	2025	7	75	17	25	79	90
RC22-066	7.62	9.14	D728959	0	12799	3	0	812	0	1125	0	101	65	57	33433	0	3876	911191	6675	356	8	0	49	412	5	36	399	0	0	25850	0	119	19	2306	9	77	18	27	81	92
RC22-066	9.14	10.67	D728960	0	15481	88	0	550	0	1262	0	116	0	48	25881	0	2128	915371	7783	308	6	0	20	434	5	27	165	0	0	28381	0	108	22	1524	9	63	12	20	113	74
RC22-066	10.67	12.19	D728961	0	9764	0	0	1001	0	3262	0	39	0	46	23697	0	4590	932353	6349	237	4	0	16	394	5	31	0	0	0	15922	0	102	16	1898	10	52	20	21	58	112
RC22-066	12.19	13.72	D728962	0	15618	40	0	860	0	3905	0	59	0	40	18724	0	3127	916811	7991	188	8	0	17	413	5	24	286	0	0	29800	0	130	30	1685	8	0	21	57	124	124
RC22-066	13.72	15.24	D728963	0	13313	10	0	1105	0	2787	0	72	30	42	16007	0	3221	929970	7746	145	6	0	17	435	4	23	121	0	0	23016	0	67	21	1616	8	69	18	12	56	65
RC22-066	15.24	16.76	D728964	0	20319	9	0	792	0	3666	0	62	0	22	13079	0	1978	908649	8906	112	6	0	12	495	4	17	509	0	0	40249	0	107	22	835	8	0	18	13	60	53
RC22-066	16.76	18.29	D728965	0	12371	100	0	1180	0	3039	0	64	27	51	22100	0	3333	926663	5127	152	7	0	22	457	5	21	104	0	0	22592	0	182	15	2099	8	69	21	24	62	105
RC22-066	18.29	19.81	D728966	0	14603	14	0	1082	0	4621	0	42	0	31	19023	0	4654	916216	8394	194	6	0	14	469	4	30	232	0	0	28029	0	122	15	1900	7	92	17	22	56	111
RC22-066	19.81	21.34	D728967	0	14902	2	0	1172	0	5148	0	46	39	52	23744	0	3126	915141	8039	177	7	0	17	454	7	25	308	0	0	28857	0	157	22	1841	9	56	16	29	60	147
RC22-066	21.34	22.86	D728968	0	10129	7	0	800	0	4191	0	106	0	54	18336	0	2828	934225	5140	150	8	0	17	413	4	19	208	0	0	21598	0	146	19	1368	9	0	24	26	58	118
RC22-066	22.86	24.38	D728969	0	13142	42	0	937	0	3393	0	71	0	45	13802	0	2139	929325	5304	88	9	0	10	467	5	10	278	0	0	29933	0	81	27	755	9	0	27	10	50	40
RC22-066	24.38	25.91	D728970	0	13097	35	0	1297	0	3430	0	80	43	41	15383	0	3212	929249	6622	123	5	0	13	439	3	22	144	0	0	25070	0	98	19	1348	7	57	26	16	53	67
RC22-066	25.91	27.43	D728971	0	16433	23	0	1301	0	3935	0	74	30	37	14835	0	2997	912808	7484	104	7	0	12	499	4	20	468	0	0	37387	17	110	22	1240	9	0	22	13	50	61
RC22-066	27.43	28.96	D728972	0	10842	39	0	1070	0	6738	0	74	76	30	20854	0	2656	923306	5160	242	5	0	34	438	4	17	78	0	0	26516	0	171	16	1474	8	0	24	10	61	54
RC22-066	28.96	30.48	D728973	0	13784	78	0	840	0	5982	0	100	38	43	20825	0	2902	916276	6444	175	6	0	21	474	4	22	221	0	0	29877	0	164	21	1445	9	76	22	17	64	70
RC22-066	30.48	32	D728974	0	14758	22	0	1158	0	3774	0	113	58	65	25754	0	4207	912236	7644	166	6	4	19	462	5	33	259	0	0	26538	0	154	20	2226	10	96	26	20	70	100
RC22-066	32	33.53	D728975	0	18785	2	0	1079	0	4634	0	155	52	64	27887	4	4654	890506	9161	186	6	24	495	5	36	595	0	2	38861	17	102	24	2345	8	87	21	20	78	100	
RC22-066	33.53	35.05	D728976	0	12961	31	0	1055	0	2993	0	77	49	58	23443	0	4503	920138	7960	185	6	4	32	431	4	34	271	0	0	23267	0	78	23	2070	9	104	26	18	71	100
RC22-066	35.05	36.58	D728977	0	13760	19	0	1284	0	4365	0	137	56	73	27291	0	5644	907061	8504	163	17	6	43	462	6	38	381	0	2	27511	0	139	22	2613	11	138	25	76	129	129
RC22-066	36.58	38.1	D728978	0	10258	225	0	411	0	11291	0	135	80	55	33324	0	2977	911185	6674	613	6	0	82	426	6	27	247	76	0	18540	0	187	23	2820	7	102	22	20	100	82
RC22-066	38.1	39.62	D728979	0	13789	502	0	357	0	10226	0	95	70	38	30094	0	2803	907464	5801	522	5	0	37	418	6	31	296	210	0	24496	0	238	18	2161	7	104</td				

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-067	7.62	9.14	G190021	0	7907	202	0	0	0	14907	0	117	877	82	48150	0	1336	905121	7659	648	13	0	665	400	6	17	0	0	0	10441	0	304	16	897	9	0	24	5	162	35
RC22-067	9.14	10.67	G190022	0	8696	77	0	0	0	11079	0	81	265	68	37119	0	2083	918296	6520	537	5	0	259	373	6	23	0	0	0	11948	0	375	24	1870	9	84	25	9	105	62
RC22-067	10.67	12.19	G190023	0	9209	54	0	432	0	9944	0	117	123	46	34173	0	1965	927527	0	579	5	0	158	324	8	23	0	0	0	12578	0	327	37	2048	12	105	0	12	134	60
RC22-067	12.19	13.72	G190024	0	9775	36	0	509	0	6888	0	58	127	39	41027	0	2820	913180	6735	990	8	0	100	371	5	34	130	35	0	14363	0	220	23	2188	7	79	0	23	131	99
RC22-067	13.72	15.24	G190025	0	8752	7	0	527	0	3885	0	0	25	40	39611	0	3550	920241	7060	957	7	0	55	386	6	37	136	0	0	11907	21	172	25	2254	10	82	13	25	102	104
RC22-067	15.24	16.76	G190026	0	23820	34	0	441	0	8794	0	0	44	48	37437	0	3565	866230	10828	803	7	0	60	447	5	31	695	24	0	44052	18	175	20	2112	7	84	16	25	84	96
RC22-067	16.76	18.29	G190027	0	7999	9	0	536	0	3791	0	0	0	37	32444	0	2845	931746	7102	1284	8	0	36	395	4	22	0	0	0	9938	0	101	17	1418	8	0	16	32	78	133
RC22-067	18.29	19.81	G190028	0	15321	38	0	348	0	1890	0	0	31	63	33981	0	3423	906333	8363	422	5	0	49	402	6	29	241	0	0	26628	21	174	19	1914	7	69	21	25	67	107
RC22-067	19.81	21.34	G190029	0	17738	6	0	0	0	5636	0	0	0	29	22990	0	4374	901802	8474	438	5	0	33	481	5	35	473	0	0	35361	0	101	38	1737	12	0	19	27	63	123
RC22-067	21.34	22.86	G190030	0	10989	5	0	0	0	5324	0	109	0	65	33293	0	3198	919930	6218	432	0	0	19	429	5	31	305	0	0	17269	0	118	11	1961	9	49	19	29	89	94
RC22-067	22.86	24.38	G190031	0	8787	11	0	481	0	6161	0	0	33	29161	0	2621	927910	6605	552	4	0	10	438	5	29	182	0	0	14415	0	156	16	2071	7	56	18	43	75	153	
RC22-067	24.38	25.91	G190032	0	7908	7	0	0	0	6539	0	42	0	38	23458	0	2763	939124	7112	378	5	0	16	413	6	23	175	0	0	10408	0	107	22	1206	9	0	19	31	67	123
RC22-067	25.91	27.43	G190033	0	10696	4	0	0	0	7726	0	45	0	29	22629	0	3047	930003	6845	485	5	0	14	464	4	28	215	0	0	15834	20	148	22	1848	7	0	24	27	66	123
RC22-067	27.43	28.96	G190034	0	8430	13	0	487	0	6829	0	43	0	25	21085	0	5351	935321	7612	331	7	0	13	445	4	37	283	0	0	11877	0	119	27	1414	9	0	20	25	91	105
RC22-067	28.96	30.48	G190035	0	9683	9	0	0	0	5014	0	0	40	36	22911	0	3819	933956	6084	272	8	0	11	439	4	32	286	0	0	15570	0	95	15	1446	9	0	12	32	76	141
RC22-067	30.48	32	G190036	0	10703	4	0	494	0	4699	0	64	0	33	21951	0	4477	934138	5530	360	7	0	16	435	5	33	127	0	0	14765	0	120	20	1765	9	0	23	30	67	124
RC22-067	32	33.53	G190037	0	12552	7	0	0	0	4568	0	61	0	28	19303	0	3126	937564	0	352	12	0	14	425	9	22	349	0	0	19185	0	164	49	1966	11	0	27	27	66	114
RC22-067	33.53	35.05	G190038	0	10982	2	0	0	0	4884	0	0	27	17	17179	0	3629	934504	7493	356	8	0	8	444	4	25	137	0	0	17987	0	115	17	1964	9	0	19	28	59	106
RC22-067	35.05	36.58	G190039	0	16508	2	0	0	0	7315	0	0	23	16761	0	4266	915322	7880	288	5	0	10	457	4	26	399	0	0	28871	0	147	22	1498	9	0	15	23	58	89	
RC22-067	36.58	38.1	G190040	0	12875	4	0	403	0	5642	0	72	0	23	18053	0	3690	926224	5960	266	4	0	12	416	5	26	239	0	0	23783	0	118	23	1888	10	66	16	21	77	85
RC22-067	38.1	39.62	G190041	0	10122	3	0	0	0	5996	0	161	0	41	28559	0	3930	924836	6619	442	8	0	28	408	6	28	385	0	0	15709	0	121	34	2229	12	82	22	25	88	105
RC22-067	39.62	41.15	G190042	0	11604	19	0	633	0	8338	0	124	42	39	31504	0	4323	914006	5289	494	8	0	48	431	5	32	312	0	0	19798	0	201	26	2405	9	69	25	85	107	107
RC22-067	41.15	42.67	G190043	0	10291	16	0	524	0	4223	0	119	0	26	28483	0	4599	925201	5817	477	5	0	39	392	6	33	138	44	0	16760	0	147	22	2375	7	0	21	32	87	116
RC22-067	42.67	44.2	G190044	0	12121	0	0	668	0	6200	0	78	31	29	28759	0	3822	917019	5923	486	5	0	34	447	5	22	348	30	0	21282	0	165	17	2224	8	66	20	24	71	97
RC22-067	44.2	45.72	G190045	0	12212	7	0	0	0	4361	0	142	54	30	30326	0	3977	918969	5759	512	10	0	39	431	5	30	366	0	2	20145	0	119	30	2188	8	55	19	23	87	94
RC22-067	45.72	47.24	G190046	0	12281	7	0	423	0	7944	0	115	92	45	32627	0	4182	912532	5857	566	7	0	59	451	4	31	517	0	2	19456	20	97	22	2313	8	109	19	25	93	98
RC22-067	47.24	48.77	G190047	0	19259	7	0	0	0	8444	0	71	72	44	29793	0	3071	894950	6411	470	5	0	62	467	4	24	722	0	0	33492	0	179	23	2116	8	73	19	21	103	91
RC22-067	48.77	50.29	G190048	0	12221	44	0	518	0	9749	0	172	48	49	34887	0	3066	906818	7754	488	7	0	36	422	4	20	736	0	0	20727	0	146	15	1804	7	47	17	22	85	90
RC22-067	50.29	51.82	G190049	0	1977	8	0	678	0	6248	0	232	48	45	36447	0	4434	888557	7323	499	6	0	38	496	6	28	570	0	0	33501	0	135	29	2346	8	61	16	28	132	105
RC22-067	51.82	53.34																																						

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-068	24.38	25.91	G190091	0	13028	3	0	645	0	13097	0	116	0	23346	0	4011	914059	8234	233	5	0	8	392	8	28	175	0	0	19898	0	403	19	1996	10	76	12	5	75	60	
RC22-068	25.91	27.43	G190092	0	13526	191	0	392	0	11832	0	136	0	37	20670	0	5046	917309	6988	216	5	0	10	454	7	40	190	0	0	20425	0	322	28	1934	8	89	14	5	72	57
RC22-068	27.43	28.96	G190093	0	12082	105	0	0	0	5968	0	139	0	48	20786	0	3175	939473	0	321	11	0	80	354	8	37	350	139	0	14823	0	243	46	1604	14	0	16	10	99	70
RC22-068	28.96	30.48	G190094	0	18765	269	0	0	0	8678	0	69	73	32	29763	0	4213	888872	9169	700	8	0	48	476	5	41	515	37	0	35428	0	123	18	2372	8	83	18	23	102	91
RC22-068	30.48	32	G190095	0	12096	1348	64	0	0	10659	0	85	47	52	25063	0	3600	915710	7904	553	5	0	45	445	7	36	273	637	0	18972	19	157	18	1946	7	51	0	21	89	88
RC22-068	32	33.53	G190096	0	10985	277	0	432	0	7494	0	83	64	44	29404	0	3664	921335	7651	640	9	0	49	443	7	43	328	169	0	14040	0	164	14	2316	7	79	17	25	117	101
RC22-068	33.53	35.05	G190097	0	7426	329	0	0	0	6443	0	75	52	36	31179	0	3152	939338	0	664	10	0	49	422	6	41	0	333	0	7981	0	134	21	2010	6	64	12	22	107	86
RC22-068	35.05	36.58	G190098	0	8820	184	0	0	0	9769	0	83	166	34	28160	0	3266	926190	6977	596	5	0	80	359	5	38	92	146	0	12434	0	206	19	2052	8	81	16	22	108	85
RC22-068	36.58	38.1	G190099	0	19694	81	0	519	0	8473	0	85	53	30	32160	0	3888	887701	7129	769	4	0	56	436	4	35	346	96	0	35185	0	174	9	2729	8	78	21	27	111	102
RC22-068	38.1	39.62	G190100	0	19686	100	0	0	0	7725	0	0	49	28	30086	0	3887	888542	9134	866	4	0	35	496	5	38	464	29	0	35926	23	109	17	2409	8	106	15	24	85	102
RC22-068	39.62	41.15	G190101	0	9073	23	0	517	0	6798	0	64	37	30	26904	0	3323	928493	8026	633	5	0	29	408	5	30	158	0	0	12876	0	120	19	2110	8	75	16	22	103	95
RC22-068	41.15	42.67	G190102	0	13416	15	0	397	0	5770	0	101	0	37	29968	0	2909	916344	7064	714	5	0	32	446	3	28	236	0	0	19991	0	121	16	2048	9	98	16	22	98	95
RC22-068	42.67	44.2	G190103	0	11433	58	0	366	0	6740	0	56	32	27	26557	0	2947	923687	6874	608	5	0	37	384	5	27	98	48	0	17450	0	162	17	2066	7	86	20	23	84	96
RC22-068	44.2	45.72	G190104	0	9391	41	0	833	0	6824	0	96	44	31	26878	0	3017	927693	8162	645	7	0	35	399	4	30	136	42	0	12967	0	193	16	2228	6	61	15	24	88	95
RC22-068	45.72	47.24	G190105	0	15748	27	0	0	0	7399	0	117	106	33	29049	0	2480	904978	9606	658	0	0	73	368	5	20	152	44	0	26226	0	181	19	2370	6	92	17	24	107	94
RC22-068	47.24	48.77	G190106	0	8448	13	0	390	0	11926	0	118	64	58	27471	0	3210	927471	5692	454	5	0	43	392	5	29	107	0	0	11261	0	313	20	2239	7	71	16	15	93	69
RC22-068	48.77	50.29	G190107	0	9659	37	0	0	0	10724	0	70	240	23	29165	0	3168	920288	8970	791	5	0	133	375	4	31	92	45	0	13674	0	191	15	1984	5	68	18	20	120	85
RC22-068	50.29	51.82	G190108	0	15684	24	0	346	0	8177	0	107	348	34	31106	0	3129	903558	10086	677	5	0	123	400	5	30	199	30	0	23259	0	158	18	2093	9	92	13	24	179	87
RC22-068	51.82	53.34	G190109	0	15322	3362	158	458	0	10718	0	124	56	37	24578	0	5861	900342	8827	353	7	0	44	392	5	48	667	233	0	25788	0	158	21	2230	8	0	0	22	92	86
RC22-068	53.34	54.86	G190110	0	10337	1409	0	1100	0	15479	0	120	78	24	23863	0	4775	918146	5918	616	5	0	43	364	5	34	201	113	0	14724	0	246	14	2133	7	52	0	20	89	83
RC22-068	54.86	56.39	G190111	0	14227	16	0	404	0	11532	0	125	30	34	28832	0	3645	903685	10661	767	6	0	35	380	5	27	171	27	0	22819	0	143	19	2121	8	56	18	22	93	93
RC22-068	56.39	57.91	G190112	0	13726	24	0	0	0	7137	0	93	81	31	30068	0	4114	910550	10107	761	4	0	52	399	6	32	224	0	0	19779	0	120	22	2356	9	71	22	23	94	95
RC22-068	57.91	59.44	G190113	0	12496	163	0	459	0	10333	0	82	245	31	31295	0	3838	910373	8095	762	8	0	141	365	5	36	76	0	0	18679	17	143	13	2047	6	65	12	24	106	89
RC22-068	59.44	60.96	G190114	0	18259	17	0	767	0	10519	0	0	269	37	30394	0	3702	884811	12783	701	7	0	97	434	4	36	313	27	0	30174	0	191	12	2513	7	72	15	25	103	108
RC22-068	60.96	62.48	G190115	0	7647	15	0	0	0	9923	0	124	149	29	29772	0	3524	926904	7811	724	7	0	92	391	4	38	0	28	0	10202	0	143	16	2136	9	54	22	123	93	93
RC22-068	62.48	64.01	G190116	0	9590	40	0	0	0	17773	0	53	343	31	32081	0	3529	912907	7454	869	7	0	189	378	4	35	0	52	0	12001	0	154	19	2110	6	113	20	137	82	82
RC22-068	64.01	65.53	G190117	0	11022	148	0	0	0	11216	0	54	87	29	25941	0	2706	919826	8886	816	6	0	50	454	3	30	129	51	0	16372	0	95	20	1777	9	0	13	20	173	66
RC22-068	65.53	67.06	G190118	0	11838	939	0	551	0	7300	0	95	26	25	27488	5	5325	915903	9261	652	0	0	28	403	5	44	381	506	0	16137	0	157	19	2595	8	81	0	25	98	107
RC22-068	67.06	68.58	G190119	0	10203	417	0	487	0	6062	0	91	0	55	19872	0	5757	932287	6987	361	9	0	20	416	6	58	307	99	0	13513										

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-069	27.43	28.96	G190161	0	10592	507	0	0	0	18958	0	162	80	24	36979	0	3873	902431	5739	791	7	3	37	392	6	35	0	127	0	13207	0	171	14	5438	8	173	13	20	115	98
RC22-069	28.96	30.48	G190162	0	26154	2758	93	0	0	19305	0	166	46	46	27266	0	4635	850454	10619	580	9	3	31	453	8	36	1448	14127	0	37542	27	217	10	3537	6	158	0	13	181	69
RC22-069	30.48	32	G190163	0	21531	1206	0	0	0	16399	0	208	0	53	42376	6	6437	859747	8177	727	5	18	46	478	6	49	1205	1183	0	32416	0	184	21	7021	5	157	0	26	160	152
RC22-069	32	33.53	G190164	0	15332	238	0	0	0	18821	0	150	96	35	47710	0	2849	879159	7914	731	7	15	98	402	5	23	293	236	0	19337	0	333	20	5679	6	187	12	27	130	153
RC22-069	33.53	35.05	G190165	0	15453	82	0	0	0	20999	0	198	88	34	44355	0	2283	878087	8126	722	6	12	98	364	8	15	342	142	0	22645	0	207	20	5257	8	162	12	21	125	130
RC22-069	35.05	36.58	G190166	0	13339	18	0	0	0	15633	0	199	139	32	44916	0	1577	890770	8278	646	7	13	161	378	4	15	81	0	0	17364	0	230	15	5744	7	162	12	19	114	128
RC22-069	36.58	38.1	G190167	0	13233	696	0	0	0	17251	0	189	88	50	42293	5	3589	885485	8943	814	7	13	92	431	7	32	125	82	0	19400	0	195	19	6486	9	168	0	22	141	136
RC22-069	38.1	39.62	G190168	0	15256	33	0	495	0	7387	0	99	0	26	28831	0	5815	909643	6706	754	5	0	26	457	8	44	393	25	0	21272	0	169	16	2182	8	87	19	24	121	99
RC22-069	39.62	41.15	G190169	0	19517	25	0	610	0	4537	0	92	24	40	29798	0	5946	896063	8821	676	6	0	20	484	8	51	530	35	0	30049	0	114	17	2208	8	50	19	26	124	102
RC22-069	41.15	42.67	G190170	0	14974	16	0	484	0	4222	0	74	0	31	31785	0	4984	909288	6370	738	6	0	25	444	7	49	170	0	0	23629	0	101	13	2231	7	70	14	25	142	99
RC22-069	42.67	44.2	G190171	0	24902	19	0	815	0	5785	0	104	63	40	29766	0	8362	873379	9233	601	10	0	32	467	7	52	1259	24	2	42028	0	91	18	2544	8	88	17	22	168	94
RC22-069	44.2	45.72	G190172	0	20842	39	0	841	0	4475	0	210	56	45	26255	0	11581	885018	10372	251	22	8	61	501	18	96	1070	0	5	34055	0	70	31	3367	12	218	18	29	291	144
RC22-069	45.72	47.24	G190173	0	19020	62	0	867	0	5509	0	198	53	50	29082	4	10797	891714	6737	188	24	7	72	481	27	92	1200	28	6	29723	0	82	31	3293	13	160	0	30	314	135
RC22-069	47.24	48.77	G190174	0	16208	51	0	980	0	8175	14	193	52	45	27558	0	10164	896877	7239	219	11	9	51	443	32	99	1154	36	4	26665	17	138	25	3068	11	108	15	24	176	140
RC22-069	48.77	50.29	G190175	0	26413	59	0	1055	0	4156	0	201	63	54	30650	5	11657	865291	8275	218	14	12	64	513	33	102	1806	29	4	45174	0	63	30	3516	13	132	13	27	204	153
RC22-069	50.29	51.82	G190176	0	18751	12	0	1934	0	6857	0	98	45	51	21950	0	6819	899675	7070	229	14	3	31	517	11	48	858	0	3	31770	0	159	27	2681	10	84	18	22	160	92
RC22-069	51.82	53.34	G190177	0	12465	12	0	1784	0	8157	0	175	79	53	24149	0	9176	912725	7416	262	21	5	37	399	10	68	384	0	3	18649	0	183	28	3155	12	166	18	25	267	117
RC22-069	53.34	54.86	G190178	0	12866	15	0	1399	0	6603	0	111	41	35	20650	0	7232	912699	6723	194	13	3	28	413	11	58	449	0	2	18356	0	75	27	2606	9	81	16	19	181	85
RC22-069	54.86	56.39	G190179	0	12336	21	0	0	0	21893	0	149	68	39	26944	0	3240	906421	7217	597	9	5	66	421	5	22	173	0	0	16691	0	84	26	3175	11	133	15	17	156	67
RC22-069	56.39	57.91	G190180	0	23040	44	0	0	0	14774	0	193	175	23	55384	0	4118	843316	8133	1158	5	15	149	412	7	26	465	0	0	39586	0	96	18	8143	8	179	13	22	171	148
RC22-069	57.91	59.44	G190181	0	24510	58	0	391	0	9584	0	159	100	42	40685	0	5289	857879	11592	598	13	12	170	458	8	38	556	24	2	41850	0	96	17	5285	9	210	0	22	211	133
RC22-069	59.44	60.96	G190182	0	13743	18	0	0	0	9321	0	196	165	28	50970	0	703	892338	8285	695	8	7	453	473	5	3	208	31	0	17558	0	74	25	4276	10	155	0	14	147	91
RC22-069	60.96	62.48	G190183	0	10833	21	0	0	0	14252	0	219	134	20	54758	0	1059	888213	9124	841	5	12	398	394	6	9	0	0	0	14047	0	128	19	5078	9	142	0	18	141	118
RC22-069	62.48	64.01	G190184	0	17499	3	0	533	0	15612	0	133	65	43	47576	0	2405	877031	7338	1006	7	26	76	459	6	25	0	0	0	22913	17	172	15	6505	7	156	11	19	159	184
RC22-069	64.01	65.53	G190185	0	13400	152	0	0	0	16747	0	183	58	47	42965	0	3390	889992	6207	1388	12	14	95	402	8	32	256	53	0	17656	0	163	45	6224	13	164	16	23	152	142
RC22-069	65.53	67.06	G190186	0	13009	25	0	670	0	9867	13	88	0	23	21513	0	5008	921994	7334	470	8	0	21	401	7	29	0	0	0	16446	0	276	16	2189	8	65	14	12	414	79
RC22-069	67.06	68.58	G190187	0	9460	16	0	0	0	9859	0	238	93	24	39867	0	2929	911810	6549	630	6	10	77	383	5	22	0	0	0	11514	0	204	23	5809	8	197	14	17	130	106
RC22-070	68.58	70.1	G190188	0	11777	11	0	0	0	6281	0	99	68	18	32350	0	2280	920343	6548	536	4	8	62	466	7	20	0	0	0	14249	0	268	15	4221	8	130	14	111	96	
RC22-070	70.1	70.5	G190189	0	12936	32	0	0	0	3149	0	51	52	33	33663	0	2752	915893																						

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-071	3.05	4.57	G190231	0	12042	29	0	426	0	1723	0	0	52	52	38243	0	2721	915556	8847	640	5	0	60	430	5	30	126	0	0	16638	0	118	20	1992	9	0	12	24	109	91
RC22-071	4.57	6.1	G190232	0	15053	2	0	456	0	2901	0	0	32	28	38402	0	3497	900643	9625	746	7	0	58	422	5	39	170	0	0	24455	0	174	18	2862	9	77	18	35	127	138
RC22-071	6.1	7.62	G190233	0	10840	3	0	0	0	3318	0	0	27	33	33880	0	2884	920129	10477	909	8	0	50	433	5	32	79	0	0	14350	0	147	17	2077	5	49	14	29	98	105
RC22-071	7.62	9.14	G190234	0	12755	5	0	754	0	7284	0	0	34	20	28118	0	2737	914846	11006	759	8	0	30	411	4	28	137	0	0	18838	0	147	14	1822	6	0	20	26	89	102
RC22-071	9.14	10.67	G190235	0	9840	99	0	361	0	12810	0	103	408	45	28962	0	2980	918760	7524	603	7	0	319	341	6	24	187	27	0	14595	0	148	17	1581	9	56	15	19	87	68
RC22-071	10.67	12.19	G190236	0	11746	53	0	767	0	3162	0	0	48	35	35222	0	5006	912552	9359	501	8	0	58	484	6	39	354	0	0	17973	0	131	18	2141	8	85	20	24	92	106
RC22-071	12.19	13.72	G190237	0	11885	9	0	765	0	3787	0	90	120	54	34361	0	3551	910806	10504	423	7	0	62	414	5	36	229	0	1	20357	0	153	15	2071	8	60	17	26	91	93
RC22-071	13.72	15.24	G190238	0	10597	3	0	399	0	4432	0	44	109	55	36073	0	3671	914323	9969	527	8	0	89	461	6	43	311	0	0	16106	0	138	20	2305	6	78	11	25	97	94
RC22-071	15.24	16.76	G190239	0	10373	4	0	493	0	6303	0	114	39	48	34453	0	4646	917037	6399	557	8	0	34	371	7	36	254	0	0	16397	0	130	17	1979	7	71	15	25	78	101
RC22-071	16.76	18.29	G190240	0	11154	4	0	469	0	5655	0	74	59	43	30981	0	3767	914941	11514	470	6	0	48	411	5	36	258	0	0	17846	0	129	18	1890	9	0	15	25	78	95
RC22-071	18.29	19.81	G190241	0	11989	3	0	889	0	5679	0	90	111	47	35812	0	4213	910505	10184	561	11	0	48	423	5	42	334	0	0	16262	0	163	18	2305	6	60	20	29	84	106
RC22-071	19.81	21.34	G190242	0	12620	38	0	957	0	6897	0	85	34	66	34934	0	4056	909941	5295	462	4	0	41	406	5	36	262	0	0	21359	0	161	20	2018	8	76	17	25	77	99
RC22-071	21.34	22.86	G190243	0	16970	19	0	436	0	5312	0	0	33	44	31467	0	3272	898771	11490	581	8	0	42	396	4	29	298	0	0	28520	0	125	16	1915	6	53	18	22	69	85
RC22-071	22.86	24.38	G190244	0	9343	105	0	914	0	2122	0	0	38	29142	0	3470	931156	6710	866	8	0	43	370	5	25	133	43	0	12930	0	162	16	2173	8	0	16	27	67	109	
RC22-071	24.38	25.91	G190245	0	16065	36	0	0	0	12270	0	154	101	24	29573	0	3781	898486	8701	492	7	0	47	421	5	30	117	25	0	26461	0	297	12	2569	7	122	15	16	89	76
RC22-071	25.91	27.43	G190246	0	11199	4	0	616	0	9288	0	120	37	40	31904	0	3690	912247	8560	363	5	0	27	401	6	38	227	0	0	17932	0	306	21	2685	7	61	23	23	84	86
RC22-071	27.43	28.96	G190247	0	17925	7	0	557	0	4761	0	109	0	28	2022	0	2013	911171	12418	268	8	0	14	455	5	19	295	0	0	28073	0	126	21	1275	11	0	18	105	77	77
RC22-071	28.96	30.48	G190248	0	10404	15	0	723	0	5784	0	52	39	30	28354	0	4578	923953	6519	362	10	0	24	369	4	36	299	0	0	15458	0	164	16	2518	7	52	21	27	64	118
RC22-071	30.48	32	G190249	0	10078	9	0	663	0	6443	0	106	0	43	27987	0	4790	921997	7660	388	8	0	19	389	5	34	377	0	0	16477	0	123	15	2085	8	59	18	28	71	121
RC22-071	32	33.53	G190250	0	15855	0	0	752	0	4891	0	68	0	34	27010	0	4097	907419	8951	357	8	0	24	439	6	39	398	0	0	26733	0	19	22	25	75	99				
RC22-071	33.53	35.05	G190251	0	10164	60	0	722	0	5429	0	0	35	28685	0	4132	925716	5751	383	8	0	20	436	6	34	175	0	0	15423	0	132	16	2369	9	71	14	22	84	104	
RC22-071	35.05	36.58	G190252	0	10711	24	0	1120	0	8164	0	70	0	46	21210	0	3894	924916	8298	209	8	0	12	468	6	32	267	0	0	18320	0	195	24	1681	9	72	23	26	62	130
RC22-071	36.58	38.1	G190253	0	8382	45	0	1293	0	5387	0	76	0	36	20314	0	3722	945254	0	242	9	0	13	387	4	26	145	0	0	12276	0	273	16	1802	8	54	28	30	56	123
RC22-071	38.1	39.62	G190254	0	15968	7	0	1541	0	4579	0	94	53	41	18778	0	4381	914620	9573	131	8	3	20	431	5	32	361	0	0	27609	0	93	23	1448	10	0	26	16	65	84
RC22-071	39.62	41.15	G190255	0	9342	24	0	447	0	12714	0	127	76	35	31382	0	3521	918819	5692	400	7	0	57	411	5	31	141	0	0	13892	0	240	23	2282	7	119	26	16	86	78
RC22-071	41.15	42.67	G190256	0	10314	173	0	537	0	12939	0	137	88	47	30469	0	3983	914242	8699	356	11	0	51	380	6	31	140	0	0	14276	0	323	23	2415	11	127	27	19	88	88
RC22-071	42.67	44.2	G190257	0	12506	41	0	0	0	17439	0	122	116	40	33961	0	3675	899783	8007	464	8	0	58	420	8	32	158	0	0	19918	0	355	24	2534	10	122	31	90	64	64
RC22-071	44.2	45.72	G190258	0	14470	76	0	0	0	15153	0	112	79	68	33549	0	3291	898976	9263	430	11	0	23	349	5	29	208	0	0	21766	0	392	22	2274	9	83	27	88	68	68
RC22-071	45.72	47.24	G190259	0	13707	6	0	0	0	15153	0	112	79	68	33549	0	3295	924333	8615	295	6	0	12	376	6	27	153	0	0	14686	0	341	18	1746	9	50	23	9	76	76
RC22-071</																																								

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm		
RC22-073	30.48	32	G190301	0	14056	388	0	0	0	15996	0	167	42	44	42769	0	2231	889760	7471	728	8	13	40	394	7	24	0	103	0	17642	0	144	20	7400	7	198	27	23	142	154		
RC22-073	32	33.53	G190302	0	14922	246	0	0	0	13604	0	206	61	47	42175	0	3457	884776	11243	706	8	16	38	430	7	33	351	129	0	19583	0	156	19	7138	5	185	27	29	229	176		
RC22-073	33.53	35.05	G190303	0	10395	187	0	0	0	14660	0	181	27	55	41437	0	3282	900570	6668	656	4	17	39	395	5	42	73	218	0	13122	0	212	16	7177	6	163	31	33	158	172		
RC22-073	35.05	36.58	G190304	0	8370	22	0	0	0	19286	0	190	93	42	45339	0	1982	899875	6478	686	4	15	110	367	7	15	0	41	0	10176	0	150	23	6273	9	137	14	22	143	131		
RC22-073	36.58	38.1	G190305	0	11074	11	0	0	0	21171	0	158	70	41	46754	0	1981	888839	7728	664	6	14	69	409	6	16	0	0	0	14375	0	261	18	5846	7	167	12	23	137	144		
RC22-073	38.1	39.62	G190306	0	12982	7	0	0	0	24703	0	166	84	33	47007	0	1696	876283	10864	712	7	13	74	390	8	11	0	32	0	17595	0	253	22	6590	9	148	22	23	124	145		
RC22-073	39.62	41.15	G190307	0	14271	0	0	0	0	26954	0	166	34	23	39923	0	1039	878089	11640	723	9	12	56	354	7	15	0	0	0	20651	0	176	35	5406	10	125	12	19	127	122		
RC22-073	41.15	42.67	G190308	0	9161	12	0	0	0	24786	0	206	60	34	51196	0	1213	885478	8752	744	7	15	65	388	6	10	0	0	0	11381	0	243	20	5721	8	181	0	24	134	155		
RC22-073	42.67	44.2	G190309	0	9429	16	0	0	0	20227	0	152	50	37	53096	0	1429	888072	7407	764	6	17	63	402	8	13	0	0	0	12186	24	222	25	5812	10	187	16	24	138	165		
RC22-073	44.2	45.72	G190310	0	11677	17	0	0	0	24105	0	167	67	30	49530	0	1827	880761	7512	708	5	15	70	368	6	17	0	0	0	16180	0	221	22	6173	8	202	16	22	123	152		
RC22-073	45.72	47.24	G190311	0	9618	5	0	0	0	23909	0	188	74	43	49006	0	1356	889458	6857	700	9	16	65	355	6	12	0	0	0	11725	23	248	26	5790	12	181	13	21	129	153		
RC22-073	47.24	48.77	G190312	0	11219	4	0	0	0	20889	0	187	66	25	50419	0	1634	880201	12372	683	8	16	62	404	8	13	0	0	0	15038	0	277	23	5984	7	151	0	26	122	163		
RC22-073	48.77	50.29	G190313	0	11573	2	0	0	0	21959	0	158	67	45	50444	0	1921	876409	13278	730	6	16	57	423	7	13	0	0	0	16052	0	346	19	5973	8	187	12	24	113	158		
RC22-073	50.29	51.82	G190314	0	17119	6	0	0	0	21417	16	146	111	30	50311	0	1719	856136	18091	758	11	14	98	443	8	10	0	0	0	26927	0	237	35	5916	11	153	0	20	125	135		
RC22-073	51.82	53.34	G190315	0	10406	7	0	0	0	16260	0	156	159	25	54908	0	1489	885724	10806	806	7	12	173	388	6	9	0	0	0	12782	0	257	20	5129	7	170	0	22	135	135		
RC22-073	53.34	54.86	G190316	0	10756	8	0	0	0	19899	0	163	90	41	54401	0	1981	878849	11274	981	5	12	123	374	6	20	0	0	0	14503	0	218	22	5744	7	203	16	22	154	128		
RC22-073	54.86	56.39	G190317	0	14032	18	0	0	0	11502	0	125	111	34	54492	0	1613	879411	9600	1280	7	14	132	472	6	17	0	0	0	19541	0	202	23	6706	9	214	20	22	236	163		
RC22-073	56.39	57.91	G190318	0	14495	4	0	0	0	4383	0	275	0	34	27189	0	1210	915353	13194	736	6	9	65	421	5	18	0	0	0	19058	0	127	19	3034	11	110	15	14	104	112		
RC22-074	1.52	3.05	G190319	0	9207	70	0	0	0	26185	0	182	0	14	55882	0	1000	881437	11746	1457	7	0	19	357	6	8	0	0	0	9509	0	65	26	2498	11	107	0	29	130	47		
RC22-074	3.05	4.57	G190320	0	6071	40	0	0	0	21773	0	159	25	32	49816	0	1756	901102	5665	1091	6	6	35	335	5	22	0	0	0	5899	0	166	18	5512	7	159	19	25	138	117		
RC22-074	4.57	6.1	G190321	0	9094	39	0	0	0	21989	0	195	0	32	47405	0	1835	892582	6671	949	6	6	36	377	5	21	0	0	0	12091	0	190	21	5937	8	219	20	27	130	117		
RC22-074	6.1	7.62	G190322	0	8133	48	0	0	0	20523	0	93	0	18	43339	0	1266	898539	10601	980	7	5	38	356	5	18	0	0	0	9837	0	175	17	5494	7	205	27	22	113	109		
RC22-074	7.62	9.14	G190323	0	7687	83	0	0	0	20936	0	219	0	21	44842	0	1422	901453	6890	983	5	4	39	324	4	15	0	0	0	8674	0	192	14	5644	9	197	40	26	126	100		
RC22-074	9.14	10.67	G190324	0	5793	416	0	0	0	17201	0	238	42	36	44188	0	2656	910949	5415	777	7	8	47	364	11	37	0	0	0	144	0	5670	0	126	20	5406	10	134	17	21	140	127
RC22-074	10.67	12.19	G190325	0	8848	105	0	0	0	17510	0	217	69	29	44673	0	2975	900653	5933	729	4	12	62	403	7	30	0	0	0	10785	17	165	22	6198	9	149	0	23	161	144		
RC22-074	12.19	13.72	G190326	0	10631	14	0	0	0	17706	0	229	53	33	45915	0	2128	894067	8007	720	7	14	90	324	5	22	0	0	0	13239	0	210	21	6048	8	163	13	20	128	145		
RC22-074	13.72	15.24	G190327	0	6637	18	0	0	0	13730	0	155	84	61	50443	0	2467	904677	4559	1958	8	14	144	381	9	30	0	0	0	7357	28	166	27	6507	9	173	11	24	173	152		
RC22-074	15.24	16.76	G190328	0	6841	7	0	0	0	9412	0	151	81	55	50591	0	2545	905337	0	2549	9	10	150	320	12	43	0	0	0	7319	31	124	64	8056	15	171	0	22	209	153		
RC22-074	16.76	18.29	G190329	0	8619	7	0	0	0	14068	0	185	99	33	54637	0	3458	890479	7655	1114	4	10	141	386	5	43	0	0	0													

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	
RC22-075	16.76	18.29	G190371	0	8680	106	0	0	0	15079	0	71	0	12	24140	0	6355	922504	7730	498	3	0	19	412	12	34	0	0	0	11804	0	263	20	1966	11	87	13	9	103	67	
RC22-075	18.29	19.81	G190372	0	16991	69	0	421	0	13660	0	105	0	15	24563	0	5634	901007	8464	453	6	0	17	437	13	34	0	0	0	11180	0	161	25	3103	7	129	0	13	143	98	
RC22-075	19.81	21.34	G190373	0	8260	45	0	0	0	18100	0	194	295	29	53213	0	1355	892398	9715	762	9	10	388	350	9	10	0	0	0	11180	0	161	25	3103	7	129	0	13	143	98	
RC22-075	21.34	22.86	G190374	0	13119	3	0	0	0	19462	0	219	399	24	54627	0	558	876453	11752	768	6	10	420	377	5	3	0	0	0	17684	0	114	18	3620	8	106	15	13	121	95	
RC22-075	22.86	24.38	G190375	0	12629	4	0	0	0	16162	0	231	437	26	59212	0	502	873294	12024	791	7	10	463	425	4	2	0	0	0	19607	18	74	28	3661	10	115	12	15	134	103	
RC22-075	24.38	25.91	G190376	0	9371	4	0	0	0	15857	18	159	50	37	44369	0	1594	901108	8272	783	11	21	77	342	9	17	0	0	0	11141	0	272	44	5938	9	188	0	18	134	160	
RC22-075	25.91	27.43	G190377	0	10088	5	0	0	0	17474	14	185	40	32	50325	0	2060	887047	9472	751	5	23	70	415	7	17	0	0	0	14410	0	311	24	6651	7	226	16	21	132	173	
RC22-075	27.43	28.96	G190378	0	7918	0	0	0	0	16153	0	188	32	30	49141	0	1487	896230	10163	724	6	20	70	399	5	12	0	0	0	9474	0	284	18	7094	9	222	16	23	119	163	
RC22-075	28.96	30.48	G190379	0	11189	7	0	0	0	18070	0	202	102	49	46995	0	3418	887735	8138	906	5	17	75	407	7	29	0	0	0	15321	0	175	22	6567	9	195	16	22	168	152	
RC22-075	30.48	32	G190380	0	14220	68	0	399	0	3704	0	179	0	112	28504	0	4629	915127	7978	363	61	3	133	453	25	48	518	33	6	20880	0	97	21	1716	17	171	16	26	414	78	
RC22-075	32	33.53	G190381	0	13875	122	0	355	0	5386	0	200	56	147	36892	5	7080	899947	8571	315	116	3	213	395	37	65	1365	50	12	21626	31	76	22	2053	25	221	19	41	580	96	
RC22-075	33.53	35.05	G190382	0	10919	56	0	813	0	4677	0	254	75	59	32367	0	11417	909616	6990	226	28	8	86	422	24	110	1207	39	7	16057	0	51	28	3741	13	183	17	27	347	138	
RC22-075	35.05	36.58	G190383	0	11379	40	0	848	0	5539	15	205	73	69	30152	0	9739	907955	10479	196	25	6	96	441	19	95	1206	0	7	17063	20	83	28	3559	14	172	0	27	322	126	
RC22-075	36.58	38.1	G190384	0	16176	59	0	0	0	7301	0	206	44	68	31907	0	7961	895705	8651	201	24	5	99	421	18	91	936	0	7	26123	0	75	37	3263	14	155	18	25	296	116	
RC22-075	38.1	39.62	G190385	0	13601	29	0	0	0	8482	0	231	137	61	37660	0	6807	896155	7146	488	17	10	83	387	11	62	680	0	3	21945	22	125	24	5160	11	179	17	26	311	130	
RC22-075	39.62	41.15	G190386	0	8089	12	0	0	0	7076	0	174	143	41	46938	0	5499	904845	7878	555	6	11	58	407	6	66	97	0	0	0	10127	0	83	17	7343	8	150	0	25	196	151
RC22-075	41.15	42.67	G190387	0	6933	7	0	0	0	13514	0	232	151	24	46760	0	2053	905995	7657	555	7	16	134	384	5	20	0	0	0	8761	26	198	23	6115	9	143	0	20	120	137	
RC22-075	42.67	44.2	G190388	0	8744	14	0	0	0	21132	0	189	374	26	44865	0	1590	898154	6466	597	4	13	351	386	6	16	0	0	0	0	11393	18	275	15	5001	7	125	15	14	100	111
RC22-075	44.2	45.72	G190389	0	9406	28	0	689	0	32536	0	170	273	29	40561	0	696	886364	9301	617	7	12	222	378	7	5	0	0	0	0	12488	18	630	18	5136	7	123	11	15	144	109
RC22-075	45.72	47.24	G190390	0	7479	6	0	476	0	7654	0	51	55	53	18401	0	5275	941160	7033	128	6	2	26	388	8	49	0	0	0	1	8855	0	358	21	2150	9	111	19	14	131	80
RC22-075	47.24	48.77	G190391	0	10130	8	0	904	0	3399	0	99	76	67	21359	0	6359	931533	7082	140	7	4	24	454	10	63	146	0	3	15144	0	130	22	2474	9	76	16	23	142	98	
RC22-075	48.77	50.29	G190392	0	12493	8	0	599	0	4252	0	47	60	73	20315	0	5108	921121	8814	172	9	2	20	446	7	52	75	0	2	24063	0	68	23	1870	9	55	25	17	115	80	
RC22-075	50.29	51.82	G190393	0	13798	6	0	795	0	3231	0	43	40	61	17409	0	5134	920701	8491	129	8	3	14	474	8	47	170	0	1	27066	0	87	18	1926	9	92	18	19	125	78	
RC22-075	51.82	53.34	G190394	0	13328	14	0	735	0	4186	0	67	50	64	21349	0	5050	920764	8109	182	5	0	30	460	8	52	123	0	2	22852	0	127	18	2058	8	92	18	23	143	83	
RC22-075	53.34	54.86	G190395	0	15758	3	0	470	0	3064	0	82	58	80	20919	0	5169	909852	9136	155	9	2	23	430	11	63	264	0	2	32305	0	63	28	1727	9	64	25	19	121	89	
RC22-075	54.86	56.39	G190396	0	11373	5	0	596	0	3951	0	93	57	64	18382	0	4714	928832	7903	159	6	0	22	405	7	49	313	0	2	19076	0	43	17	1835	8	62	31	14	106	73	
RC22-075	56.39	57.91	G190397	0	15658	10	0	1293	0	4241	0	136	73	67	20009	0	5986	901490	7281	134	14	37	416	12	56	823	33	6	39187	0	96	26	2365	11	165	23	225	94	94		
RC22-075	59.44	60.96	G190399	0	21269	48	0	1723	0	4033	0	0	63	75	15424	0	7405	888820	11114	139	6	0	55	565	7	28	354	31	2	45391	0	137	37	2977	14	106	14	12	106	45	
RC22-075	60.96	62.48	G190400	0	18006	18	0	565	0	2009	0	43	41	81	13326	0	4110	913399	11160	146	0	0	23																		

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	
RC22-076	53.34	54.86	G190441	0	11849	8	0	0	0	16556	0	184	38	39	54295	0	2119	867570	15829	828	7	22	69	349	6	14	0	26	0	22393	0	293	20	6976	7	208	14	24	78	181	
RC22-076	54.86	56.39	G190442	0	10752	3	0	0	0	17080	0	159	46	38	53339	0	2067	871395	15578	733	6	21	65	342	5	16	0	0	0	20178	0	262	26	7395	7	199	11	24	83	168	
RC22-076	56.39	57.91	G190443	0	10538	5	0	408	0	17026	0	170	75	36	53050	0	3209	870566	14290	812	5	24	62	305	5	21	0	0	0	20304	21	247	20	8267	7	221	13	25	81	185	
RC22-076	57.91	59.44	G190444	0	10492	0	0	0	0	20626	0	153	51	35	51050	0	3114	869990	14349	927	5	27	64	318	7	26	0	0	0	20415	0	300	18	7542	9	203	18	24	60	179	
RC22-076	59.44	60.96	G190445	0	8169	0	0	0	0	22012	0	152	46	37	48783	0	3490	875611	14807	1101	6	22	77	284	4	30	0	0	0	17285	0	258	18	7348	8	176	14	23	69	168	
RC22-076	60.96	62.48	G190446	0	10429	0	0	0	0	17026	0	187	223	27	52842	0	1717	873850	15081	713	9	19	232	315	4	13	0	0	0	20818	0	203	18	5857	8	154	21	68	145		
RC22-076	62.48	64.01	G190447	0	9275	0	0	0	0	16185	0	196	322	27	53006	0	779	883954	12008	746	6	14	344	301	3	7	0	0	0	17570	0	134	21	4745	9	128	15	15	70	119	
RC22-076	64.01	65.53	G190448	0	12729	13	0	0	0	13232	0	236	211	37	51416	0	2735	870530	17478	574	5	16	192	317	3	22	0	0	0	23446	0	124	14	6243	6	158	11	18	98	137	
RC22-076	65.53	67.06	G190449	0	14282	20	0	0	0	12950	0	221	81	34	48723	0	3609	870591	15622	645	6	19	76	345	4	30	0	0	0	24737	0	202	23	7315	8	175	13	22	80	165	
RC22-076	67.06	68.58	G190450	0	12441	48	0	472	0	18520	0	240	105	33	47710	0	3288	870879	16072	863	9	18	106	288	6	23	0	0	0	22620	0	211	17	5608	7	140	14	21	88	152	
RC22-076	68.58	70.1	G190451	0	9235	35	0	0	0	13507	0	171	113	55	53215	0	3693	881125	11369	748	8	18	95	305	9	28	0	0	0	18666	0	289	21	6827	8	154	14	24	102	167	
RC22-076	70.1	71.63	G190452	0	11522	31	0	362	0	10673	0	116	128	45	51455	0	3699	876196	15051	681	7	17	59	277	4	28	0	0	0	21592	0	432	18	7104	5	177	17	33	96	177	
RC22-076	71.63	73.15	G190453	0	9968	21	0	617	0	15448	0	233	214	61	42263	0	5939	878319	15548	490	6	13	123	308	5	48	0	0	0	21459	17	324	13	8131	7	146	19	21	75	165	
RC22-076	73.15	74.68	G190454	0	10748	5	0	447	0	36838	0	163	83	37	33158	0	4338	872220	12647	667	9	8	81	309	7	32	0	0	0	22835	0	617	33	4379	10	111	15	14	98	91	
RC22-076	74.68	76.2	G190455	0	10625	3	0	0	0	15246	0	82	35	67	25390	0	2229	905435	14595	754	9	0	33	277	8	11	154	0	0	0	23241	0	326	15	1251	9	44	24	18	78	39
RC22-076	76.2	77.72	G190456	0	12331	25	0	858	0	10438	0	100	61	76	20677	0	5191	905397	15719	429	10	0	28	320	12	37	159	0	1	24916	0	334	22	2531	9	92	16	25	102	86	
RC22-076	77.72	79.25	G190457	0	14039	29	0	1089	0	6507	0	113	68	78	19556	0	7153	899223	16316	191	9	4	39	348	14	60	147	25	3	31510	0	235	24	2817	9	104	23	140	107		
RC22-076	79.25	80.77	G190458	0	13590	7	0	616	0	3214	0	78	39	76	21485	0	5439	907488	16410	164	9	0	28	353	10	61	96	0	2	28203	0	106	32	2167	10	75	17	23	107	95	
RC22-076	80.77	82.3	G190459	0	12911	8	0	622	0	5490	0	81	58	64	20555	0	4739	911836	13811	189	9	0	28	302	9	43	180	0	1	27161	0	52	21	1629	8	0	27	16	76	72	
RC22-076	82.3	83.82	G190460	0	16728	8	0	1296	0	3165	0	117	82	77	20339	0	5988	897978	10278	134	15	3	28	275	11	52	402	0	3	40196	0	166	36	2259	13	72	16	22	153	89	
RC22-076	83.82	85.34	G190461	0	8885	12	0	591	0	5562	0	50	45	68	16812	0	3279	925821	14700	149	7	0	22	372	7	30	0	0	0	21476	0	123	25	1804	11	0	14	16	56	63	
RC22-076	85.34	86.87	G190462	0	11833	9	0	526	0	3778	0	58	40	76	15877	0	4311	915816	17549	176	5	0	21	383	8	41	0	0	0	27405	0	130	21	1719	9	53	20	12	61	65	
RC22-076	86.87	88.39	G190463	0	10458	3	0	446	0	3295	0	57	40	64	19933	0	4964	919457	15166	204	9	0	18	366	6	50	0	0	0	23406	0	70	17	1737	7	55	21	16	51	84	
RC22-076	88.39	89.92	G190464	0	12737	4	0	564	0	3011	0	94	25	61	19478	0	3835	913974	15497	196	7	0	22	391	7	43	0	0	0	27902	0	60	27	1845	8	49	18	15	49	81	
RC22-076	89.92	91.44	G190465	0	10277	3	0	541	0	6521	0	62	39	53	17685	0	4129	919396	14130	205	12	0	17	357	6	38	0	0	0	24451	0	84	25	1780	8	0	21	13	48	74	
RC22-076	91.44	92.96	G190466	0	12663	7	0	1279	0	4179	0	96	106	122	19713	0	5029	910008	15644	217	7	4	24	340	10	48	0	0	0	26951	0	110	22	3071	10	78	21	22	93	123	
RC22-076	92.96	94.49	G190467	0	11657	11	0	525	0	6210	0	65	69	63	16758	0	3151	918088	16945	285	8	0	21	318	7	22	0	0	0	24019	0	81	13	1418	10	60	22	13	77	55	
RC22-076	94.49	96.01	G190468	0	13876	11	0	604	0	3901	0	124	0	48	26376	0	4136	898555	18798	436	9	0	22	463	9	40	0	0	0	29706	0	84	42	2480	12	78	0	18	81	90	
RC22-076	96.01	97.54	G190469	0	11989	16	0	1271	0	5631	0	66	94	87	27444	0	5018	903336	14358	430	10	3	27	369	12	43	0	0	0	26068</td											

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-077	60.96	62.48	G190511	0	9110	27	0	0	0	19471	0	173	187	27	57606	0	1253	870528	16216	880	8	13	215	268	7	13	0	0	0	18484	0	196	35	4848	8	165	25	20	88	129
RC22-077	62.48	64.01	G190512	0	9770	16	0	0	0	17814	0	191	228	37	56632	0	873	872284	14673	877	10	12	245	347	10	7	0	0	0	20516	0	229	44	4781	12	171	13	18	73	116
RC22-077	64.01	65.53	G190513	0	11248	11	0	0	0	13610	0	126	140	31	57767	0	1021	865222	18698	873	7	12	194	467	6	9	0	37	0	25317	0	221	43	4533	14	179	0	18	76	120
RC22-077	65.53	67.06	G190514	0	9438	15	0	0	0	14336	0	151	167	23	56082	0	770	885966	10113	864	10	9	221	342	8	10	0	0	0	16327	0	188	67	4471	13	186	0	19	85	119
RC22-077	67.06	68.58	G190515	0	6730	7	0	0	0	15952	0	119	116	33	55233	0	1136	882354	15089	849	10	14	131	339	6	10	0	0	0	16015	0	203	33	5163	9	189	13	23	76	148
RC22-077	68.58	70.1	G190516	0	6879	0	0	0	0	16479	0	177	136	31	55429	0	1059	884936	12360	833	6	14	138	327	6	9	0	0	0	15058	0	183	30	5516	12	147	0	19	78	139
RC22-077	70.1	71.63	G190517	0	10078	8	0	0	0	18583	0	141	59	35	48994	0	1376	884353	10407	797	15	14	79	259	9	14	0	0	0	19007	0	276	54	5025	14	179	0	17	81	126
RC22-077	71.63	73.15	G190518	0	7733	6	0	0	0	22074	0	209	54	24	47916	0	1257	882234	14613	733	8	15	79	241	7	13	0	0	0	16382	0	298	19	5633	9	192	15	22	68	145
RC22-077	73.15	74.68	G190519	0	8621	4	0	0	0	18977	0	130	39	26	49580	0	1376	878521	15678	765	10	13	69	335	9	12	0	0	0	19450	0	257	47	5653	13	187	0	20	66	141
RC22-077	74.68	76.2	G190520	0	6966	7	0	0	0	40828	0	129	39	37	45428	0	1050	869875	12373	721	8	14	56	271	6	12	0	0	0	15609	18	255	27	5841	7	184	15	21	66	138
RC22-077	76.2	77.72	G190521	0	8379	15	0	0	0	17846	0	111	93	63	50505	0	2517	881479	11274	1196	8	13	90	358	7	16	0	33	0	18525	32	203	30	6772	10	153	0	18	115	139
RC22-078	7.52	3.05	G190522	0	12305	4	0	983	0	1839	0	71	0	45	29331	0	4625	910049	13115	336	8	0	18	344	6	38	119	27	0	24149	0	125	15	2162	7	91	19	27	19	124
RC22-078	3.05	4.57	G190523	0	8779	9	0	739	0	1814	0	0	70	47628	0	4232	896853	15859	1241	6	0	24	387	9	43	0	0	0	19713	0	90	19	2219	7	63	14	30	36	115	
RC22-078	4.57	6.1	G190524	0	8560	8	0	677	0	5782	0	60	0	41	27213	0	3994	915826	13877	451	9	0	9	328	4	33	0	0	0	19756	0	163	18	2893	9	72	23	30	33	132
RC22-078	6.1	7.62	G190525	0	9381	37	0	863	0	3128	0	68	0	38	32929	0	4117	907507	16907	722	7	0	20	319	3	32	0	0	1	20907	17	154	15	2516	7	70	21	35	38	137
RC22-078	7.62	9.14	G190526	0	11683	6	0	646	0	3873	0	61	0	59	35914	0	3848	899473	15253	601	8	0	14	322	7	32	153	0	0	25146	0	143	33	2458	9	59	19	28	39	112
RC22-078	9.14	10.67	G190527	0	9493	37	0	859	0	7277	0	134	0	50	33371	0	5674	906002	13452	557	6	0	16	282	6	40	121	28	0	19608	0	147	30	2554	8	69	21	32	102	107
RC22-078	10.67	12.19	G190528	0	12469	35	0	787	0	4239	0	124	0	55	28529	0	4072	906172	13950	355	9	0	12	330	6	38	70	0	0	25982	0	122	16	2383	8	61	21	25	25	107
RC22-078	12.19	13.72	G190529	0	10567	224	0	796	0	8030	0	115	0	59	27734	0	4053	907919	15941	287	6	0	21	280	5	30	122	0	0	21206	0	164	16	2184	9	75	19	22	23	93
RC22-078	13.72	15.24	G190530	0	9669	24	0	392	0	6408	0	108	0	53	27602	0	3728	914174	13867	322	7	0	22	330	5	27	164	34	0	20688	0	140	16	1962	10	49	21	32	28	117
RC22-078	15.24	16.76	G190531	0	10816	15	0	819	0	4845	0	92	0	45	32749	0	4401	907456	13285	548	8	0	21	343	4	35	110	0	0	21472	0	131	19	2490	8	100	22	27	35	106
RC22-078	16.76	18.29	G190532	0	11293	55	0	466	0	5236	0	115	24	55	2984	0	2566	917903	14538	271	7	0	22	360	5	21	243	36	1	22777	0	57	23	817	8	0	27	14	25	54
RC22-078	18.29	19.81	G190533	0	12198	21	0	589	0	6094	0	63	0	31	23351	0	3315	907189	18465	391	11	0	20	376	6	25	0	0	0	25309	0	122	24	2129	9	68	21	32	111	111
RC22-078	19.81	21.34	G190534	0	14016	101	0	611	0	7190	0	51	0	47	25494	0	3229	898987	16269	304	12	0	19	459	7	21	314	0	0	30617	0	130	41	1906	12	0	20	25	25	91
RC22-078	21.34	22.86	G190535	0	14670	25	0	721	0	9543	0	57	0	33	17852	0	2571	901749	13188	249	5	0	16	342	3	20	179	0	0	36565	0	123	12	1878	8	54	24	16	21	75
RC22-078	22.86	24.38	G190536	0	9571	27	0	799	0	8527	0	89	67	51	20100	0	2358	920533	12299	234	9	0	27	331	4	19	0	24	0	22985	0	138	25	1618	10	0	24	16	24	72
RC22-078	24.38	25.91	G190537	0	8905	14	0	0	0	7094	0	65	122	42	19323	0	2690	924055	13985	196	10	0	36	316	5	20	0	0	0	20934	0	132	28	1814	9	56	21	18	30	80
RC22-078	25.91	27.43	G190538	0	16863	11	0	0	0	7149	0	78	58	47	18414	0	2697	902155	15203	176	8	0	33	299	6	24	361	0	0	34323	0	113	45	1686	15	70	20	15	32	67
RC22-078	27.43	28.96	G190539	0	9194	50	0	666	0	8234	0	151	104	49	33813	0	3917	905378	13683	484	6	0	59	325	7	30	180	0	0	20757	0	176	18	2457						

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-079	22.86	24.38	G190581	0	12330	87	0	489	0	5713	0	0	47	26	23275	0	2417	910379	16473	605	7	0	52	359	4	21	173	37	0	25599	0	83	16	1657	7	0	14	18	40	73
RC22-079	24.38	25.91	G190582	0	9466	633	0	0	0	18120	0	109	1228	40	42787	0	1543	887815	12304	1732	8	0	1064	284	5	17	100	45	0	21418	0	81	16	918	8	64	0	11	144	41
RC22-079	25.91	27.43	G190583	0	8455	175	0	0	0	7808	0	90	48	34	29950	0	2425	917420	11849	571	4	0	47	310	6	23	0	53	0	17974	0	132	22	2334	9	78	24	21	49	90
RC22-079	27.43	28.96	G190584	0	11070	154	0	0	0	10717	0	0	51	25	22649	0	1911	912499	15132	410	7	0	37	334	4	15	99	80	0	22639	0	94	22	1838	10	76	24	12	37	53
RC22-079	28.96	30.48	G190585	0	10369	2106	92	550	0	13797	0	101	37	31	18968	8	2608	905007	13708	367	7	0	56	375	6	26	1149	6743	0	21816	0	476	18	1374	8	65	0	15	58	61
RC22-079	30.48	32	G190586	0	12235	1567	58	0	0	27459	0	124	216	28	20907	0	1727	887363	16026	607	5	0	194	409	6	13	1417	1940	0	25951	0	270	15	1235	8	80	0	10	83	47
RC22-079	32	33.53	G190587	0	8512	1653	38	0	0	20885	0	204	86	42	33146	8	1677	895712	12096	864	7	0	46	338	6	17	0	443	0	19227	0	165	37	4379	11	157	32	17	121	72
RC22-079	33.53	35.05	G190588	0	11885	11081	555	0	0	9890	0	230	108	28	26811	0	6507	885422	13525	499	0	4	39	363	7	58	1348	2658	0	23196	0	295	22	4982	0	182	0	22	173	110
RC22-079	35.05	36.58	G190589	0	10545	4667	241	718	0	16875	0	218	109	51	31962	11	5320	885991	11726	781	5	6	36	354	6	43	1067	1179	0	21902	0	509	28	5244	5	165	0	21	112	100
RC22-079	36.58	38.1	G190590	0	10755	2638	90	0	0	19434	0	166	39	41	37209	9	3590	882416	14459	558	4	6	41	333	6	33	586	268	0	20797	0	216	14	5887	6	149	0	24	106	120
RC22-079	38.1	39.62	G190591	0	14123	3325	179	0	0	18833	0	190	51	49	41345	0	4255	866950	14630	640	5	12	59	354	7	40	626	610	0	25992	0	316	23	6931	6	180	0	22	112	134
RC22-079	39.62	41.15	G190592	0	9220	226	0	0	0	22186	0	184	45	54	51471	0	2026	874630	13062	796	10	19	51	325	6	24	0	41	0	18415	0	195	21	6482	8	213	15	78	72	172
RC22-079	41.15	42.67	G190593	0	10969	113	0	0	0	20322	0	174	60	38	48272	0	1654	874415	15372	729	4	15	55	337	4	21	0	32	0	20903	0	215	13	5843	8	176	14	22	70	150
RC22-079	42.67	44.2	G190594	0	9189	39	0	0	0	20132	0	187	96	29	50472	0	1139	875612	16395	712	6	14	95	281	5	12	0	0	0	19370	0	239	14	5539	6	167	15	22	66	146
RC22-079	44.2	45.72	G190595	0	9445	8	0	384	0	16272	17	169	97	37	51974	0	1268	879623	15027	741	10	15	117	364	6	12	0	60	0	18705	0	299	27	4887	9	175	16	20	74	142
RC22-079	45.72	47.24	G190596	0	8434	41	0	0	0	18695	0	160	114	25	49460	0	1356	882108	14679	687	7	15	104	324	6	10	0	76	0	17367	0	305	22	5595	8	150	13	23	67	148
RC22-080	1.52	3.05	G190597	0	11404	224	0	0	0	6197	0	0	346	35	44432	0	2147	894362	14019	1265	6	0	485	306	3	26	0	0	0	22735	0	103	18	1627	8	77	12	18	93	52
RC22-080	3.05	4.57	G190598	0	10685	17	0	0	0	9889	0	0	166	29	32878	0	2084	903540	16217	903	7	0	147	304	5	21	0	0	0	20887	0	163	24	1775	9	63	10	25	58	92
RC22-080	4.57	6.1	G190599	0	8775	90	0	518	0	6615	0	90	132	49	43011	0	3141	914230	8259	980	7	0	176	398	3	37	0	0	0	11194	0	122	19	1864	7	68	0	22	117	75
RC22-080	6.1	7.62	G190600	0	8163	14	0	0	0	11240	0	0	59	46	33331	0	2609	916786	9347	692	6	0	159	309	6	26	0	0	0	14320	0	190	23	2059	9	94	17	25	390	81
RC22-080	7.62	9.14	G190601	0	8535	12	0	0	0	6248	0	163	45	104	49332	0	3195	910539	8182	737	8	0	49	346	5	36	81	0	0	8779	0	174	21	3012	8	127	24	29	113	98
RC22-080	9.14	10.67	G190602	0	7702	11	0	0	0	7504	0	91	114	94	40491	0	2939	921617	5823	686	7	0	100	385	5	30	155	0	2	9496	0	158	20	2214	10	86	22	30	105	103
RC22-080	10.67	12.19	G190603	0	8436	9	0	0	0	8582	0	0	77	58	33727	0	2742	923516	8477	606	7	0	72	384	3	33	75	0	0	10973	0	123	12	1772	7	84	12	25	96	92
RC22-080	12.19	13.72	G190604	0	11277	36	0	0	0	9624	0	0	221	45	34568	0	3413	913353	9219	865	7	0	172	388	7	42	0	0	0	14168	0	148	21	2096	7	76	15	24	117	90
RC22-080	13.72	15.24	G190605	0	8671	23	0	401	0	11538	0	93	101	52	34680	0	3843	920460	6664	757	8	0	106	340	5	40	0	0	0	9638	0	148	19	2097	8	76	18	24	107	83
RC22-080	15.24	16.76	G190606	0	9915	21	0	0	0	9060	0	75	168	39	35154	0	3219	916816	9884	818	9	0	173	384	5	35	0	0	0	11763	0	152	23	1944	8	77	16	24	127	89
RC22-080	16.76	18.29	G190607	0	8820	162	0	0	0	13647	0	88	754	38	43806	0	3409	909688	5738	1353	7	0	618	352	5	37	0	0	0	9593	0	103	20	1414	10	54	18	188	60	
RC22-080	18.29	19.81	G190608	0	11149	29	0	0	0	10226	0	44	239	43	29666	0	2713	918015	10272	749	9	0	153	389	5	29	90	0	0	13954	0	98	23	1792	8	70	16	132	73	
RC22-080	19.81	21.34	G190609	0	8894	15	0	468	0	6890	0	91	119	61	35925	0	2913	923806	7709	502	9	0	117	364	7	30	95	0	0	944										

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm	
RC22-081	15.24	16.76	G190651	0	8164	18	0	386	0	4842	0	122	25	33	31447	0	4677	914370	14071	794	8	0	28	331	7	45	0	0	0	17717	20	119	18	2421	10	71	21	28	99	108	
RC22-081	16.76	18.29	G190652	0	8069	64	0	505	0	2934	0	112	43	43	34851	0	4806	912641	13964	880	9	0	38	304	7	46	0	0	0	17758	0	158	16	2431	8	65	21	28	87	110	
RC22-081	18.29	19.81	G190653	0	8447	24	0	418	0	5884	0	133	0	28	33640	0	3849	912318	12632	813	8	0	29	296	5	32	0	0	0	18729	0	131	18	2243	7	75	18	27	99	99	
RC22-081	19.81	21.34	G190654	0	7604	17	0	536	0	4446	0	85	32	32	30586	0	4954	917363	12151	680	7	0	23	299	6	42	0	0	0	18258	0	149	18	2397	9	90	18	28	68	100	
RC22-081	21.34	22.86	G190655	0	11408	21	0	0	0	6309	0	88	0	25	30053	0	4523	906462	13258	705	10	0	23	328	8	38	0	0	0	23882	0	321	23	2221	7	85	16	25	66	97	
RC22-081	22.86	24.38	G190656	0	9819	51	0	378	0	4532	0	85	40	37	34498	0	2914	910747	11813	752	9	0	35	278	7	39	0	0	0	21059	0	152	32	2400	12	69	17	28	96	101	
RC22-081	24.38	25.91	G190657	0	7604	31	0	0	0	8422	0	124	26	17	29158	0	3328	916800	13376	634	8	0	25	316	8	31	0	0	0	17624	0	171	17	1990	6	80	17	24	69	95	
RC22-081	25.91	27.43	G190658	0	9419	18	0	0	0	15714	0	88	41	11	26643	0	2474	908789	12206	539	6	0	32	294	9	17	0	0	0	20784	0	350	20	2244	7	89	12	9	113	73	
RC22-081	27.43	28.96	G190659	0	10478	3	0	0	0	15190	0	103	27	18	25006	0	3707	906667	13985	503	8	0	19	344	8	21	0	0	0	21157	0	363	21	2082	7	76	15	8	94	91	
RC22-081	28.96	30.48	G190660	0	10501	6	0	0	0	15913	0	108	62	9	27712	0	2819	905196	12958	530	5	0	40	320	9	23	0	0	0	20800	0	362	18	2309	6	90	15	101	79		
RC22-081	30.48	32	G190661	0	8458	12	0	0	0	14080	0	72	41	15	26178	0	3031	908639	16488	502	8	0	23	343	9	23	0	0	0	19055	0	368	23	2348	7	102	18	6	76	72	
RC22-081	32	33.53	G190662	0	13085	9	0	0	0	14930	0	117	36	21	25726	0	3373	899640	13037	489	6	0	17	381	44	22	0	0	0	26096	0	438	20	2184	7	61	18	8	159	77	
RC22-081	33.53	35.05	G190663	0	10616	69	0	437	0	12578	0	92	52	19	27341	0	3294	900683	16505	531	7	0	22	346	11	25	0	0	0	24565	0	334	12	2182	6	71	15	16	84	89	
RC22-081	35.05	36.58	G190664	0	11114	43	0	720	0	8499	0	115	31	28	30026	0	3781	903602	15175	518	7	0	25	350	9	30	0	0	0	23220	0	222	18	2164	8	80	14	26	69	103	
RC22-081	36.58	38.1	G190665	0	8369	397	0	689	0	6302	0	132	54	28	27868	0	4380	915158	14378	538	7	0	24	327	8	40	0	0	0	18609	0	200	19	2189	8	60	0	25	77	115	
RC22-081	38.1	39.62	G190666	0	8710	42	0	0	0	6592	0	120	38	24	30781	0	4415	911369	13728	595	5	0	23	320	6	37	0	0	0	20391	0	131	19	2350	8	72	16	24	91	95	
RC22-081	39.62	41.15	G190667	0	10297	30	0	541	0	6024	0	88	29	28	30151	0	5881	905615	15831	547	9	0	21	338	6	50	0	0	0	21553	0	121	16	2531	8	78	14	26	64	101	
RC22-081	41.15	42.67	G190668	0	11181	27	0	515	0	7496	0	105	35	36	31054	0	5049	903379	14104	607	10	4	26	341	7	46	0	0	0	22517	0	117	17	2970	9	85	19	25	111	108	
RC22-081	42.67	44.2	G190669	0	13128	178	0	485	0	10798	0	70	54	52	31192	0	2904	896965	13644	493	8	12	37	360	7	27	0	0	0	24592	0	18	121	26	4480	10	98	17	23	69	133
RC22-081	44.2	45.72	G190670	0	10060	91	0	670	0	16712	0	277	99	37	54850	0	3321	872723	12090	600	7	22	90	298	8	33	0	0	0	20530	0	23	260	21	6666	9	166	0	36	120	182
RC22-081	45.72	47.24	G190671	0	7396	78	0	0	0	13302	0	256	53	51	51875	0	2122	890594	9975	653	5	21	58	273	9	21	0	0	0	16117	0	0	266	22	6303	10	219	15	22	109	174
RC22-081	47.24	48.77	G190672	0	10238	9	0	774	0	12447	0	97	0	14	21931	0	4590	910649	13604	383	6	0	12	339	8	29	0	0	0	22406	0	0	273	19	1933	8	79	18	8	56	68
RC22-081	48.77	50.29	G190673	0	13997	8	0	999	0	12320	0	112	0	18	20904	0	5699	902613	15295	384	5	0	0	351	26	27	0	0	0	25158	0	0	332	19	1555	9	0	14	9	80	66
RC22-081	50.29	51.82	G190674	0	17266	23	0	656	0	12943	0	102	0	21	21495	0	7026	889897	14211	382	4	0	9	323	9	35	0	0	0	32203	0	0	300	17	1831	10	72	20	7	71	66
RC22-081	51.82	53.34	G190675	0	10755	11	0	897	0	10786	0	84	0	20	20680	0	4820	911657	15359	412	6	0	11	387	14	26	0	0	0	21914	0	0	291	31	1685	10	0	19	7	68	71
RC22-081	53.34	54.86	G190676	0	10635	36	0	1091	0	13089	0	147	71	21	36297	0	2974	897096	11341	638	7	13	56	328	12	24	0	0	0	21236	0	21	241	19	4227	8	122	17	20	84	128
RC22-081	54.86	56.39	G190677	0	12123	74	0	787	0	9969	0	156	112	32	43226	0	2172	883065	16230	591	6	17	99	378	8	13	0	0	0	23897	0	0	213	32	6431	8	121	0	22	78	140
RC22-081	56.39	57.91	G190678	0	7762	106	0	1625	0	7881	0	188	80	28	29279	0	6898	908630	13559	245	32	7	97	326	29	59	0	0	4	18591	0	0	212	26	3470	10	232	0	24	427	112
RC22-081	57.91	59.44	G190679	0	10311	32	0	2004	0	6658	0	180	78	28	28027	0	5199	901903	13004	318	28	6	45	327	16	55	112	0</td													

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm		
RC22-083	3.05	4.57	G190721	0	8878	32	0	911	0	2145	0	0	72	28936	0	4957	929293	10504	468	8	0	29	352	5	36	0	28	0	10404	20	137	21	2458	9	52	19	27	67	131			
RC22-083	4.57	6.1	G190722	0	11352	4	0	1033	0	8868	0	86	0	46	24007	0	3665	924311	8759	409	6	0	15	343	5	29	0	110	0	14317	0	203	19	2108	9	61	23	27	59	126		
RC22-083	6.1	7.62	G190723	0	10661	7	0	881	0	4034	0	99	0	60	31049	0	4125	924429	7220	469	8	0	20	360	5	30	77	39	0	14113	0	149	22	2071	11	0	16	28	68	131		
RC22-083	7.62	9.14	G190724	0	8172	14	0	683	0	3783	0	82	0	48	22021	0	4288	940438	7937	340	4	0	10	370	4	34	76	0	0	9602	18	122	15	1631	9	68	21	25	54	129		
RC22-083	9.14	10.67	G190725	0	11076	102	0	874	0	4100	0	77	42	73	25844	0	4619	927994	7842	276	9	0	21	327	5	33	187	75	0	13703	0	108	24	2302	9	74	22	58	102	102		
RC22-083	10.67	12.19	G190726	0	9208	9	0	490	0	4948	0	109	42	68	21628	0	4810	937965	5277	198	14	6	30	366	5	40	0	27	0	12014	0	90	27	2255	9	153	21	22	62	111		
RC22-083	12.19	13.72	G190727	0	15089	87	0	1081	0	6890	0	73	55	76	23833	0	5668	914831	7705	206	19	8	44	393	4	48	301	79	1	20714	0	127	31	2236	12	163	18	27	60	121		
RC22-083	13.72	15.24	G190728	0	12247	4	0	1164	0	6909	0	159	60	79	25065	0	6227	921442	6639	162	24	6	56	350	7	50	223	25	3	15885	0	114	29	2615	12	200	24	28	61	129		
RC22-083	15.24	16.76	G190729	0	10646	3	0	821	0	6738	0	150	25	90	25914	0	4643	924102	9227	122	16	5	43	393	5	40	175	0	0	14050	0	119	27	2271	11	128	21	27	59	125		
RC22-083	16.76	18.29	G190730	0	11488	33	0	1210	0	7240	0	116	60	95	27444	0	6016	921762	6751	164	25	7	59	375	6	53	247	0	0	13775	0	124	28	2468	12	182	20	30	63	144		
RC22-083	18.29	19.81	G190731	0	9641	27	0	917	0	5912	0	138	51	103	27185	0	4499	924495	11566	151	24	6	66	372	7	42	119	0	0	3	11613	0	160	29	2465	12	153	16	30	70	130	
RC22-083	19.81	21.34	G190732	0	12901	27	0	0	0	7697	0	106	60	61	20715	0	4593	920789	11476	191	11	4	41	420	5	47	90	0	0	0	18074	0	133	44	2163	12	133	19	18	67	101	
RC22-083	21.34	22.86	G190733	0	8772	78	0	0	0	12588	16	130	396	48	34263	0	3751	925417	0	461	10	0	293	280	7	30	86	0	0	0	10360	21	344	41	2289	13	83	0	11	149	63	
RC22-083	22.86	24.38	G190734	0	7194	24	0	0	0	14747	0	112	79	54	29105	0	3385	923644	9315	437	9	0	50	340	6	27	0	0	0	0	7948	0	439	20	2766	9	111	15	11	96	59	
RC22-083	24.38	25.91	G190735	0	9564	19	0	0	0	16742	0	119	77	58	31565	0	3403	914393	7849	477	6	0	38	357	4	27	120	0	0	0	11687	0	420	19	2759	7	105	17	13	86	70	
RC22-083	25.91	27.43	G190736	0	15384	18	0	0	0	14104	0	0	83	53	30072	0	3362	899990	8826	494	7	0	29	463	9	26	262	0	0	0	23043	0	439	37	2980	11	111	18	12	102	69	
RC22-083	27.43	28.96	G190737	0	9752	123	0	364	0	18135	0	96	86	51	32666	0	3750	909526	7658	524	7	0	29	313	7	29	147	24	0	0	13008	0	417	17	2965	7	114	16	12	85	72	
RC22-083	28.96	30.48	G190738	0	8658	3	0	0	0	17715	0	86	85	49	29941	0	4026	916885	6764	501	5	0	21	325	5	30	0	0	0	0	11492	0	428	15	2684	7	99	14	13	85	65	
RC22-083	30.48	32	G190739	0	9457	3	0	0	0	15931	0	74	73	56	28813	0	2881	917652	7914	423	7	0	20	346	6	22	146	0	0	0	12547	0	491	21	2845	8	92	14	10	87	63	
RC22-083	32	33.53	G190740	0	10282	4	0	0	0	16539	0	88	66	63	29741	0	3416	914525	8227	443	8	0	18	318	6	26	224	0	0	0	12272	0	459	24	2909	8	124	34	10	86	80	
RC22-083	33.53	35.05	G190741	0	7358	33	0	0	0	15407	0	127	70	84	31392	0	3212	912712	7734	454	5	0	20	359	7	29	0	0	0	0	8476	0	441	23	2709	9	121	29	12	92	74	
RC22-083	35.05	36.58	G190742	0	11159	5	0	0	0	16175	0	136	80	72	30605	0	2826	911825	9004	456	8	0	29	394	6	24	177	0	0	0	13543	0	459	18	2701	7	102	18	10	94	67	
RC22-083	36.58	38.1	G190743	0	9064	3	0	0	0	16994	0	96	69	70	30349	0	3022	918438	6062	412	6	0	28	391	6	26	97	0	0	0	11513	0	431	22	2591	8	109	24	10	87	71	
RC22-083	38.1	39.62	G190744	0	6986	3	0	0	0	14639	0	103	85	65	29529	0	3215	926908	6928	416	6	0	27	338	6	29	0	0	0	0	7668	0	368	20	2367	6	103	14	13	94	63	
RC22-083	39.62	41.15	G190745	0	11526	468	0	0	0	17627	0	93	62	60	27696	0	2977	911067	9098	493	6	0	24	374	7	26	97	0	0	0	14969	0	429	19	2588	7	121	0	12	91	62	
RC22-083	41.15	42.67	G190746	0	6896	26	0	0	0	14156	0	91	70	38	23952	0	3627	930792	7369	388	7	0	23	342	6	34	0	29	0	0	0	8557	0	451	22	2825	6	107	13	8	91	72
RC22-083	42.67	44.2	G190747	0	7881	39	0	0	0	17424	0	97	47	46	25897	0	4104	925733	4859	426	6	0	18	371	8	32	0	0	0	0	9849	0	398	22	2483	7	69	15	10	91	69	
RC22-083	44.2	45.72	G190748	0	9586	4	0	0	0	16212	0	108	59	55	31739	0	3165	915043	8091	500	5	0	23	366	4	26	88	0	0	0	11387	18	416	19	2755	9	123	21	12	98	68	
RC22-083	45.72	47.24	G190749	0	13738	3	0	0	0	14079	0	99	41	47	29231	0	3794	903981	10627	404	6	0	1																			

Hole ID	From	To	Sample ID	ag_ppm	al_ppm	as_ppm	au_ppm	ba_ppm	bi_ppm	ca_ppm	cd_ppm	co_ppm	cr_ppm	cu_ppm	fe_ppm	hg_ppm	k_ppm	le	mg_ppm	mn_ppm	mo_ppm	nb_ppm	ni_ppm	p_ppm	pb_ppm	rb_ppm	s_ppm	sb_ppm	se_ppm	si_ppm	sn_ppm	sr_ppm	th_ppm	ti_ppm	u_ppm	v_ppm	w_ppm	y_ppm	zn_ppm	zr_ppm
RC22-084	50.29	51.82	G190791	0	8140	3095	106	490	0	10849	0	103	62	26	18541	6	4897	916162	14078	325	4	0	33	334	8	50	308	152	0	19778	0	289	19	1931	7	66	0	19	37	86
RC22-084	51.82	53.34	G190792	0	9149	4335	188	837	0	6843	0	94	0	78	16889	0	6655	916838	14005	135	7	0	23	329	6	54	317	148	0	20783	0	201	18	1888	8	0	0	24	37	109
RC22-084	53.34	54.86	G190793	0	7742	5053	246	773	0	8594	0	95	0	36	17783	0	6027	917468	14126	170	5	0	20	322	6	40	318	149	0	18904	0	225	13	1747	7	0	0	17	28	87
RC22-084	54.86	56.39	G190794	0	9413	1732	0	817	0	7362	0	89	37	33	19387	0	4475	917303	14356	239	6	0	21	342	6	37	309	102	0	21486	0	235	18	2072	6	0	0	15	23	80
RC22-084	56.39	57.91	G190795	0	5889	5836	297	636	0	20817	0	105	60	27	18751	0	4389	905912	13276	303	5	0	74	279	6	42	118	5491	0	15363	0	384	15	1680	5	75	0	19	54	89
RC22-084	57.91	59.44	G190796	0	13868	342	0	600	0	7285	0	98	86	38	26236	0	3704	905962	11013	309	7	0	67	346	5	35	348	145	0	26790	0	170	17	2252	8	81	23	53	88	
RC22-084	59.44	60.96	G190797	0	9023	204	0	587	0	7301	0	121	51	39	27391	0	2827	915588	12692	345	4	0	36	309	5	27	116	298	0	20160	0	167	12	2410	7	90	26	25	43	97
RC22-084	60.96	62.48	G190798	0	9766	110	0	547	0	6711	0	80	0	35	23532	0	2025	919667	11681	505	8	0	28	339	5	13	106	0	0	22386	0	235	25	1950	9	72	22	24	35	83
RC22-084	62.48	64.01	G190799	0	11879	64	0	554	0	6132	0	139	0	35	29090	0	2935	905582	14940	677	5	0	25	300	7	21	216	32	0	24327	0	202	18	2546	9	68	22	25	42	106
RC22-084	64.01	65.53	G190800	0	16888	54	0	871	0	4606	0	98	35	39	24150	0	2847	900946	15307	372	5	0	18	324	4	23	167	32	0	30179	0	196	15	2545	7	71	25	35	35	117

## **APPENDIX H**

### **RC CHIP PHOTOS**

5

10

20

30

40

50

60

70

80

90

100

RC22-053

110

120

130

140

150

160

170

180

190

200

205

210

220

230

240

RC22-053



RC22-054




RC22-055





RC22-057



RC22-058



RC32-059

5

10

20

30

40

50

60

70

80

90

100

105

110

120

130

140

150

160

170

180

190

200

200

210

220

230

240

250

260

270

280

290

300


305

310

320

330

RC22-060



RC22-061

5  
10  
20  
30  
40  
50  
60  
70  
80  
90  
100

105  
110  
120  
130  
140  
150  
160  
170  
180  
190  
200

205  
210  
220  
230  
240  
250  
260  
270  
280  
290  
300

305  
310  
315  
320  
325  
330  
340  
345  
350  
360  
370  
380  
390

RC22-062



RC22-063



RC22-064



RC22-065



RC22-066



RC22-067



RC22-068

5  
10  
20  
30  
40  
50  
60  
70  
80  
90  
100



105  
110  
120  
130  
140  
150  
160  
170  
180  
190  
200




205  
210  
220  
230  
240



RC22-069



RC22-070



30

40

50

60

70

RC22-072 A



RC22-073



Mike Schnarr  
Owner - Operator  
*Special*  
2009 Highway 99  
PO Box 420  
Mount Currie, BC V0N 2K0  
Ph: (604) 866-4669  
Email: mikeschnarr@excavating.ca

pent day  
negative





RC22-075

5  
10  
20  
30  
40  
50  
60  
70  
80  
90  
100



105  
110  
120  
130  
140  
150  
160  
170  
180  
190  
200



205  
210  
220  
230  
240  
250  
260  
270  
280  
290  
300



305  
310  
315  
320  
325  
330



RC22-076

5 10 20 30 40 50 60 70 80 90 100



105 110 120 130 140 150 160 170 180 190 200



205 210 220 230 240 250 260 270 280 290 300



RC22-077



RC22-078

5 15 25 35 45 55 65 75 85 95 100



105 110 120 130 140 150 160 170 180 190 200



RC22-079



5

10

20

30

40

50

60

70

80

90

100

105

110

120

130

140

150

160

170

180

190

200

205

210

220

~~224~~

230

RC22-081



RC22-082

5 10 20 30 40 50 60 70 80 90 100



105 110 120 130 140 150 160 170 180 190 200



205 210 215 220 230 240 250 260 270 280 290 300



RC22-083



RC22-084