



Why Alaska? Well Endowed with Gold

40% of U.S. Gold Resources – About 200 million ounces

A Long Mining History – Attractive Tax Regime

A safe stable jurisdiction for mineral exploration and mining

Native Land Claims resolved in 1971

Central Alaska Gold Districts have Excellent access with Paved Highways and Historic State Trails to the Gold Camps

Alaska ranks in the Top 5 in Fraser Institute's Investment Attractive Index



Tintina Gold Province - Alaska & Yukon



Map source: USGS Fact Sheet 2007-3061




ELEPHANT MOUNTAIN PROJECT, Alaska

- 100% owned and Option to Earn 100%
- Road and State trail accessible in Central Alaska. Permitted for Drilling
- State Mining Claims
- Target Similarity to Snowline, Fort Knox, Golden Summit, Eagle Mine (Yukon)
- Six intrusive hosted gold target areas within a 12 x 5 km district All zones are open to expansion through geochemical exploration
- Soil sampling & drilling to date indicates a large 2 x 2 km gold mineralizing system straddling a wide intrusive-hosted fault zone with 4 targets, 2 targets with wide low-grade gold and narrower high grade gold.
- South Zone Discovery step-out drilling a high priority.
- North Zone, Pump Zone & Central Zone chargeability targets warrant grid-drilling to discover higher grade feeder structures.
- Trout target a high priority for drilling.
- South Fork target warrants drilling



Elephant Mountain Gold Project





Elephant Mountain Gold Project Eureka – Manley Hot Springs District, Alaska



SIX DRILL TARGETS

#1 South Zone Target - ELEPHANT PROPERTY

Drill Discovery - 4.09 gpt gold over 4.6 metres - 1400 m strike potential to expand.

#2, #3, #4 - NORTH ZONE PUMP ZONE AND CENTRAL ZONE TARGETS - ELEPHANT PROPERTY

Drilling – Intersects 0.40 gpt over 147.1 m and 0.514 gpt gold over 99.4 m.

"Porphyry gold" target - 2.25 km² area of chargeabilty - associated with gold-in-soil and rocks.

#5 - TROUT TARGET - TROUT-WOLVERINE PROPERTY

1,000 by 300 m gold-in-soil anomaly (>100 ppb gold, up to 2,330 ppb gold).

Encouraging rock samples with up to 23.0 gpt gold


#6 - SOUTH FORK TARGET - TROUT-WOLVERINE PROPERTY

Encouraging "grab" samples include 6.6, 6.73, 10.35 & 11.98 gpt gold in 250 m long zone.

Single trench through zone includes 0.547 gpt gold over 9.14 m in the shear




Elephant Mountain Gold Project – Airborne Resistivity






Elephant Mountain Gold Project – Area Geology






Elephant Mountain Gold Project



- **South Zone**
- **North Zone**
- **Pump Zone**
- **Central Zone**
- **Trout Peak**
- **Trout South Fork**
- Wolverine Mtn.




Elephant Mountain Gold Project Airborne Geophysics – 7200 Hz. Resistivity





Elephant Mountain Gold Project Chargeability (50m dipole) – N2





Elephant Mountain Gold Project Eureka – Manley Hot Springs District, Alaska



ELEPHANT PROPERTY – FOUR DRILL TARGETS

1,830 by 460 m gold-arsenic soil anomaly at the North, South, Pump and Central Zones. Grab samples include 12.98 gpt, 5.21 gpt, 4.4 gpt & 3.02 gpt gold.

SOUTH ZONE TARGET

Power Auger Soil Sampling – *Defines 1,400 x 250 m gold-arsenic-antimony soil anomaly with values exceeding 100 ppb gold.*

Resistivity Anomaly is coincident with Soil anomaly.

Drill Discovery - 4.09 gpt gold over 4.6 metres associated with the resistivity anomaly.

Untested Chargeability Target next to drill discovery - potential to expand the discovery.

NORTH ZONE TARGET

Drilling – Intersects 0.40 gpt over 147.1 m and 1992 DDH with 0.514 gpt gold over 99.4 m.

1200 x 600 m IP chargeability anomaly with DDH and soil confirms large untested Au trend.

PUMP ZONE TARGET


IP chargeability anomaly identified in covered area – covered area entirely untested.

CENTRAL ZONE TARGET (ELEPHANT MOUNTAIN FAULT ZONE - EMFZ)

Resistivity with deep untested chargeability anomaly – possible deep oxidation of gold zone.




Elephant Mountain Gold Project Drilling by Endurance Gold






Elephant Mountain Gold Project Induced Polarization Anomalies






Elephant Mountain Gold Project North Zone – Geology and Rock Sample Results





Elephant Mountain Gold Project North Zone - Drill Cross Section Hole EL 2016-13





Elephant Mountain Gold Project North Zone Drilling EL 16-13 - Altered Granodiorite

Intense phyllic (sericite)
+/- clay alteration with
disseminated pyritearsenopyrite replacing
mafic minerals in
granodiorite


0.4 gpt over 147.1 metres Includes 0.63 gpt over 48.2 m

9/ 10 11 12 13 14 /15 16 17 18 19 20 21 22 23

Example From 197.3 feet to 215.8 feet




Elephant Mountain Gold Project North Zone Drilling EL 16-13 - Altered Granodiorite



VEINLET EXAMPLE AT 243' - 0.683 GPT AU/1.13M




Elephant Mountain Gold Project






Elephant Mountain Gold Project South Zone – Geology and Rock Sample Results






Elephant Mountain Gold Project South Zone Soil Anomaly Gold





Elephant Mountain Gold Project South Zone - Drill Cross Section Holes EL 16-14 & 15



Elephant Mountain Gold Project DDH EL 16-14A

3.82 g/t over 3.3 feet

0.33 g/t over 4.5 feet

20.4 g/t over 2.2 feet

0.48 g/t over 5.0 feet




Average intersection From 60 to 75 feet 4.09 g/t Au over 15 ft






Elephant Mountain Gold Project

South Zone Cross - Section IP Chargeability – 2D






Elephant Mountain Gold Project Trout – South Fork - Wolverine Targets





Elephant Mountain Gold Project – Area Geology





Elephant Mountain Gold Project Eureka – Manley Hot Springs District, Alaska



TROUT-WOLVERINE PROPERTY - ADDITIONAL DRILL TARGETS

Trout Target – PRIORITY FOR TRENCHING & DRILL TARGET 1,000 by 300 m gold-in-soil anomaly (>100 ppb gold, up to 2,330 ppb gold).

Encouraging rock samples with up to 23.0 gpt gold - hosted in Cretaceous-age syenite.

A 15 to 20 m wide by 130 m "open" soil anomaly (>400 ppb gold-in-soil) with peak values of 2,330 and 2,100 ppb gold-in-soil. Trench values of 0.51 gpt gold over 12.2 m. Higher grade soil anomaly and trench results are hosted within the larger 1,000 x 300 m gold-in-soil (>100 ppb) coincident with the Trout Fault zone in intrusive.

South Fork Target – (south tributary of Quail Creek) – DRILL TARGET Encouraging "grab" samples include 6.6, 6.73, 10.35 & 11.98 gpt gold in 250 m long zone.

Hosted in sheared hornfels altered clastic sediments. Best gold-in-rock values related to oxidized quartz stockwork and quartz-healed breccia.


Single trench through zone includes 0.547 gpt gold over 9.14 m in the shear.

Wolverine Target

300 by 300 m gold-in-soil anomaly (>50 ppb gold, up to 465 ppb gold). The soil anomaly is associated with visible gold in veinlet stockwork in felsic intrusive – Up to 11.65 gpt gold.




Elephant Mountain Gold Project Trout Peak Target – Geology & Gold-in-Rock & Soil





Elephant Mountain Gold Project Trout Target – Trench Area – Contoured Gold-in-Soil





Elephant Mountain Gold Project Eureka – Manley Hot Springs District, Alaska



- 1. Elephant Property 100% owned
- Trout Wolverine Property Option to own 100%
 Remaining obligation include US\$60,000 cash by Dec 2024

Both Properties subject to 1% NSR after buyout



Elephant Mountain Gold Project Highlights & Plans



Six intrusive hosted gold target areas within a 12 x 5 km district
 All zones are open to expansion through geochemical exploration

Elephant Property

- Drilling to date indicates a large 2 x 2 km gold mineralizing system straddling a wide intrusive-hosted fault zone with 4 targets, 2 targets with wide low-grade gold and narrower high grade gold.
- South Zone Discovery step-outs a high priority for drilling.
- North Zone, Pump Zone & Central Zone chargeability targets warrant grid-drilling to discover higher grade feeder structures.

Trout – Wolverine Property

- Trout target a high priority for drilling in 2021.
- South Fork target warrants drilling.



www.endurancegold.com

Robert T. Boyd, P.Geo. is a qualified person as defined in National Instrument 43-101 and supervised the compilation of the information forming the basis for this summary. The Placer Dome activity during the period between 1989 and 1992 preceded the implementation of NI 43-101 and furthermore, the original data and reports have not been completely reviewed by the Company. Therefore the historic data summarized in this presentation should not be relied upon.

Bedrock grab samples are selective by nature and are unlikely to represent average grades within the bedrock when drilled.

All 2012 through 2020 rock and soil samples were analyzed at ALS Minerals using Au-ST43, Au-OG43, and ME-MS41.

Suite 1212 – 666 Burrard Street

Vancouver, BC V6E 2X8 Canada

Telephone: 604-682-2707

Toll Free: 877-624-2237