



North American Focused Gold Exploration Company

March 11, 2026



EDG: TSX.V | ENDGF: OTCQB | Frankfurt: 3EG

Corporate Disclosure

The company is an exploration stage mineral resource exploration company and none of its mineral projects have yet to be proven to be economic. The contents of this presentation is for information purposes only and does not constitute an offer to sell or a solicitation to purchase any securities referred to herein.

This presentation contains “forward-looking information” within the meaning of applicable Canadian securities regulations. All statements other than statements of historical fact herein, including, without limitation, statements regarding the company’s plans, goals or objectives and future exploration, development, potential mineralization, exploration results and future plans are forward-looking statements that involve various risks and uncertainties. There can be no assurance that such statements will prove to be accurate, and actual results and future events could differ materially from those anticipated in such statements. Readers are advised not to place an undue reliance on forward-looking statements.

The Mineral Resource Estimate (“MRE”) in this presentation was prepared for Endurance Gold Corp. by Ginto Consulting Ltd. in accordance with NI 43-101 – Standards of Disclosure for Mineral Projects. Please see the news release dated January 19, 2026 for additional disclosure for the MRE with an effective date of January 8, 2026.

Mineral Resources, which are not Mineral Reserves, do not have demonstrated economic viability. There is no certainty that all or any part of the mineral resources estimated will be converted into mineral reserves. The estimate of Mineral Resources may be materially affected by environmental, permitting, legal, title, taxation, sociopolitical, marketing, changes in global gold markets or other relevant issues.

The CIM definitions were followed for the classification of the mineral resources. The inferred mineral resources have a lower level of confidence and must not be converted to mineral reserves. It is reasonably expected that the majority of inferred mineral resources could be upgraded to indicated mineral resources with continued exploration. The technical and scientific information in this presentation has been reviewed and approved by Darren O’Brien, P.Geo. who is a Qualified Person as defined by National Instrument 43-101 Standards of Disclosure for Mineral Projects.

Corporate Snapshot

Shares Outstanding <i>(March 11 2026)</i>	190.2m
Market Capitalization <i>(C\$0.57 – Mar 10, 2026)</i>	C\$108.4 m
Options <i>(C\$0.20 – C\$0.34)</i>	10.2 m
Warrants <i>(C\$0.17 – C\$0.90)</i>	13.75 m
Fully Diluted <i>(March 11 2026)</i>	214.1 m
Working Capital <i>(Sept 30, 2025)</i>	C\$1.7 m*



**Insiders
own
over 57%**

* Excludes \$9.2m from January warrant exercise & March Financing

Key People

Robert T. Boyd
President, CEO & Director

Darren O'Brien
Vice President Exploration

Teresa Cheng
CFO & Corporate Secretary

Richard Gilliam
Director

H. Ross Arnold
Director

Robert Pease
Director

J. Christopher Mitchell
Director

Endurance Gold Corporation – Opportunities

Endurance Gold – An Opportunity Generator with Pre-Existing Projects Divested for Cash, Shares, &/or Royalty such as:

- **Rattlesnake Hills Au, WY – SOLD** to GFG Resources (TSX-V;GFG)
- **Pardo Paleoplacer Au, Ontario – SOLD** to Inventus Mining (TSX-V;IVS)

Current **100% controlled** Drill-Stage Projects in excellent jurisdictions are;

- **Elephant Mtn Gold Project**, Central Alaska – Tombstone Gold Belt - Intrusive Hosted Gold - 0.40 gpt Au over 147 m – 6 Large Targets - needs +\$2 Million drilling **FOR SALE, JOINT VENTURE or SPINOUT**
- **Bandito Rare-Earth Niobium**, Yukon – Syenite Intrusive hosted - **HOLD**
- **Reliance Gold Project**, BC – “Epizonal” Orogenic **+1M oz Discovery**
The Exploration and Funding Focus for the Company
SELF FUNDED

Endurance Gold Corporation – Core Gold Assets

HIGHLIGHTS AND PLANS

100% Owned - Drill-ready Gold Projects - top-ranked jurisdictions.

Reliance Gold Project, B.C. – Epizonal Orogenic – 2026 Drilling & PEA

- In British Columbia's Largest Historic Gold Camp – Re-emergent Production
- 32 km of DDH drilling – up to **15.7 gpt Gold over 24.8 m – 70% hit ratio**
- Inaugural Inferred Mineral Resource of ****19.6 Mt at 2.30 GPT Au with 1.45 M Oz**
- With **Pit-Constrained** Inferred MRE of ****15.6 Mt at 2.23 GPT Au with 1.12 M Oz**
- High Priority New Drill Targets Indicate Major Camp Potential

***See Slide #10 Disclaimer*

Elephant Mtn Project, Alaska – Intrusive Hosted Gold

- Within the Yukon-Alaska Tombstone Gold Belt
- Six drill targets (kilometre scale) within an emerging 12 x 5 km district.
- Drill intersections such as **0.40 gpt Gold over 147 m and 4.1 gpt Gold over 4.6 m**
- Permitted - Further drilling warranted
- High Grade structures with Antimony

**AVAILABLE FOR SPIN OUT, JOINT
VENTURE OR STRATEGIC ALTERNATIVE**

Reliance Gold Project Program Highlights

32 km of diamond drilling has delivered a significant high-grade gold discovery – located in easily accessible productive Gold Camp

Mineral Resource Estimate reported** – **Inferred 19.6 Mt at 2.3 gpt Au for 1.45 Moz Au**

Discovery Cost of C\$9 per ounce of Inferred MRE

Test work shows 84.7% recovery of Gold to a **Marketable Concentrate.**

MRE open to expansion at depth and in-pit – **+ 2.0 km of untested Geochem on strike**

Drilled Gold system has Excellent hit statistics

NEW Targeting successful – Five other parallel structural targets prioritized for drilling.

Preliminary Economic Assessment to be initiated in 2026

100% ownership – maximum 1% NSR after optional buydown

** Please see News Release dated January 19, 2026 for additional disclosure for the MRE, as well as the additional disclosure on Slide #10 of this presentation.

Reliance Gold Project - 2026 Objectives

Diamond Drilling on the Current MRE

2026 Goal

Drilling - Infill in-pit on Current MRE
Drilling to Expand MRE at Depth & Trend

Grow Mineral Resource & PEA

2026 Goal

Update MRE with 2026 Drill results
Initiate Prelim Economic Assessment

Metallurgy Optimization

2026 Goal

Increase Gold recovery to Concentrate
Antimony Recovery Alternatives

New Discovery Growth

2026 Goal

Drill Test Extensions to Royal Shear
Acquire Permit for Olympic Drilling
Drill Test New Structures (Olympic)

Reliance Gold Project – Ideal Location

Bralorne Orogenic Camp, Gold Bridge, B.C.

New Surface Discovery


10 km from historic Bralorne Camp
(+4 million ounces of historic production)



4 hour Drive
from Vancouver

5 km from
La Joie Hydro
Dam


Imperial and
Eagle Zones





Reliance Gold Project, BC

100% Owned – 5,500 Hectares – Max 1% NSR after Buydown

**District Consolidation of
Historic & Accessible
Gold & Antimony
Prospects**

**A “Shallow” Orogenic
Setting**



Reliance Gold Project Mineral Resource Estimate

January 8, 2026			Inferred	
Zone	Au Cutoff (gpt)	Tonnes (Mt)	Gold Grade (gpt)	Contained Gold (Moz)
OP	0.3	15.6	2.23	1.12
UG	1.0	4.0	2.58	0.33
TOTAL	0.3, 1.0	19.6	2.30	1.45

The Mineral Resource Estimate (“MRE”) was prepared for Endurance Gold Corp. by Ginto Consulting Ltd. in accordance with NI 43-101 – Standards of Disclosure for Mineral Projects. Please see the news release dated January 19, 2026 for additional disclosure for the MRE with an effective date of January 8, 2026.


Mineral Resources, which are not Mineral Reserves, do not have demonstrated economic viability. There is no certainty that all or any part of the mineral resources estimated will be converted into mineral reserves. The estimate of Mineral Resources may be materially affected by environmental, permitting, legal, title, taxation, sociopolitical, marketing, changes in global gold markets or other relevant issues.

The CIM definitions were followed for the classification of the mineral resources. The inferred mineral resources have a lower level of confidence and must not be converted to mineral reserves. It is reasonably expected that the majority of inferred mineral resources could be upgraded to indicated mineral resources with continued exploration.

Reliance Gold Project


Mineral Resource Estimate & Pit Shell - 3D View

**3D View of MRE
& Pit Shell**



Reliance Gold Project

Mineral Resource Estimate & Pit Shell - Plan View



Reliance Gold Project - 2026 Drill Intersection

2026 Mineral Resource Estimate Plan View



ENDURANCE GOLD
CORPORATION

Inferred MRE Surface Projection

Gold (gpt) in 5 m Blocks

- ◆ 6.31 - 10.92
- ◆ 4.14 - 6.30
- ◆ 2.75 - 4.13
- ◆ 1.62 - 2.74
- ◆ 0.78 - 1.61
- ◆ 0.07 - 0.77



DRILLING BY ENDURANCE GOLD

- 2021-2025 Diamond Drill Hole
- Reverse Circulation (RC) Drill Hole

GEOLOGY



ALTERATION

■ Ankerite Alteration +/- Quartz


ROCK TYPE

■ Mafic Volcanic / Gabbro


■ Argillite and Chert



Reliance Gold Project Imperial Zone Cross Section



Reliance Gold Project Eagle Zone Cross Section




Reliance Gold Project, BC – DDH Statistics

1. Completed **127 Diamond** Drill Holes between 2021 to 2025
2. Best Near-Surface Drill holes at the **Eagle Area**
 - 15.7 gpt Gold over 24.8 m including 26.96 gpt Gold over 4.1 m
 - 8.62 gpt Gold over 24.4 m including 17.02 gpt Gold over 4.3 m
 - 8.41 gpt Gold over 12.0 m, 8.05 gpt Gold over 13.0 m
 - 6.51 gpt Gold over 14.0 m, including 36.3 gpt Gold over 1.0
 - 6.20 gpt Gold over 7.8 m, including 10.70 gpt Gold over 2.6 m
 - 5.15 gpt Gold over 21.6 m, including 9.97 gpt Gold over 5.9 m
 - 3.05 gpt Gold / 139.9 m, 4.16 gpt Gold / 30.0 m, 5.8 gpt Gold / 23 m
3. **Imperial, Crown & Lower Imperial Zones** – majority mineralized
 - 8.47 gpt Gold over 24.9 m including 16.27 gpt Gold over 10.5 m
 - 6.74 gpt Gold over 21.4 m including 10.11 gpt Gold over 12.4 m
 - 8.98 gpt Gold over 9.3 m including 12.44 gpt Gold over 6.0 m
 - 17.28 gpt Gold over 4.2 m including 35.20 gpt Gold over 1.3 m
 - 7.18 gpt Gold over 8.3 m including 28.08 gpt Gold over 1.7 m
4. **86 of 127 DDH** have “significant” intersections
5. **24 of 127 DDH** have “excellent” drill intersections
6. **12 of 127 DDH** have “outstanding” drill intersections

Reliance Gold Project Mineralized Breccia Textures

Gold - Arsenopyrite Quartz Breccia (Cataclastite) **6.19 gpt Gold over 0.85 m**



DDH22-027
@ 116.4m

Fine grained “crushed”
pyrite, aspy, stibnite with
fine grained quartz
breccia fragments &
late ankerite veins

Gold - Arsenopyrite “Cockade or Coxcomb” Quartz Breccia **14.35 gpt Au /2.0 m**



DDH22-031
@ 128 m

late phase of “open space”
cockade quartz with
stibnite, aspy, pyrite
infilling mineralized altered
mafic volcanic fragments

Reliance Gold Project Upper Crown Discovery in DDH24-093


NQ Core **Visible gold** in Quartz Vein – **147.5 gpt gold / 1.0 m**



Reliance Gold Project

Mineral Resource Estimate - 3D View – MRE Growth Potential


Next Steps



Reliance Gold Project, B.C. Imperial, Eagle & the Olympic Geochemical Anomalies



ENDURANCE GOLD
CORPORATION



Reliance Gold Project - 2026 Objectives

Diamond Drilling on the Current MRE

2026 Goal

Drilling - Infill in-pit on Current MRE
Drilling to Expand MRE at Depth & Trend

Grow Mineral Resource & PEA

2026 Goal

Update MRE with 2026 Drill results
Initiate Prelim Economic Assessment

Metallurgy Optimization

2026 Goal

Increase Gold recovery to Concentrate
Antimony Recovery Alternatives

New Discovery Growth

2026 Goal

Drill Test Extensions to Royal Shear
Acquire Permit for Olympic Drilling
Drill Test New Structures (Olympic)

Reliance Gold Project, BC Conclusions

- An outstanding Discovery in an historically productive multi-million ounce Orogenic Gold Camp.
- NEW** - Inferred MRE 19.6 Mt at 2.3 gpt Au for **1.45 Moz Au**
- Low Discovery metrics of **C\$9 per ounce of Inferred MRE**
- Test work shows 84% recovery to a marketable gold concentrate
- Preliminary Economic Assessment to commence in 2026
- Untested potential to Grow – MRE In-Pit – MRE at Depth – and New Discoveries
- Six (6) On-Strike and Parallel structural trends prioritized for Drilling
- “Epizonal” Orogenic Model provides potential for growth into a major gold system with depth continuity and economic comparables to Fosterville, Australia

** Please see News Release dated January 19, 2026 for additional disclosure for the MRE with an effective date of January 8, 2026, as well as the additional disclosure on Slide #8 of this presentation.

ALASKA GOLD PROJECT




Tombstone (Tintina) Gold Province - Alaska & Yukon

Alaska ranks High in Fraser Institute's Investment Attractive Index




Map source: USGS Fact Sheet 2007-3061

Alaska Properties – Road Accessible



**Alaskan Extension of the Tombstone
Reduced Intrusive-Related Gold District**

Elephant Mountain Gold Project



Elephant Mountain Gold Project


DIAMOND DRILLING

- 2016 Endurance Gold
- 2000 North Star
- 1992 Placer Dome

- Cretaceous Intrusives
- Gold Bearing Placer Gravels
- State Approved Access Routes
- All Terrain Vehicle (ATV) Trail

GOLD TARGETS


- ① South Zone
- ② North Zone
- ③ Pump Zone
- ④ Central Zone
- ⑤ Trout Peak
- ⑥ Trout South Fork
- ⑦ Wolverine Mtn.



ELEPHANT MOUNTAIN PROJECT, Alaska

- 100% Owned
- Road and State trail accessible in Central Alaska. – Permitted for Drilling
- State Mining Claims
- Target Similarity to Snowline, Fort Knox, Golden Summit, Eagle Mine (Yukon)
- Six intrusive hosted gold target areas within a 12 x 5 km district **All zones are open to expansion through geochemical exploration**
- Soil sampling & drilling to date indicates a large 2 x 2 km gold mineralizing system straddling a wide intrusive-hosted fault zone with **4 targets**, 2 targets with wide low-grade gold and narrower high grade gold.
- **South Zone Discovery step-out drilling a high priority.**
- **North Zone, Pump Zone & Central Zone** chargeability targets warrant grid-drilling to discover higher grade feeder structures.
- **Trout target a high priority for drilling.**
- South Fork target warrants drilling
- Subject to 1% NSR (after buydown from 2%)

Elephant Mountain Gold Project Airborne Geophysics – 7200 Hz. Resistivity



Elephant Mountain Gold Project Intrusive Hosted - Induced Polarization Anomalies

SW

Looking West Northwest

NE


Diamond Drill Hole

0.4 gpt Gold / 147 m

includes 0.63 gpt Gold / 48.2 m

Modelled Chargeability (mV/V)

**Elephant Mtn.
Fault Zone**
Deeper Oxidation?
& Covered Area



North Zone


Pump Zone

Central Zone


500 m

Elephant Mountain Gold Project

Chargeability (50m dipole) – N2



Elephant Mountain Gold Project – Area Geology



Elephant Mountain Gold Project

Highlights & Plans



- Six intrusive hosted gold target areas within a 12 x 5 km district
All zones are open to expansion through geochemical exploration

Elephant Property


- Drilling to date indicates a large 2 x 2 km gold mineralizing system straddling a wide intrusive-hosted fault zone with **4 targets**, 2 targets with wide low-grade gold and narrower high grade gold.
- **South Zone Discovery step-outs a high priority for drilling.**
- **North Zone, Pump Zone & Central Zone** chargeability targets warrant grid-drilling to discover higher grade feeder structures.

Trout –Wolverine Property

- **Trout target a high priority for drilling.**
- South Fork target warrants drilling.

BANDITO REE-Nb PROJECT


Yukon





100% Endurance Owned
Rare Earth-Niobium-(Nickel-Copper) Target

Bandito Project, Yukon

Location Map



63 km from all weather road
30 km from oil & gas tote road






**90 kilometres to
Beaver River gas wells**

**Liard River
Shale Gas Basin**

Bandito Project, Yukon

Highlights REE & Niobium in Soil



2011 Soil Grid

Total REE & Yttrium

TREE+Y (ppm)	Percentile
600 - 3,534	> 95th
496 - 600	> 90th
389 - 496	> 80th
322 - 389	> 70th
280 - 322	> 60th
256 - 280	> 50th
233 - 256	> 40th
218 - 233	> 30th
40 - 218	< 30th

★ 2011 and 2012 Grab or Chip Sampling
(% TREO+Y / metres)

**Large Rare Earth
and Niobium
Soil Anomalies related to
High REE-Nb bedrock values
in Syenite**

Soil Grid Sample Density
2011 Grid = 100 m x 100 m

**Niobium - Tantalum
Statistical Correlation is 86.5%**

★ 2011 and 2012 Grab or Chip Sampling
(% Nb₂O₅ / metres)

Niobium in Soil

Nb (ppm)	Percentile
196 - 575	> 95th
146 - 196	> 90th
96 - 146	> 80th
68 - 96	> 70th
50 - 68	> 60th
40 - 50	> 50th
34 - 40	> 40th
29 - 34	> 30th
5 - 29	< 30th


Tantalum in Soil

Ta (ppm)	Percentile
9.4 - 54	> 95th
6.9 - 9.4	> 90th
4.7 - 6.9	> 80th
3.4 - 4.7	> 70th
2.7 - 3.4	> 60th
2.3 - 2.7	> 50th
2.1 - 2.3	> 40th
1.8 - 2.1	> 30th
0.1 - 1.8	< 30th


Soil Grid Sample Density
2006 Grid = 50 m x 25 m
2011 Grid = 100 m x 100 m

Bandito Project, Yukon


Sodium and Potassium Metasomatism



Albite – potassium feldspar Fenite
or fenitized intrusive dykes




Multistage fluorite hematite monazite
plagioclase Fenite



Grabs up to 6.8% TREO

Bandito Project, Yukon




Project Highlights

- 1. Drill Ready REE target** - 3.0 by 0.5 Km Rare Earth System in Fenite – 2.3% TREO+Y over 6 m with 10.8% Heavy Rare Earths in Fenite - plus consistently high niobium values in Fenite.
- 2. Drill Ready Nb-Ta targets** - Over 30 chip & grab samples contain in excess 0.143% Nb₂O₅ with values up to 1.3% Nb₂O₅ and 0.094% Ta₂O₅ in syenite.
3. Up to 1.8 km by 600 m TREE+Y and Niobium-Tantalum soil anomalies in +4 square km altered “Red Syenite” together with values up to 3.49% TREO+Y with 76% Heavy Rare Earth and 0.96% Nb₂O₅ indicate discovery potential for volumetrically large Syenite-Intrusive hosted REE-niobium-tantalum deposits.
Drill Ready after intensive prospecting and trenching.
4. The alteration and “pregnant” rare metals system remains open to expansion within the current property.
5. The Copper-Nickel “Discovery” soil anomaly is 1000 by 600 m, much larger than the area of known mineralization (580 by 200 metres). **Drilling warranted.**

Bandito Project, Yukon

Next Steps



1. LiDAR Complete – Interpretation will assist with defining lithological and intrusive contacts
2. Airborne + Ground Geophysics – To define system size with radiometrics.
3. Additional soil & rock sampling – To define limits of the large intrusive-hosted rare earth, niobium, and tantalum system.
4. Yukon Class 1 Permit approved for 2023 & 2024 - Renewal Required for 2026 - this permit allows some recon drilling
5. Class 3 Drill and Trench permit application under consideration.
6. Drilling – Several rare earth, niobium/tantalum and nickel-copper targets warrant drill testing.
7. Trenching – To identify controls and extent of rare earth and niobium-tantalum mineralization in intrusive-hosted and fenite targets.



www.endurancegold.com

Robert T. Boyd, P.Geo. is a qualified person as defined in National Instrument 43-101 and supervised the compilation of the information forming the basis for this summary.

Suite 1212 – 666 Burrard Street
Vancouver, BC V6C 2X9 Canada
Toll Free Phone: 877-624-2237

EDG: TSX.V | ENDGF: OTCQB | Frankfurt: 3EG